

DATA SHEET

FortiGate® 4200F Series

FG-4200F and FG-4201F

Next Generation Firewall Carrier-Grade NAT Gateway Segmentation IPS Mobile Security



The FortiGate 4200F series delivers high performance next generation firewall (NGFW) capabilities for large enterprises and service providers. With multiple high-speed interfaces, high-port density, and high-throughput, ideal deployments are at the enterprise edge, hybrid data center core, and across internal segments. Leverage industry-leading IPS, SSL inspection, and advanced threat protection to optimize your network performance. Fortinet's Security-Driven Networking approach provides tight network integration to the new security generation.

Security

- Identifies thousands of applications inside network traffic for deep inspection and granular policy enforcement
- Protects against malware, exploits, and malicious websites in both encrypted and non-encrypted traffic
- Prevent and detect against known and unknown attacks using continuous threat intelligence from Al-powered FortiGuard Labs security services

Performance

- Delivers industry's best threat protection performance and ultra-low latency using purpose-built security processor (SPU) technology
- Provides industry-leading performance and protection for SSL encrypted traffic

Certification

- Independently tested and validated best security effectiveness and performance
- Received unparalleled third-party certifications from NSS Labs

Networking

- Delivers advanced networking capabilities that seamlessly integrate with advanced layer 7 security and virtual domains (VDOMs) to offer extensive deployment flexibility, multi-tenancy and effective utilization of resources
- Delivers high-density, flexible combination of various high-speed interfaces to enable best TCO for customers for data center and WAN deployments

Management

- Includes a management console that is effective, simple to use, and provides comprehensive network automation and visibility
- Provides Zero Touch Integration with Security Fabric's Single Pane of Glass Management
- Predefined compliance checklist analyzes the deployment and highlights best practices to improve overall security posture

Security Fabric

 Enables Fortinet and Fabric-ready partners' products to provide broader visibility, integrated end-to-end detection, threat intelligence sharing, and automated remediation

| Firewall | IPS | NGFW | Threat Protection | Interfaces | |
|----------|--------------------------|------|-------------------|---|--|
| 800 Gbps | 800 Gbps 52 Gbps 47 Gbps | | 45 Gbps | Multiple GE RJ45, 25 GE SFP28 / 10 GE SFP+ / GE SFP and 100 GE QSFP28 / 40 GE QSFP+ slots DC Variants | |

DEPLOYMENT



Next Generation Firewall (NGFW)

- Reduce the complexity and maximize your ROI by integrating threat protection security capabilities into a single high-performance network security appliance, powered by Fortinet's Security Processing Unit (SPU)
- Full visibility into users, devices, applications across the entire attack surface and consistent security policy enforcement irrespective of asset location
- Protect against network exploitable vulnerabilities with industry-validated IPS security effectiveness, low latency, and optimized network performance
- Automatically block threats on decrypted traffic using the industry's highest SSL inspection performance, including the latest TLS 1.3 standard with mandated ciphers
- Proactively block newly discovered sophisticated attacks in real-time with Al-powered FortiGuard Labs and advanced threat protection services included in the Fortinet Security Fabric



Segmentation

- Segmentation that adapts to any network topology, delivering end-to-end security from the branch level to data centers and extending to multiple clouds
- Reduce security risks by improving network visibility from the components of the Fortinet Security Fabric, which adapt access permissions to current levels of trust and enforce access control effectively and efficiently
- Delivers defense in depth security powered by highperformance L7 inspection and remediation by Fortinet's SPU, while delivering third party validated TCO of per protected Mbps
- Protects critical business applications and helps implement any compliance requirements without network redesigns



Mobile Security for 4G, 5G, and IOT

- SPU accelerated, high performance CGNAT and IPv4 and IPv6 traffic, for 4G SGi LAN and 5G N6 security
- RAN Access Security with highly scalable and best performing IPsec aggregation and control security gateway (SecGW)
- User plane security enabled by full Threat Protection and visibility into GTP-U inspection
- 4G and 5G security for user and data plane traffic SCTP, GTP-U/C and SIP that provides protection against attacks
- 4G and 5G cores IoT signaling storm protection
- High-speed interfaces to enable deployment flexibility




IPS

- Purpose-built security processors delivering industry validated IPS performance with high throughput and low latency
- Deploy virtual patches at the network level to protect against network exploitable vulnerabilities and optimize network protection time
- Deep packet inspection at wire speeds offers unparalleled threat visibility into network traffic including traffic encrypted with the latest TLS 1.3
- Proactively block newly discovered sophisticated attacks in real-time with advanced threat protection provided by the intelligence services of the Fortinet Security Fabric



Carrier-Grade NAT (CGN) Gateway

- Specialized hardware acceleration architecture with outstanding high CPS, capable of processing massive signaling surges
- Offers carrier-grade scalability with ultra-high number of IP address translations and connection setup rates, high throughput, and high-speed logging
- Built for BYOD and IoT with support for a high number of Concurrent Sessions
- Compact 3U form factor, ideal for space-constraint applications and lower colocation cost for service providers
- Comprehensive Carrier-Grade NAT and IPv6 migration options including: NAT44, NAT444, NAT64/DNS64, and NAT46




CGN Deployment in Enterprise or Managed Service Provider Networks



HARDWARE

FortiGate 4200F/-DC and 4201F/-DC



Hardware Features



Interfaces

- 1. 1x USB Management and Console Port
- 2. 2x GE RJ45 Management Ports
- 3. 2× 25GE SFP28/ 10GE SFP+/ GE SFP High Availability Slots
- 4. 2× 25GE SFP28/ 10GE SFP+/ GE SFP Slots
- 5. 16× 25GE SFP28/ 10 GE SFP+/ GE SFP Slots
- 6. 8× 100GE QSFP28/ 40GE QSFP+ Slots

Hyperscale Firewall License

Empower organizations by unlocking further performance boosts with this perpetual license. The Hyperscale Firewall License will enable the hardware acceleration of CGNAT features by utilizing the latest SPU NP7. These features include hardware session setup, firewall session logging, and NAT.

Powered by SPU

- Fortinet's custom SPU processors deliver the power you need to detect malicious content at multi-Gigabit speeds
- Other security technologies cannot protect against today's wide range of content- and connectionbased threats because they rely on general-purpose CPUs, causing a dangerous performance gap
- SPU processors provide the performance needed to block emerging threats, meet rigorous third-party certifications, and ensure that your network security solution does not become a network bottleneck

Network Processor

Fortinet's latest SPU NP7 Hyperscale architecture is a purpose-built network processor that delivers accelerated hardware performance for FortiOS::

- IPv4/IPv6, SCTP, unicast, multicast and anycast
- CAPWAP, VXLAN, and GRE IP tunneling
- IPSec VPN (including Suite B)
- DDoS protection in hardware against volumetric attacks, fragment reassembly, traffic shaping, and priority queuing
- Elephant Flows of up to 100Gbps

Content Processor

Fortinet's ninth generation custom SPU CP9 content processor works outside of the direct flow of traffic and accelerates the inspection.

100 GE Connectivity for Network

High-speed connectivity is essential for network security segmentation at the core of data networks. The FortiGate 4200F series provides multiple 100 GE QSFP28 slots, simplifying network designs without relying on additional devices to bridge desired connectivity.



FORTINET SECURITY FABRIC

Security Fabric

The industry's highest-performing cybersecurity platform, powered by FortiOS, with a rich ecosystem designed to span the extended digital attack surface, delivering fully automated, self-healing network security.

- Broad: Coordinated detection and enforcement across the entire digital attack surface and lifecycle with converged networking and security across edges, clouds, endpoints, and users
- Integrated: Integrated and unified security, operation, and performance across different technologies, location, deployment options, and the richest ecosystem
- Automated: Context aware, self-healing network and security posture leveraging cloud-scale and advanced AI to automatically deliver near-real-time, user-to-application coordinated protection across the Fabric

The Fabric empowers organizations of any size to secure and simplify their hybrid infrastructure on the journey to digital innovation.





FortiOS™ Operating System

FortiOS, Fortinet's leading operating system enable the convergence of high performing networking and security across the Fortinet Security Fabric delivering consistent and context-aware security posture across network endpoint, and clouds. The organically built best of breed capabilities and unified approach allows organizations to run their businesses without compromising performance or protection, supports seamless scalability, and simplifies innovation consumption.

The release of FortiOS 7 dramatically expands the Fortinet Security Fabric's ability to deliver consistent security across hybrid deployment models of Hardware, Software, and Software As-a-Service with SASE and ZTNA, among others.

SERVICES



FortiGuard[™] Security Services

FortiGuard Labs offer real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations and other network and security vendors, as well as law enforcement agencies.



FortiCare[™] Services

Fortinet is dedicated to helping our customers succeed, and every year FortiCare services help thousands of organizations get the most from their Fortinet Security Fabric solution. We have more than 1,000 experts to help accelerate technology implementation, provide reliable assistance through advanced support, and offer proactive care to maximize security and performance of Fortinet deployments.

SPECIFICATIONS

| | FG-4200F/-DC FG-4201F/-DC | | | |
|---|--|--|--|--|
| Interfaces and Modules | | | | |
| Hardware Accelerated 100 GE QSFP28 / 40 GE QSFP+ Slots | 8 | | | |
| Hardware Accelerated 25 GE SFP28 / 10 GE SFP+ / GE SFP Slots | 16 | | | |
| Hardware Accelerated 25 GE SFP28 / 10 GE SFP+ / GE SFP HA Slots | 2 | | | |
| Hardware Accelerated 25 GE SFP28 / 10 GE SFP+ / GE SFP AUX Slots | 2 | | | |
| GE RJ45 Management Ports | 2 | | | |
| USB Port | 1 | | | |
| Console Port | 1 | | | |
| Onboard Storage | 0 2× 2 TB SSD | | | |
| Included Transceivers | 2x SFP+ (SR 10 GE) | | | |
| System Performance — Enterprise Traffic Mix | | | | |
| IPS Throughput ² | 52 Gbps | | | |
| NGFW Throughput ^{2, 4} | 47 Gbps | | | |
| Threat Protection Throughput ^{2,5} | 45 Gbps | | | |
| System Performance and Capacity | | | | |
| IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP) | 800 / 788 / 400 Gbps | | | |
| IPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP) | 800 / 788 / 400 Gbps | | | |
| Firewall Latency (64 byte, UDP) | 3.02 µs | | | |
| Firewall Throughput (Packet per Second) | 600 Mpps | | | |
| Concurrent Sessions (TCP) | 210 Million / 450 Million* | | | |
| New Sessions/Second (TCP) | 1 Million / 7 Million* | | | |
| Firewall Policies | 200,000 | | | |
| IPsec VPN Throughput (512 byte) 1 | 210 Gbps | | | |
| Gateway-to-Gateway IPsec VPN Tunnels | 40,000 | | | |
| Client-to-Gateway IPsec VPN Tunnels | 200,000 | | | |
| SSL-VPN Throughput | 16 Gbps | | | |
| Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode) | 30,000 | | | |
| SSL Inspection Throughput (IPS, avg. HTTPS) ³ | 50 Gbps | | | |
| SSL Inspection CPS (IPS, avg. HTTPS) ³ | 34,000 | | | |
| SSL Inspection Concurrent Session (IPS, avg. HTTPS) ³ | 9 Million | | | |
| Application Control Throughput (HTTP 64K) ² | 135 Gbps | | | |
| CAPWAP Throughput (HTTP 64K) | 47 Gbps | | | |
| Virtual Domains (Default / Maximum) | 10 / 500 | | | |
| Maximum Number of FortiSwitches Supported | 300 | | | |
| Maximum Number of FortiAPs (Total / Tunnel) | 8,192 / 4,096 | | | |
| Maximum Number of FortiTokens | 20,000 | | | |
| Maximum Number of Registered FortiClients | 50,000 | | | |
| High Availability Configurations | Active, Active-Active, Passive, Clustering | | | |

| | FG-4200F/-DC | FG-4201F/-DC | | |
|--|--|---------------------|--|--|
| Dimensions and Power | | | | |
| Height x Width x Length (inches) | 5.22 × 17.20 × 26.17 | | | |
| Height x Width x Length (mm) | 132.5 × 437 × 664.8 | | | |
| Weight | 59.75 lbs (27.1 kg) | 61.07 lbs (27.7 kg) | | |
| Form Factor | Rack Mount, 3 RU | | | |
| AC Power Supply | 100-240V AC, 50/60 Hz | | | |
| DC Power Supply | -48V to -60V DC | | | |
| Power Consumption (Average / Maximum) | 931 W / 1291 W | 940 W / 1306 W | | |
| AC Current (Maximum) | 13.5A@120V, 5.5A@240V | | | |
| DC Current (Maximum) | 25A to 32A per PSU | | | |
| Heat Dissipation | 4405 BTU/h | 4456 BTU/h | | |
| Redundant Power Supplies | Default 1+1 Redundant, Hot Swappable | | | |
| Operating Environment and Certifications | | | | |
| Operating Temperature | 32-104°F (0-40°C) | | | |
| Storage Temperature | -31–158°F (-35–70°C) | | | |
| Humidity | 20-90% non-condensing | | | |
| Noise Level | 57 dBA | | | |
| Forced Airflow | Front to Back | | | |
| Operating Altitude | Up to 7,400 ft (2,250 m) | | | |
| Compliance | FCC Part 15 Class A, RCM, VCCI, CE, UL/ cUL, CB | | | |
| Certifications | ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN, USGv6/IPv6 | | | |

^{*} Requires Hyperscale Firewall License



Note: All performance values are "up to" and vary depending on system configuration.

1. IPsec VPN performance test uses AES256-SHA256.

2. IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.

^{3.} SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.

NGFW performance is measured with Firewall, IPS and Application Control enabled.
 Threat Protection performance is measured with Firewall, IPS, Application Control, URL filtering, and Malware Protection with sandboxing enabled.

ORDERING INFORMATION

| Product | SKU | Description |
|--|----------------------|---|
| FortiGate 4200F | FG-4200F | $8\times$ 100GE/40GE QSFP28 slots and 18× 25GE/10GE SFP28 slots, 2 x GE RJ45 Management Ports, SPU NP7 and CP9 hardware accelerated, 2 AC power supplies. |
| FortiGate 4201F | FG-4201F | 8× 100GE/40GE QSFP28 slots and 18× 25GE/10GE SFP28 slots, 2 x GE RJ45 Management Ports, SPU NP7 and CP9 hardware accelerated, 2× 2TB storage and 2 AC power supplies. |
| FortiGate 4200F-DC | FG-4200F-DC | $8\times$ 100GE/40GE QSFP28 slots and 18× 25GE/10GE SFP28 slots, 2 x GE RJ45 Management Ports, SPU NP7 and CP9 hardware accelerated, and 2 DC power supplies. |
| FortiGate 4201F-DC | FG-4201F-DC | 8× 100GE/40GE QSFP28 slots and 18× 25GE/10GE SFP28 slots, 2 x GE RJ45 Management Ports, SPU NP7 and CP9 hardware accelerated, 2× 2TB storage and 2 DC power supplies. |
| Hyperscale Firewall License | LIC-FGT-HYPSC | $\label{thm:constraint} \mbox{Hyperscale Firewall License for FortiGate FG-4200F/FG4201F Series for hardware session setup acceleration and logging.}$ |
| Optional Accessories/Spares | SKU | Description |
| Rack Mount Sliding Rails | SP-FG3040B-RAIL | Rack mount sliding rails for FG-1000C/-DC, FG-1200D, FG-1500D/DC, FG-3040B/-DC, FG-3140B/-DC, FG-3240C/-DC, FG-3000D/-DC, FG-3100D/-DC, FG-3200D/-DC, FG-3400/3401E, FG-3600E-DC/3601E, FG-3700D/-DC, FG-3700DX, FG-3810D/-DC, FG-3950B/-DC, and FG4200F/4201F. |
| AC Power Supply | SP-FG4000F-PS | AC power supply for FG4200/4201F. |
| DC Power Supply | SP-FG4000F-DC-PS | DC power supply for FG-4200F-DC/4201F-DC, FG-4400F-DC/4401F-DC and FG-6000F-DC. |
| 1 GE SFP LX Transceiver Module | FN-TRAN-LX | 1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots. |
| 1 GE SFP RJ45 Transceiver Module | FN-TRAN-GC | 1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+ slots. |
| 1 GE SFP SX Transceiver Module | FN-TRAN-SX | 1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots. |
| 10 GE SFP+ RJ45 Transceiver Module | FN-TRAN-SFP+GC | 10 GE SFP+ RJ45 transceiver module for systems with SFP+ slots. |
| 10 GE SFP+ Transceiver Module, Short Range | FN-TRAN-SFP+SR | 10 GE SFP+ transceiver module, short range for all systems with SFP+ and SFP/SFP+ slots. |
| 10 GE SFP+ Transceiver Module, Long Range | FN-TRAN-SFP+LR | 10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots. |
| 10 GE SFP+ Transceiver Module, Extended Range | FN-TRAN-SFP+ER | 10 GE SFP+ transceiver module, extended range for all systems with SFP+ and SFP/SFP+ slots. |
| 10 GE SFP+ Active Direct Attach Cable, 10m / 32.8 ft | SP-CABLE-ADASFP+ | 10 GE SFP+ active direct attach cable, 10m / 32.8 ft for all systems with SFP+ and SFP/SFP+ slots. |
| 25 GE SFP28 Transceiver Module, Short Range | FN-TRAN-SFP28-SR | 25 GE SFP28 transceiver module, short range for all systems with SFP28 slots. |
| 25 GE SFP28 Transceiver Module, Long Range | FG-TRAN-SFP28-LR | 25 GE SFP28 transceiver module, long range for all systems with SFP28 slots. |
| 40 GE QSFP+ Transceiver Module, Short Range | FN-TRAN-QSFP+SR | 40 GE QSFP+ transceiver module, short range for all systems with QSFP+ slots. |
| 40 GE QSFP+ Transceiver Module, Short Range BiDi | FG-TRAN-QSFP+SR-BIDI | 40 GE QSFP+ transceiver module, short range BiDi for all systems with QSFP+ slots. |
| 40 GE QSFP+ Transceiver Module, Long Range | FN-TRAN-QSFP+LR | 40 GE QSFP+ transceiver module, long range for all systems with QSFP+ slots. |
| 100 GE QSFP28 Transceivers, Short Range | FN-TRAN-QSFP28-SR | 100 GE QSFP28 transceivers, 4 channel parallel fiber, short range for all systems with QSFP28 slots. |
| 100 CF OCFD20 Transactivers Lang Dance | FN-TRAN-QSFP28-LR | 100 GE QSFP28 transceivers, 4 channel parallel fiber, long range for all systems with QSFP28 |
| 100 GE QSFP28 Transceivers, Long Range | | slots. |



BUNDLES



FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.

| Bundles | 360 Protection | Enterprise Protection | Unified Threat Protection | Advanced Threat Protection |
|---|-------------------|--------------------------|------------------------------|-------------------------------|
| FortiCare | ASE 1 | 24×7 | 24×7 | 24×7 |
| FortiGuard App Control Service | • | • | • | • |
| FortiGuard IPS Service | • | • | • | • |
| FortiGuard Advanced Malware Protection (AMP) — Antivirus, Mobile Malware, Botnet, CDR, Virus Outbreak Protection and FortiSandbox Cloud Service | • | • | • | • |
| FortiGuard Web and Video ² Filtering Service | • | • | • | |
| FortiGuard Antispam Service | • | • | • | |
| FortiGuard Security Rating Service | • | • | | |
| FortiGuard IoT Detection Service | • | • | | |
| FortiGuard Industrial Service | • | • | | |
| FortiConverter Service | • | • | | |
| SD-WAN Orchestrator Entitlement | • | | | |
| SD-WAN Cloud Assisted Monitoring | • | | | |
| SD-WAN Overlay Controller VPN Service | • | | | |
| Fortinet SOCaaS | • | | | |
| FortiAnalyzer Cloud | • | | | |
| FortiManager Cloud | • | | | |

1. 24×7 plus Advanced Services Ticket Handling 2. Available when running FortiOS 7.0



www.fortinet.com

Copyright © 2021 Fortinet, Inc., All rights reserved. Fortinet*, FortiGate*, FortiGate*, FortiGate*, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinets General Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet For absolute darity, any such warranty will be limited to performance in the same ideal conditions as in Fortinets internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.