

# Cisco ThousandEyes Enterprise Agent Deployment Guide on Catalyst 9000 Switching Platforms

## Introduction

Many organizations are heavily dependent on business-critical applications hosted in private and public clouds as Software as a Service (SaaS) over the internet. While SaaS-based productivity and collaboration tools have been game-changing, meeting network SLAs and ensuring consistent performance of business-critical SaaS applications have become a concern for enterprises.

End-to-end visibility into the network is required to understand why SaaS performance is degrading or to troubleshoot the root cause of outages. However, traditional tools such as NetFlow, Simple Network Management Protocol (SNMP), and Packet Capture (PCAP) cannot provide visibility into devices managed by service providers or SaaS providers.

Cisco® ThousandEyes is a digital experience monitoring platform to see, understand, and improve digital experiences over any network. ThousandEyes offers global vantage points from which users can run a variety of tests to gain more insights and to monitor the performance of their business-critical applications or the network itself.

ThousandEyes has three type of agents:

- **Enterprise Agent:** A lightweight software-based agent, easily installed on your own network, that provides visibility within the enterprise campus, data centers, virtual private clouds/virtual networks, and branches. It also supports active monitoring, SNMP-based monitoring, and topological mapping of internal network devices.
- **Cloud Agent:** A globally distributed agent installed and managed by ThousandEyes in 200+ cities to give users access to performance data from local transit providers and last-mile ISPs to simulate end-user performance.
- **Endpoint Agent:** A lightweight service installed on end-user laptops and desktops that provides proactive and real-time monitoring of application experience and network connectivity.

## Contents

### Introduction

### Catalyst 9000 application hosting framework

### Requirements for the ThousandEyes Enterprise Agent on the Catalyst 9000 platform

### Installation and configuration procedure

### Cisco DNA Center

### Cisco IOS XE CLI

### WebUI

### YANG models

### Performing tests from the ThousandEyes account

### Troubleshooting


### Conclusion

### Useful references

Generally, on an enterprise campus, the network operator must deploy ThousandEyes Enterprise Agents across the network, including campus and branch locations, to measure network and application performance between the campus and branches, SaaS, and cloud infrastructure (Figure 1).

The ThousandEyes Enterprise Agent integrated on Cisco Catalyst® 9300 and 9400 Series switches helps the network operator minimize deployment time across multiple locations without requiring any additional hardware, as well as providing ongoing insight into the status of network SLAs.

Figure 1. Typical ThousandEyes deployment and use cases in an enterprise campus network



This document describes the installation, configuration, and operation of the ThousandEyes Enterprise Agent on Cisco Catalyst 9300 and 9400 Series platforms using the Cisco application hosting framework.

## Contents

### Introduction

### Catalyst 9000 application hosting framework

### Requirements for the ThousandEyes Enterprise Agent on the Catalyst 9000 platform

### Installation and configuration procedure

### Cisco DNA Center

### Cisco IOS XE CLI

### WebUI

### YANG models

### Performing tests from the ThousandEyes account

### Troubleshooting

### Conclusion


### Useful references

## Catalyst 9000 application hosting framework

Application hosting on the Cisco Catalyst 9000 switching platform enables data processing closer to the source in a distributed manner. It is used by enterprises to host a new breed of security, network monitoring/troubleshooting, and data analytics tools while removing the need for expensive compute nodes, as having an application hosted on the switch gives developers easy and efficient access to live network traffic as well as to the rich telemetry supported by the infrastructure.

Figure 2 shows a high-level view of the system architecture of application hosting on Catalyst 9000 switching platforms.

Figure 2. Cisco Catalyst 9000 application hosting framework



## Requirements for the ThousandEyes Enterprise Agent on the Catalyst 9000 platform

- One or more Cisco Catalyst 9300 or 9400 Series switches
- Cisco IOS® XE 17.3.3 (on the Catalyst 9300) or 17.5.1 (on the Catalyst 9400) or later
- Cisco DNA Advantage or Premier license
- ThousandEyes account
- IP reachability to ThousandEyes (direct, Network Address Translation [NAT], or proxy)
- Cisco DNA Center (version 2.2.2.x and above) (optional)
- SSD (optional)\*

\* An SSD is not required starting with Cisco IOS XE 17.3.3 (on the Catalyst 9300) and Cisco IOS XE 17.5.1 (on the Catalyst 9400) for non-browser tests.

## Contents

### Introduction

### Catalyst 9000 application hosting framework

### Requirements for the ThousandEyes Enterprise Agent on the Catalyst 9000 platform

### Installation and configuration procedure

### Cisco DNA Center

### Cisco IOS XE CLI

### WebUI

### YANG models

### Performing tests from the ThousandEyes account

### Troubleshooting

### Conclusion

### Useful references

## Installation and configuration procedure

The ThousandEyes Enterprise Agent can be downloaded from your ThousandEyes account (Figure 3). There are two Catalyst 9000 Docker versions: Embed Docker version (approximately > 200 MB file size), which doesn't currently have browser tests (page load and transaction), and Full Docker version (approximately > 1.2 GB file size). The Embed Docker version can be used on the Catalyst 9300 and 9400 Series switches without an SSD drive.

To download the ThousandEyes Enterprise Agent Docker application, log in to your ThousandEyes account and follow the path below:

Cloud and Enterprise Agents -> Agent Settings-> Enterprise Agents-> Add New Enterprise Agent -> Cisco Application Hosting

Figure 3. ThousandEyes Enterprise Agent images and account group token

```
Device> enable
Device# app-hosting install appid DESIRED_APP_ID package https://downloads.thousandeyes.com/enterprise-agent/tho
usandeyes-enterprise-agent-3.0.cat9k.tar
Device# configure terminal
Device(config)# app-hosting appid DESIRED_APP_ID
Device(config-app-hosting)# app-vnic AppGigabitEthernet trunk
Device(config-app-hosting-trunk)# vlan DESIRED_VLAN guest-interface 0
Device(config-app-hosting-vlan-access-ip)# guest-ipaddress DESIRED_IP netmask DESIRED_NETMASK
Device(config-app-hosting-vlan-access-ip)# exit
Device(config-app-hosting-trunk)# exit
Device(config-app-hosting)# app-default-gateway GATEWAY_IP guest-interface 0
Device(config-app-hosting)# name-server0 NAMESERVER1_IP
Device(config-app-hosting)# name-server1 NAMESERVER2_IP
Device(config-app-hosting)# app-resource docker
Device(config-app-hosting-docker)# prepend-pkg-opts
Device(config-app-hosting-docker)# run-opts 1 "-e TEAGENT_ACCOUNT_TOKEN=jjyoh4yneku88754x96u3pfkps2br3yc"
Device(config-app-hosting-docker)# run-opts 2 "--hostname DESIRED_AGENT_HOSTNAME"
Device(config-app-hosting-docker)# exit
Device(config-app-hosting)# exit
Device(config)# exit
Device# write memory
Device# app-hosting activate appid DESIRED_APP_ID
Device# app-hosting start appid DESIRED_APP_ID
Device#
```

**Note:** The Cisco signed Embed ThousandEyes Enterprise Agent can be hosted in the flash memory of the switch starting with Cisco IOS XE Release 17.3.3 on the Catalyst 9300 Series and with Cisco IOS XE Release 17.5.1 on the Catalyst 9400 Series.

Catalyst 9300 and 9400 Series switches shipping after April 2021 will have the ThousandEyes Enterprise Agent (Embed version) already preloaded in the flash:Apps folder.

## Contents

### Introduction

### Catalyst 9000 application hosting framework

### Requirements for the ThousandEyes Enterprise Agent on the Catalyst 9000 platform

### Installation and configuration procedure

### Cisco DNA Center

### Cisco IOS XE CLI

### WebUI

### YANG models

### Performing tests from the ThousandEyes account

### Troubleshooting

### Conclusion

### Useful references

There are multiple options for deploying the ThousandEyes Enterprise Agent on the Catalyst 9000 platform.

- Cisco DNA Center
- Web User Interface (WebUI)
- Cisco IOS XE Command-Line Interface (CLI)
- YANG model

## Cisco DNA Center

Beginning with Cisco DNA Center Release 1.3.1.2, Cisco is providing a centralized user interface for deploying and managing the entire lifecycle of the applications, in addition to the CLI and WebUI management. Cisco DNA Center provides consistent workflows for managing multiple Catalyst 9000 switches through the “Application Hosting” workflow.

Cisco DNA Center is the preferred automation platform for enterprise, since it can minimize the time taken to deploy these agents across multiple locations, helps ensure consistency in deployment, and helps ensure the security of the compute resources throughout the easy-to-use workflow.

With its intuitive user interface, Cisco DNA Center (Release 2.2.2.x) makes it easy to deploy the ThousandEyes Enterprise Agent. The network operator can upload the Enterprise Agent to Cisco DNA Center and add required IP configurations and Docker run options (ThousandEyes account token, proxy info, etc.), as shown in Figures 4 and 5.

## Contents

### Introduction

### Catalyst 9000 application hosting framework

### Requirements for the ThousandEyes Enterprise Agent on the Catalyst 9000 platform

### Installation and configuration procedure

### Cisco DNA Center

### Cisco IOS XE CLI

### WebUI

### YANG models

### Performing tests from the ThousandEyes account

### Troubleshooting

### Conclusion

### Useful references

Figure 4. Cisco DNA Center application hosting workflow





Figure 5. Cisco DNA Center application hosting device selection



## Contents

### Introduction

### Catalyst 9000 application hosting framework

### Requirements for the ThousandEyes Enterprise Agent on the Catalyst 9000 platform

### Installation and configuration procedure

### Cisco DNA Center

### Cisco IOS XE CLI

### WebUI

### YANG models

### Performing tests from the ThousandEyes account


### Troubleshooting

### Conclusion

### Useful references

Cisco DNA Center can manage the entire application lifecycle on multiple Catalyst 9000 switches at the same time with one click (Figure 6).

Figure 6. Cisco DNA Center application hosting lifecycle management



## Cisco IOS XE CLI

### Step 1: Copy the application to the flash or SSD drive.

```
C9K#dir flash: | i .tar
```

```
253960 -rw-          178872320  Mar 27 2021 00:03:32 +00:00  thousandeyes-  
enterprise-agent-3.0.cat9k.tar
```

### Step 2: Enable “iox” for the application hosting feature.

Configure Cisco IOx in the Catalyst 9000 switch to enable the application hosting framework.

```
C9K#conf t
```

```
C9K(config)#iox
```

```
C9K(config)#exit
```

## Contents

### Introduction

### Catalyst 9000 application hosting framework

### Requirements for the ThousandEyes Enterprise Agent on the Catalyst 9000 platform

### Installation and configuration procedure

### Cisco DNA Center

### Cisco IOS XE CLI

### WebUI

### YANG models

### Performing tests from the ThousandEyes account

### Troubleshooting

### Conclusion

### Useful references

Verify that the switch is configured to run Cisco IOx with the following show command:

```
C9K#show iox
```

```
IOx Infrastructure Summary:
```

```
-----  
IOx service (CAF) 1.11.0.5      : Running  
IOx service (HA)                : Running  
IOx service (IOxman)           : Running  
IOx service (Sec storage)       : Not Running  
Libvirtd 1.3.4                  : Running  
Dockerd 18.03.0                 : Running  
Application DB Sync Info        : Available  
Sync Status                      : Disabled
```

### Step 3: Configure the AppGigabitEthernet port

```
interface AppGigabitEthernet1/0/1  
    switchport trunk allowed vlan <vlan-id>  
    switchport mode trunk
```

AppGigabitEthernet is an internal hardware data port that is hardware-switched to the front-panel data ports. The AppGigabitEthernet port can be configured as a trunk port and allow a specific VLAN for application traffic. In the application hosting infrastructure, the user can define multiple virtual networks (eth0, eth1,...) based on application requirements (Figure 7).



## Contents

### Introduction

### Catalyst 9000 application hosting framework

### Requirements for the ThousandEyes Enterprise Agent on the Catalyst 9000 platform

### Installation and configuration procedure

### Cisco DNA Center

### Cisco IOS XE CLI

### WebUI

### YANG models


### Performing tests from the ThousandEyes account

### Troubleshooting

### Conclusion

### Useful references

Figure 7. Cisco Catalyst 9000 application hosting architecture



#### Step 4: Configure applications based on the deployment models

The application's network configuration and Docker run-option requirements are covered in this step. The ThousandEyes account token is available in your ThousandEyes account, as shown in Figure 3.

##### 4.1. Assign a static IP address for the Enterprise Agent

Set up a static IP address in the application's configuration:

Configuration snippet:

```
C9K#conf t
```

Enter configuration commands, one per line. End with CNTL/Z.

```
C9K(config)#app-hosting appid <app-name>
```

```
C9K(config-app-hosting)# app-vnic AppGigabitEthernet trunk
```

```
C9K(config-config-app-hosting-trunk)# vlan <vlan-id> guest-interface 0
```

```
C9K(config-config-app-hosting-vlan-access-ip)# guest-ipaddress x.x.x.x netmask  
x.x.x.x
```

```
C9K(config-config-app-hosting-vlan-access-ip)# app-default-gateway x.x.x.x  
guest-interface 0
```

```
C9K(config-app-hosting)# app-resource docker
```

```
C9K(config-app-hosting-docker)# prepend-pkg-opts
```

```
C9K(config-app-hosting-docker)# run-opts 1 "-e
```

```
TEAGENT_ACCOUNT_TOKEN=xxxxxxxxxx"
```

```
C9K(config-app-hosting-docker)# name-server0 x.x.x
```

```
C9K(config-app-hosting)# start
```

```
C9K(config-app-hosting)#end
```

## Contents

### Introduction

### Catalyst 9000 application hosting framework

### Requirements for the ThousandEyes Enterprise Agent on the Catalyst 9000 platform

### Installation and configuration procedure

### Cisco DNA Center

### Cisco IOS XE CLI

### WebUI

### YANG models

### Performing tests from the ThousandEyes account

### Troubleshooting

### Conclusion

### Useful references

Configuration Example:

```
app-hosting appid teyes
  app-vnic AppGigabitEthernet trunk
    vlan 14 guest-interface 0
      guest-ipaddress 14.0.0.113 netmask 255.255.255.0
  app-default-gateway 14.0.0.1 guest-interface 0
  app-resource docker
  prepend-pkg-opts
  run-opts 1 "-e TEAGENT_ACCOUNT_TOKEN=xxxxxxxxxx"
name-server0 14.0.0.1
start
```

## 4.2. Assign a dynamic IP address assignment for the Enterprise Agent

For networks that use Dynamic Host Configuration Protocol (DHCP), configure an IP address in the application's configuration:

Configuration snippet:

```
C9K#conf t
Enter configuration commands, one per line. End with CNTL/Z.
C9K(config)#app-hosting appid <app-name>
C9K(config-app-hosting)# app-vnic AppGigabitEthernet trunk
C9K(config-config-app-hosting-trunk)# vlan <vlan-id> guest-interface 0
C9K(config-app-hosting)# app-resource docker
C9K(config-app-hosting-docker)# prepend-pkg-opts
C9K(config-app-hosting-docker)# run-opts 1 "-e
TEAGENT_ACCOUNT_TOKEN=xxxxxxxxxx"
C9K(config-app-hosting-docker)# name-server0 x.x.x
C9K(config-app-hosting)# start
C9K(config-app-hosting)#end
```

## Contents

### Introduction

### Catalyst 9000 application hosting framework

### Requirements for the ThousandEyes Enterprise Agent on the Catalyst 9000 platform

### Installation and configuration procedure

### Cisco DNA Center

### Cisco IOS XE CLI

### WebUI

### YANG models

### Performing tests from the ThousandEyes account

### Troubleshooting

### Conclusion

### Useful references

Configuration Example:

```
app-hosting appid teyes
  app-vnic AppGigabitEthernet trunk
  vlan 14 guest-interface 0
app-resource docker
  prepend-pkg-opts
  run-opts 1 "-e TEAGENT_ACCOUNT_TOKEN=xxxxxxxxxx"
name-server0 14.0.0.1
start
```

## 4.3. Using a proxy setting in the Enterprise Agent

This section shows how to add proxy information in an application's configuration. Proxy information is required for networks that don't have direct IP reachability to ThousandEyes. The proxy setting can be used in both the static and DHCP configurations mentioned in sections 4.1 and 4.2.

Configuration snippet:

```
C9K#conf t
Enter configuration commands, one per line. End with CNTL/Z.
C9K(config)#app-hosting appid <app-name>
C9K(config-app-hosting)# app-vnic AppGigabitEthernet trunk
C9K(config-config-app-hosting-trunk)# vlan <vlan-id> guest-interface 0
C9K(config-app-hosting)# app-resource docker
C9K(config-app-hosting-docker)# prepend-pkg-opts
C9K(config-app-hosting-docker)# run-opts 1 "-e
TEAGENT_ACCOUNT_TOKEN=xxxxxxxxxx"
run-opts 2 "-e TEAGENT_PROXY_TYPE=STATIC"
run-opts 3 "-e TEAGENT_PROXY_LOCATION='proxy-info.xyz.com:80'"
C9K(config-app-hosting-docker)# name-server0 x.x.x.x
C9K(config-app-hosting)# start
C9K(config-app-hosting)#end
```

## Contents

### Introduction

### Catalyst 9000 application hosting framework

### Requirements for the ThousandEyes Enterprise Agent on the Catalyst 9000 platform

### Installation and configuration procedure

### Cisco DNA Center

### Cisco IOS XE CLI

### WebUI

### YANG models

### Performing tests from the ThousandEyes account

### Troubleshooting

### Conclusion

### Useful references

Configuration Example:

```
app-hosting appid teyes
  app-vnic AppGigabitEthernet trunk
  vlan 14 guest-interface 0
app-resource docker
  prepend-pkg-opts
  run-opts 1 "-e TEAGENT_ACCOUNT_TOKEN=xxxxxxxxxxx"
  run-opts 2 "-e TEAGENT_PROXY_TYPE=STATIC"
  run-opts 3 "-e TEAGENT_PROXY_LOCATION='proxy-info.xyz.com:80'"
name-server0 14.0.0.1
start
```

## Step 5: Install and start the ThousandEyes Enterprise Agent

The application is now ready to be deployed. The command below is required to deploy the Enterprise Agent on the Catalyst 9300 or 9400 Series switching platforms.

```
C9K#app-hosting install appid teyes package flash:
thousandeyes-enterprise-agent-3.0.cat9k.tar
```

Installing package 'flash:thousandeyes-enterprise-agent-3.0.cat9k.tar' for 'teyes'. Use 'show app-hosting list' for progress.

```
C9K#show app-hosting list
```

App id	State
teyes	RUNNING

```
C9K#show app-hosting detail appid teyes
```

```
App id           : teyes
Owner            : iox
State            : RUNNING
Application
  Type           : docker
  Name           : thousandeyes/enterprise-agent
  Version        : 3.0
```

## Contents

### Introduction

### Catalyst 9000 application hosting framework

### Requirements for the ThousandEyes Enterprise Agent on the Catalyst 9000 platform

### Installation and configuration procedure

### Cisco DNA Center

### Cisco IOS XE CLI

### WebUI

### YANG models

### Performing tests from the ThousandEyes account

### Troubleshooting

### Conclusion

### Useful references

```
Description          :
Path                  : flash:thousandeyes-enterprise-agent-3.0.cat9k.tar
URL Path              :
Activated profile name : custom

Resource reservation
Memory                : 500 MB
Disk                  : 1 MB
CPU                   : 1850 units
VCPUs                 : 1

Attached devices
Type                  Name                  Alias
-----
serial/shell         iox_console_shell    serial0
serial/aux           iox_console_aux      serial1
serial/syslog        iox_syslog           serial2
serial/trace         iox_trace            serial3

Network interfaces
-----
eth0:
  MAC address        : 52:54:dd:e3:db:15
  Network name       : mgmt-bridge-v14
```

## WebUI

The network operator can use the Catalyst 9300 or 9400 Series WebUI to deploy the ThousandEyes Enterprise Agent on the switch. The operator can upload the ThousandEyes Docker app as shown in Figure 8. This is an alternative way to deploy the Enterprise Agent on a single switch and then repeat the steps on every switch on which you plan to deploy the Enterprise Agent.

# Contents

## Introduction

## Catalyst 9000 application hosting framework

## Requirements for the ThousandEyes Enterprise Agent on the Catalyst 9000 platform

## Installation and configuration procedure

## Cisco DNA Center

## Cisco IOS XE CLI

## WebUI

## YANG models


## Performing tests from the ThousandEyes account

## Troubleshooting

## Conclusion


## Useful references

Figure 8. Cisco IOx Local Manager on WebUI



The network operator can also select the IP configuration of the app as well as specifying Docker run options (account token, proxy information, etc.), as shown in Figure 9. Then activate the application to reserve CPU, memory, and disk space for it.

Figure 9. Cisco IOx Local Manager application configuration



## Contents

### Introduction

### Catalyst 9000 application hosting framework

### Requirements for the ThousandEyes Enterprise Agent on the Catalyst 9000 platform

### Installation and configuration procedure

### Cisco DNA Center

### Cisco IOS XE CLI

### WebUI

### YANG models

### Performing tests from the ThousandEyes account


### Troubleshooting

### Conclusion

### Useful references

The application is now successfully deployed and running, as shown in Figure 10. The network operator can manage the entire lifecycle of the application using the WebUI.

Figure 10. Cisco IOx Local Manager application management



## YANG models

Starting with Cisco IOS XE Release 16.12.1, Cisco is also offering YANG models for hosting applications on Catalyst 9000 switching platforms, in addition to Cisco DNA Center automation for application deployment. With the configuration below and operational YANG models, the network operator can use customized automation for Enterprise Agent deployment.

[Cisco-IOX-XE-app-hosting-cfg.yang](#)

[Cisco-IOX-XE-app-hosting-oper.yang](#)

## Contents

### Introduction

### Catalyst 9000 application hosting framework

### Requirements for the ThousandEyes Enterprise Agent on the Catalyst 9000 platform

### Installation and configuration procedure

### Cisco DNA Center

### Cisco IOS XE CLI

### WebUI

### YANG models

### Performing tests from the ThousandEyes account

### Troubleshooting

### Conclusion

### Useful references

## Performing tests from the ThousandEyes account

Once the ThousandEyes Enterprise Agent is successfully deployed, the network operator can log in to the ThousandEyes dashboard and perform required network and application performance testing to discover the root causes of network and application outages (Figure 11).

Figure 11. ThousandEyes Cloud and Enterprise Agent test settings

The screenshot displays the 'Test Settings' page in the ThousandEyes Cloud and Enterprise Agent interface. The page is divided into a sidebar and a main content area. The sidebar contains navigation links for 'Views', 'Test Settings', 'Agent Settings', 'BGP Monitors', 'Endpoint Agents', 'Devices', 'Internet Insights', 'Dashboards', 'Alerts', 'Reports', 'Sharing', and 'Account Settings'. The main content area is titled 'Test Settings' and features a 'New Test' form. The form has two tabs: 'Layer' (with options: Routing, Network, DNS, Web, Voice) and 'Test Type' (with options: HTTP Server, Page Load, Transaction, FTP Server). The form includes input fields for 'Test Name' and 'Test Description'. Below the form are sections for 'Basic Configuration' and 'Advanced Settings'. The 'Basic Configuration' section includes a 'URL' field (with a placeholder 'e.g. http[s]://domain:port/path'), an 'Interval' dropdown set to '2 minutes', an 'Agents' dropdown set to 'Select agent(s)', and an 'Alerts' section with a checked 'Enable' checkbox and a dropdown showing '3 of 4 alert rules selected'. The 'Advanced Settings' section is currently empty. On the right side of the form, there is a 'Views Enabled for This Test' panel with a table listing enabled views: Web (HTTP Server), Network (Overview), Path Visualization, Routing (BGP Route Visualization). At the bottom of the form are three buttons: 'Cancel', 'Run Once', and 'Create New Test'.

## Troubleshooting

The network operator may log in to the application console to collect a required application log for troubleshooting. The commands below show how to access the log via the Cisco IOS XE CLI. For WebUI and Cisco DNA Center, the network operator can get the logs easily within the application hosting user interface.



## Contents

### Introduction

### Catalyst 9000 application hosting framework

### Requirements for the ThousandEyes Enterprise Agent on the Catalyst 9000 platform

### Installation and configuration procedure

### Cisco DNA Center

### Cisco IOS XE CLI

### WebUI

### YANG models

### Performing tests from the ThousandEyes account

### Troubleshooting

### Conclusion

### Useful references

```
C9K#app-hosting connect appid <app-name> session
#
# cd /var/log/agent
# ls
te-agent.log  te-agent-sanity.log
# cat te-agent.log
2021-03-28 19:46:30.683 DEBUG [cdc90a40] [te.agent.AptPackageInterface] {}
Initialized APT package interface
2021-03-28 19:46:30.683 INFO [cdc90a40] [te.agent.main] {} Agent version
1.103.0 starting. Max core size is 0 and max open files is 1024
2021-03-28 19:46:30.683 DEBUG [cdc90a40] [te.agent.db] {} Vacuuming database
2021-03-28 19:46:30.685 INFO [cdc90a40] [te.agent.db] {} Found version 0,
expected version 50
2021-03-28 19:46:30.720 INFO [cdc62700] [te.probe.ServerTaskExecutor] {}
ProbeTaskExecutor started with 2 threads.
2021-03-28 19:46:30.721 INFO [c7fff700] [te.probe.ProbeTaskExecutor.bandwidth]
{} ProbeTaskExecutor started with 1 threads.
2021-03-28 19:46:30.721 INFO [c77fe700] [te.probe.ProbeTaskExecutor.realtime]
{} ProbeTaskExecutor started with 1 threads.
2021-03-28 19:46:30.721 INFO [c6ffd700] [te.probe.ProbeTaskExecutor.
throughput] {} ProbeTaskExecutor started with 1 threads.
2021-03-28 19:46:30.722 DEBUG [cdc90a40] [te.agent.DnssecTaskProcessor] {}
Agent is not running bind
2021-03-28 19:46:30.722 DEBUG [cdc90a40] [te.snmp.RequestDispatcher] {}
Initialised SNMP++ session
2021-03-28 19:46:30.722 DEBUG [cdc90a40] [te.snmp.RequestDispatcher] {}
Initialised SNMP++ session
2021-03-28 19:46:30.722 DEBUG [cdc90a40] [te.snmp.RequestDispatcher] {}
Initialised SNMP++ session
2021-03-28 19:46:30.722 INFO [cdc90a40] [te.agent.main] {} Agent starting up
2021-03-28 19:46:30.723 INFO [cdc90a40] [te.agent.main] {} No agent id found,
attempting to obtain one
2021-03-28 19:46:30.723 INFO [cdc90a40] [te.agent.ClusterMasterAdapter] {}
Attempting to get agent id from scl.thousandeyes.com
```

## Contents

### Introduction

### Catalyst 9000 application hosting framework

### Requirements for the ThousandEyes Enterprise Agent on the Catalyst 9000 platform

### Installation and configuration procedure

### Cisco DNA Center

### Cisco IOS XE CLI

### WebUI

### YANG models

### Performing tests from the ThousandEyes account

### Troubleshooting

### Conclusion

### Useful references

```
2021-03-28 19:46:31.058 INFO [cdc90a40] [te.agent.main] {} Found id 231626
2021-03-28 19:46:31.059 INFO [cdc90a40] [te.agent.ClusterMasterAdapter] {}
Attempting to get controller assignment from sc1.thousandeyes.com
2021-03-28 19:46:31.087 INFO [cdc90a40] [te.agent.ClusterMasterAdapter] {}
sc1.thousandeyes.com told us we should talk to controller c1.thousandeyes.com
# exit
```

The network operator can also export the log file to the flash of the switch as follows:

```
C9K#app-hosting move system techsupport to flash:
Successfully moved tech support to flash:/tech_support_2021-03-28_19.55.24.tar.gz
```

## Conclusion

Enterprises with SLAs for their network can now deploy the Cisco signed version of the ThousandEyes Enterprise Agent on Catalyst 9300 and 9400 Series switching platforms without using additional hardware for compute resources. Network operators can easily install the Enterprise Agents through the different methods described in this guide with minimal time and effort across different campus locations. Moreover, Cisco is providing a certain number of ThousandEyes units per Cisco DNA Advantage or Premier license for Catalyst 9300 and 9400 Series switches. These ThousandEyes units can be used toward network and application tests to gain visibility into applications, visualize paths, and detect anomalies in the network.

## Useful references

Catalyst 9000 Application Hosting white paper:

<https://www.cisco.com/c/dam/en/us/products/collateral/switches/catalyst-9300-series-switches/white-paper-c87-742415.pdf>

General information about application hosting on Catalyst 9000 switching platforms:

<https://developer.cisco.com/docs/app-hosting/#!/application-hosting-in-the-enterprise>

ThousandEyes Enterprise Docker Agent Networking:

<https://docs.thousandeyes.com/product-documentation/global-vantage-points/enterprise-agents/configuring/enterprise-agent-on-docker-advanced-networking>