

Contents

What's in this guide

| Introduction | | Proximity | |
|--|----|---|----|
| Cisco Desk Pro | 4 | Cisco Proximity ultrasound signal | 35 |
| Cisco Desk | 5 | | |
| Cisco Desk Mini | 6 | Sharing content | |
| RoomOS 11: Basic navigation | 7 | Share content in a call | 37 |
| Pair with a Bluetooth® headset and other devices | 8 | Change the screen layout in a call | |
| Pair with a Bluetooth® headset and other devices | 9 | Whiteboarding | 39 |
| Use as a USB camera | 10 | End your session to clear your device | 40 |
| Sign in with your own credentials | 11 | Wired touch redirect | 41 |
| | | Web apps | 42 |
| Video calls | | | |
| RoomOS 11: Call controls | 13 | Scheduled meetings | |
| Audio settings | 14 | Join a scheduled meeting | |
| Place a call from your contact list | 15 | Join a Webex meeting | 45 |
| Edit a contact before calling | 16 | Contacts | |
| Place a call using a name, number, or address | 17 | Favorites, Recents, and Directory | 17 |
| Incoming calls | 18 | Add someone to Favorites during a call | |
| Receive a call while in another call | 19 | Add someone to Favorites outside a call | |
| Disconnect yourself from a call | 20 | Edit a Favorite | |
| Put a call on hold and resume a call on hold | 21 | Euit a Favorite | 50 |
| Transfer an ongoing call | 22 | Camera control | |
| Change the call rate | 23 | Turn the camera on and off | 52 |
| Activate do not disturb | 24 | Access and adjust the selfview in and out of call | 53 |
| Automated forwarding of all calls | 25 | Move the selfview | 54 |
| Open the keypad in call | 26 | Virtual backgrounds | 55 |
| Add participants to an ongoing call | 27 | Control your camera manually | |
| Disconnect a participant from a conference | 28 | Add a camera position preset | 57 |
| Admit a participant to a meeting | 29 | Edit a camera position preset | 58 |
| Pin a speaker in a meeting | 30 | Control a far-end camera | 59 |
| Raise hand in a meeting | 31 | | |
| Use gestures in a meeting | 32 | Settings | |
| Find call details for recent calls | 33 | Control panel and Device settings | 61 |

All entries in the table of contents are active hyperlinks that take you to the corresponding section.

To go between chapters, you can click on the icons in the sidebar.

This guide describes the use of Cisco Desk, Desk Mini, and Desk Pro when registered to an onpremises service.

Note: Some of the features described in this user guide may be optional in certain markets and they may not apply to your device.




Cisco Desk Pro

Use as PC monitor. Use an HDMI or USB-C cable to connect your computer (see below). If you use a USB-C cable, your laptop can be charged through the same cable.

To view the PC screen on Desk Pro, tap PC Input.

Incoming calls appear as usual, irrespective of mode (PC or video) unless Do not disturb is active, see <u>"Activate do not disturb" on page 24.</u>





- **O**USB ports
- Service port
- **❸**HDMI out: screen
- ♠Network expansion. Connect your computer network here to let it share a common connection with your Desk Pro
- **6**HDMI in: content sharing
- **O**USB-C connector
- 8 Power
- Factory reset pinhole



- Camera with privacy shutter
- 2 Loudspeaker volume controls and microphone mute button
- 3 USB and mini-jack socket on the right side of the unit
- Stylus
- 6 Loudspeaker
- Microphones (6 locations)
- Power On/Off on the back of the device

USB headsets

The Desk Pro implements the standard protocol for USB wired audio devices.

Note that Desk Pro also supports the use of Bluetooth® headsets—see "Pairing with Bluetooth®" on page 8.

Manufacturers can implement the standard differently (called HID protocol).

Consequently, different models from the same manufacturer can behave differently and we can't guarantee that all headsets and handsets work.

We have only tested wired headsets or headsets with a dongle.


Read more about USB headsets and see the full list of supported headsets in https://help.webex.com/nkiifbo/.

Cisco Desk

Use as PC monitor. Use an HDMI or USB-C cable to connect your computer (see below).

To view the PC screen on Webex Desk, tap PC Input.

Incoming calls appear as usual, irrespective of mode (PC or video) unless Do not disturb is active, see <u>"Activate do not disturb" on page 24</u>.



- Service port
- **2**USB port: for headset
- SNetwork
- **4** HDMI in: content sharing
- **G**USB-C connector
- 6 Power
- Factory reset pinhole



- Camera with privacy shutter
- 2 Loudspeaker volume controls and microphone mute button
- S Loudspeaker
- Microphones (4 locations)
- 9 Power On/Off on the back of the device

USB headsets

The Cisco Desk implements the standard protocol for USB wired audio devices.

Note that Desk also supports the use of Bluetooth® headsets - see "Pairing with Bluetooth®" on page 8.

Manufacturers can implement the standard differently (called HID protocol).

Consequently, different models from the same manufacturer can behave differently and we can't guarantee that all headsets and handsets work.

We have only tested wired headsets or headsets with a dongle.


Read more about USB headsets and see the full list of supported headsets in https://help.webex.com/nkiifbo/.

Cisco Desk Mini

Use as PC monitor. Connect your computer with a USB-C cable. Extend your screen and use Desk Mini's speakers, microphone, camera, and touch control with the apps running on your laptop.

Incoming calls appear as usual, irrespective of mode (PC or video) unless Do not disturb is active, see <u>"Activate do not disturb"</u> on page 24.

There's a magnetic panel covering the connectors on the back of the device - you can pull it off and put it back on. Here are the connectors on your Desk Mini:





- Camera with privacy shutter
- 2 Loudspeaker volume controls and microphone mute button
- 3 Power On/Off on the back of the screen
- Loudspeaker
- Microphone

USB headsets

The Desk Mini implements the standard protocol for USB wired audio devices.

Note that Desk Mini also supports the use of Bluetooth® headsets—see <u>"Pairing with Bluetooth®" on page 8.</u>

Manufacturers can implement the standard differently (called HID protocol).

Consequently, different models from the same manufacturer can behave differently and we can't guarantee that all headsets and handsets work.


We have only tested wired headsets or headsets with a dongle.

Read more about USB headsets and see the full list of supported headsets in https://help.webex.com/nkiifbo/.

RoomOS 11: Basic navigation

Tap the device name to see its contact information.

To access the home screen and any open apps, swipe up with the bottom handle. This opens the task switcher.





Tap the button or swipe from the right side to open the control panel.

Dots under the buttons means there are more buttons off-screen. Swipe to see them.





The task switcher shows any open apps, whether you're in a call or not. If your laptop's connected, its screen appears in the task switcher.

Whiteboards you create in a session are open as separate apps in the task switcher.

Tap the Files button to see all the whiteboards you've created on the device, and any other files that are available to you on your device.



Some apps open as dialogs. Touch and hold the top edge of a dialog to move it around. Tap outside a dialog to close it.

To close a full screen app swipe up from the bottom of the screen. Then swipe up on the preview image of the app you want to close.

Introducing RoomOS 11

Cisco Desk Series supports the new RoomOS 11 operating system.

While most familiar features work on RoomOS 11 in the same way as before, some have changed, or you access them in different places. There is also new functionality available.

This guide introduces some of the new features and changes to existing ones that you'll find on the RoomOS 11 user interface on Desk Series.

Find out more about the RoomOS 11 User Experience, at https://help.webex.com/n01kjh1/.

Pairing with Bluetooth®

You can use Bluetooth connection for both headsets and other devices. For headsets, you can use Bluetooth to either connect directly to a headset or through a USB dongle.

You can switch between the speaker of the Desk or Desk Pro and the devices connected through Bluetooth or USB. Select the icon in the status bar of the user interface, and choose from the available devices.

NOTE: You can't have both a headset and another Bluetooth device connected simultaneously.

Bluetooth headsets

Bluetooth profiles supported:

- HFP (Hands-Free Profile)
- A2DP (Advanced Audio Distribution Profile)

Bluetooth headset is supported directly with the embedded Bluetooth radio or by using a USB Bluetooth dongle.

Multiple headsets can be paired with the device, but only one can be connected at a time.

The range is up to 10 m (30 ft). If you move outside the range when in a call, the audio switches to the speakers on the device.

Most headsets have built-in volume controls. When in a call, the volume of the headset and device is synchronized. When not in a call, the volume buttons on the headset and device operate independently.

Supported Bluetooth features:

- Answer incoming calls
- Reject incoming calls
- Hang up calls
- Hold and resume calls
- Volume up and down

Some headsets have mute control. This operates independently of the mute control on the device.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Cisco is under license. Other trademarks and trade names are those of their respective owners.

Pair with a Bluetooth® headset and other devices

Pair a Bluetooth headset

- 1. Activate Bluetooth pairing on the headset. If in doubt, consult the instruction manual for the headset
- 2. Open the control panel, tap Device settings and scroll to Bluetooth. If Bluetooth is disabled, toggle it on. It's enabled by default.
- 3. The desk device scans for other devices. Upon successful discovery the Bluetooth headset should be displayed in the device list.
- 4. Select the device and pairing begins. It may take a few seconds for the pairing to complete.
- 5. If the pairing is successful, desk device lists the headset as connected. The pairing is completed.

USB Bluetooth dongle

When using the dongle the headset is detected as a USB headset.

Note that synchronization of headset volume and device volume doesn't work when using a dongle.

See also https://help.webex.com/nkiifbo/.

Pair other devices

You can also pair other devices to your Desk or Desk Pro, such as your mobile phone for listening music.

NOTE: You can't use Bluetooth to stream music while in a call.

- 1. Open the control panel, tap Device settings and scroll to Bluetooth. If Bluetooth is disabled, toggle it on. It's enabled by default.
- 2. Toggle on Discoverable.
- 3. You only need to set the desk device as discoverable when you connect a new device. The desk device goes automatically out of discoverable mode after five minutes.
- 4. Go to the Bluetooth settings on your device and scan for available devices.
- 5. Select Desk or Desk Pro from the devices list and pairing begins. It may take a few seconds for the pairing to complete.
- 6. If the pairing is successful, your Desk or Desk Pro is listed as connected. The pairing is completed.



Icon appears here. Tap it to change between desk device speakers and another device.

- (1) Speakers
- ∪SB headset
- USB handset
- Bluetooth device

Use as a USB camera

The Cisco Desk or Desk Pro may also be used as a USB camera.

If you did not register your Desk or Desk Pro with Cisco, you can use it as any other USB camera.

If you have registered the Desk or Desk Pro with Cisco, you can still use it as a USB camera, but observe the following:

- The Desk or Desk Pro will enter do not disturb (DND) mode when the software client starts using the camera, and not when the cable is plugged.
- This will allow scenarios where a dedicated computer is connected to the device at all times, but the desk device can be still be used for regular Cisco calls.

To use the Desk or Desk Pro as a USB camera, connect it via a USB cable between your computer and the USB-C socket on the Desk or Desk Pro.

This configuration will make use of the microphones and the loudspeakers of the Desk or Desk Pro, ensuring a great sound experience.

If you want to extend the configuration to include an external monitor with this setup, connect your computer to the monitor in the usual way.

Other Device Settings are also fully accessible, with the exception of the Do Not Disturb, which cannot be disabled on a Cisco registered Desk or Desk Pro.

Used as USB camera when already registered

When placing calls using a third party client, the camera, microphone and loudspeakers are selected based on the OS/app. defaults. You may override these settings.

To maintain privacy, the camera light indicator will be illuminated whenever the camera is active.

All other functionality is controlled by the third party client.

Used as USB camera when not registered

The first time you start up a Cisco video device, the Setup Wizard will appear.

This wizard lets you specify how to register with Cisco Services (Cloud or on-premises). The Desk or Desk Pro provides the option of skipping the wizard if you are going to use it as a USB device only.

Detailed instructions are provided on-screen to show you how to do this.

If you later want to register the Desk or Desk Pro with Cisco, open the control panel and tap **Device settings**. Scroll to and select **Device activation**.

Sign in with your own credentials



Tap the Extension Mobility button.

If you can't see the button, swipe the home screen buttons to left.



To log out again, tap **Sign out**. If you can't see the button, swipe the home screen buttons to left.



Type in your username and PIN code, and then tap **Login**. You'll see a conformation that your sign in was successful.

About Extension mobility

Devices located in meeting rooms and quiet rooms and running under CUCM (Cisco Unified Communications Manager) may allow you to log in to the device with your own personal credentials.

CUCM then routes all of your incoming calls to that specific device.

Once you log out from Extension Mobility, your list of Recents is cleared from the device.



RoomOS 11: Call controls

Tap the screen to bring up the call controls during a call.

In addition to standard buttons like Mute/Unmute, Volume, Start/Stop video, and Leave meeting, all the other controls you need during your call are in the same place at the bottom of your screen.



- Layout menu. Choose a layout that fits your meeting style.
- Selfview. Opens the manual camera controls and options to change and move your selfview.
- Share. Opens the sharing options.
- Participants list. Opens the list of people in the current call.
 Tapping a participant shows the options that are available to you like mark as Favorite. Hosts/cohosts have additional options such as Remove from call, Admit, and muting options.
- More. Tap More to get additional options like Lock meeting, Microphone settings (also available in the Control panel), Add participants, open the Keypad.

View laptop screen in call

To use your Desk device as an extension for your laptop screen, connect your laptop with the HDMI or USB-C cable. You'll see the laptop screen in the task switcher.

To see your laptop screen during a call, select it in the task switcher. You'll see the call and presentation in a filmstrip. To make the laptop preview smaller and the call larger, drag down from the handle on top of the laptop preview. Tap and drag the filmstrip to change it to a small floating window which you can drag and drop on designated areas on the screen.

Audio settings

The following audio settings are available to you in or out of call, from the microphone options. To turn one of these settings on, open the control panel your device and then tap **Microphone**. Tap the option you want on. Tap **Neutral** if you don't want any of them.



Noise Removal

You can use noise removal to filter out distracting noises from your environment in a call. Noise removal is especially useful in a shared spaces or a home office.

Optimize for my voice

Remove background noises during a call, only picking up your own voice and suppressing the voices of other people talking nearby.

Test microphone

Reocrd and playback your voice, to check that the Desk device is picking it up properly, and test the effectiveness of the noise removal setting.

Music mode

Using Music mode allows the dynamic range of music go through in a call. This creates a better experience in settings where it's important to hear the nuances in music.

Music mode is useful for remote music lessons, testing musical instruments, and other situations where it's important to hear the full range of music. The device still uses its echo cancellation and environmental background noise reduction capabilities to avoid the need for external equipment, without detracting from the performance.

When Music mode isn't in use, the device filters out additional noises and reduces sound level variations. This caters for meeting settings and helps reduce distracting noise. The additional filtering also works well when you play recorded music through the device.

To use Music mode, enable it on your device first: open the control panel and tap Device settings. Scroll to and select **Music mode**. Toggle it on or off.

NOTE: you can't use Music mode and Noise removal at the same time.


Ringtone and volume

To change the ringtone and to adjust the ringtone volume, open the control panel and then tap **Device settings**. Scroll to **Ringtone** and volume. Select a ringtone from the list and use the slider to set the sound level


Place a call from your contact list



Tap the Call button.



Tap that contact and then tap the green **Call** button.



Tap Favorites, Recents, or Directory and then scroll down to locate a contact.



The call is placed. To end the call, tap the red **End Call** button.

About the Contact lists

Your contacts list consists of three parts:

Favorites. These contacts are put there by you. They are entries you call frequently or otherwise need to access quickly and conveniently from time to time.

Directory is typically a corporate directory installed on your device by your video support team.


Recents is a list of calls you have placed, received, or missed earlier.

The following options apply:


- Type in a name, number, or an IP address and the device looks in all lists for you.
- Add the entry to your Favorites; edit it before calling, and change the call rate.

You can only remove *Recents* from the web interface.


Edit a contact before calling



Tap the **Call** button. Then locate the contact you want to edit and tap it.



Tap Edit and Dial.



Tap the **More** (...) button on the contact card.



Edit with the keyboard and then tap the green **Call** button to place the call.

About entry edits

You may have to edit an entry in one of the contact lists before you place the call. You might need to add a prefix, a suffix, or otherwise alter the entry.

Place a call using a name, number, or address



Tap the Call button.



Type in a name, number, or address. Matches and suggestions appear as you type. If the correct match appears, tap it, otherwise keep typing.



Tap the **Search** field. This opens the keyboard.



Once you've located and selected your contact, tap the green **Call** button to place the call.

About placing calls


To call someone who isn't listed in your contacts you type their name, address or number on a virtual keyboard that opens on your screen.

Anyone you previously called, or who has called you, appears in the *Recents* list and you can add any of them to your *Favorites*. This is described in the section *Contacts*.


Sometimes you need to enter numbers during a call, typically to reach extensions or to provide a pin code. Tap the **Keypad** button in the call controls to open the keyboard.

Note that you clear *Recents* from the web interface only.

Incoming calls



Tap to **Answer** or **Decline** an incoming call.




If your video infrastructure permits it, you may receive multiple incoming calls. You then have the choice to add them to an existing call, or decline them.

If someone calls you

If someone calls you, you may accept, decline, or ignore the call.

- If you decline the call, busy information is sent to the caller.
- If you ignore the call, the caller perceives this as if you were absent (you didn't pick up the call).
- Your video infrastructure may allow you to receive multiple incoming calls. Consult your video support team, if needed.


Receive a call while in another call



About the options

If you already are in a call, you can accept another incoming call under certain circumstances.

Disconnect yourself from a call



About disconnecting a call

Tapping **End** in a call disconnects you from the call. In a call with two parties only, this terminates the call.


In a conference call with multiple participants tapping **End call** only terminates your participation if you are a regular participant.

However, if you are the host of such a conference, tapping **End call**, for some types of conferences, cause the entire conference to terminate.

Put a call on hold and resume a call on hold



In a call, tap **Hold**. You might need to tap **More** first.



Tap **Resume** to go back to the call on hold.


About putting on hold

Putting someone on hold is typically the first step when transferring the call to another person. It's also an alternative to muting when you want to also stop the video transmission.

Transfer an ongoing call




Tap **More** and then tap **Transfer**. This puts the current call on hold.



Tap the green **Transfer call** button. Talk to the person to confirm that transfer is OK. The person to be transferred is still on hold.



Search for a contact.




Tap Complete Transfer.


About transfers

You can transfer an ongoing call to another person. Transfer is always optional and you can talk to the person you are going to transfer a call to, before you actually transfer the call.


Change the call rate



Tap the **Call** button and locate the entry whose call rate you want to alter. Tap it and then tap **More**.



Tap the back button and then tap Call.



Tap Change call rate. Move the slider.

About call rates

Call rate is the term used to express the amount of bandwidth allocated to the call. It is measured in kbps (kilobits per second).


The higher the call rate is, the better the quality is, but on the expense of higher bandwidth consumption.

The device comes with a default call rate. This is normally set by your video support team. Under normal conditions the call rate is adjusted automatically by the device, whenever needed. This is done to avoid choking the video call when you try to call someone at a higher rate than their device and connection support.


If, for some reason, the automatic call rate setting fails, you may also do this manually as a last resort.

Call rate can't be changed during a call, but you may change it just before you place a call, as shown at left...

Activate do not disturb



Tap the device name in the upper left corner of the homescreen.



Toggle on **Do not disturb**. Tap again to deactivate the setting.


About do not disturb

Your device can be set to not respond to incoming calls. You can still call others.

Your video support team may have set a time-out on this feature, after which the device responds to incoming calls as usual. Default time-out setting is 60 minutes.

Note that access to this feature may have been removed by your video support team.

Automated forwarding of all calls



Tap the device name in the upper left corner of the homescreen.



Select the **Forward calls** entry there. Look up and select a contact. Then tap the green **Forward** button.


To stop forwarding calls open the same menu and select **Stop forwarding**.

About forwarding calls

If enabled on your device, you can forward all calls, choosing either voicemail or another receiver.

Your administrator can disable access to the set of menus and options shown.

Open the keypad in call



Using the keypad in a call


In a call you might get prompted to submit numbers to be able to reach an extension or otherwise gain entrance to something (for example by means of a PIN-code).

To enter numbers, open the keypad on the touch screen.

Add participants to an ongoing call



Tap the screen to access the call controls during a call, and tap **Add**.



Tap Add on the contact card.



Locate and select the next person you want to call.



Tap **Merge** in the call controls to add the new call to the existing one. You have now established a conference.

You can repeat this procedure to the extent permitted by your video infrastructure.

About video conferences


Your network may be equipped with the capability to initiate a video conference with several participants.

The maximum number of participants supported by your device depends on device configuration and the video infrastructure. If in doubt, contact your video support team.

To initiate a video conference, you call each participant one by one.

If you are the one who initiated the conference you can terminate the entire conference. The other participants can only disconnect themselves from the conference.

Disconnect a participant from a conference



In a call, tap the screen to get the call controls. Then tap the **Participants** button.



Tap the participant to be dropped from the conference.

About video conferences

The ability to conduct a video conference from your desk device is an optional feature that may or may not be available for your device.




Tap Remove from call.

Admit a participant to a meeting



You'll be notified during a call if someone is waiting in the lobby.



Tap the screen to get the call controls. Then tap the **Participants** button.


About admit participant

In a CMS meeting that is locked, you can let a participant join the meeting from the participant list.



Tap **Admit** to let the waiting participant into the meeting.

Pin a speaker in a meeting



In a call, tap the screen to get the call controls. Then tap the **Participants** button.



Tap the participant you want to pin.



Tap Pin for all.

About pinning a speaker

In a CMS meeting you can pin a meeting participant to show up as important for all the meeting participants. This way that participant or meeting room shows up on everyones screens even when they are not the active speaker.


When you pin a speaker, a notification that they have been pinned shows up on their screen. Similarly, when you unpin them, they see a notification that they have been unpinned.

If you pin an audio-only participant, this will not affect the layout.


By default only the host can pin for all, but the meeting organizer can change this in the meeting settings.

You can pin a speaker for the whole meeting only in CMS meetings.

Raise hand in a meeting



In a meeting, tap the screen to open the call controls. Then tap the **Raise hand** button.



Tap the **Lower hand** button to lower your hand. This also removes the icon from the participant list next to your name.

About raise hand

Use the **Raise Hand** button to let others know you have a question or a comment without interrupting the conversation.


Both the host and others in the meeting see an on-screen notification that someone has raised their hand. The notification with a full name shows up for the first raised hand.

After that, the Raise Hand icon shows how many have raised their hands.


Open the Participants list to see who has raised their hand.

Raise Hand is available in CMS meetings with more than two participants.


Find call details for recent calls



Tap **Call** and select an entry in the **Recents** list.



On the next screen, tap Call details.



Tap More.



Scroll down the list to see the call details. Tap the back arrow to leave the details screen.

About call details

To troubleshoot a recent call, you can find the call details from the recent calls list.



Cisco Proximity

Cisco Proximity

Cisco Proximity ultrasound signal

Cisco devices emit ultrasound as part of the Proximity feature. Most people are exposed to ultrasound more or less daily in many environments, including industry, commercial applications, and home appliances.

Even if airborne ultrasound may cause subjective effects for some individuals, it is very unlikely that any effects occur for sound pressure levels below 75dB. Guidelines for ultrasound exposure limits vary heavily between countries, but 75dB is the lowest limit presently found for the frequency band around 20kHz, which is where the Cisco proximity signal is emitted.

A good reference for this information is Health Canada's guidelines, http://www.hc-sc.gc.ca/ewh-semt/pubs/radiation/safety-code 24-securite/index-eng.php#a2.2.2.

These guidelines state that sound pressure levels lower than 120 dB have not been demonstrated to cause hearing loss, neither permanently nor temporarily.

For Cisco devices for personal use the ultrasound sound pressure level is below 70 dB at a distance of 20 cm or more from the loudspeaker.

In most practical cases the level at the ear of the user will be much lower than these max levels, due to loudspeaker directivity, distance attenuation, and high degree of high frequency absorption in typical rooms. The levels will range from what for audible sound would be typical background / ambient noise levels in meeting spaces up to so-called conversational levels of normal speech.

It is therefore deemed safe for humans to be continuously subjected to the proximity signal. Most people will not be aware of the presence of the signal, and suffer no effects from it. A few individuals with especially acute high frequency hearing can, however, be able to hear it, this is most likely to happen directly in front of and close to the loudspeaker.

Animals like dogs will hear the proximity signal, since their frequency range of hearing is so much wider.

However, the effect of sound is also level dependent, and the level range of a dog's hearing is not significantly different from that of a human. The hearing threshold of dogs at 20 kHz can be as low as 0–10 dB, similar to the threshold of a human ear in its most sensitive frequency range.

Cisco has not done testing or qualification of the possible effects the signal can have on dogs. Due to the limited levels it is believed that while the signal is clearly audible, it is not bothersome to dogs.

A dog in an office or meeting room will be subject to ultrasound at levels comparable to normal background noise, or at most conversational levels. There has been no reports of animals being bothered by the signals in the years we have had this feature in our products.

However, the question of ultrasound effect on dogs is fair, since dog repeller devices using ultrasound do exist. These devices typically claim to use discomforting, but not harmful ultrasound. Cisco does not have insight into dog repeller design, but scanning the specifications of such devices typically reveals that the exposure levels typically are 100 dB and upwards.

For solutions using Cisco video codecs with 3rd party loudspeaker systems Cisco is not able to control the ultrasound sound pressure level. In most cases the necessary loudspeaker sensitivity and frequency response will result in levels below the 75 dB limit. However, if excessive external amplification is applied, or the loudspeaker system has an emphasized high-frequency response, levels in excess of the limit can be produced.

About Cisco Proximity

The Cisco Proximity feature allows you to share content from a computer wirelessly on a Cisco device. You can even use your own smart phone, tablets, PC or MAC to control calls on the video device.

Observe the following:

You need to download (free of charge) the Cisco Intelligent Proximity app from App Store or Google Play.


Windows or OS X users, go to https://proximity.cisco.com/.

Your video support team may have activated none, some, or all of the available features.

Proximity uses ultrasound to connect users (more at left). Don't block the microphone on your computer, phone or tablet.

Proximity doesn't work outside meeting rooms when doors are closed. You need to be close to the video endpoint to use Proximity.

For privacy, keep meeting room doors closed to avoid possible eavesdropping.



Content sharing


Share content in a call



If using a cable, connect your source and make sure it's switched on. In a call, tap the screen to get the call controls and then tap the **Share** button.



To stop sharing content, tap Stop sharing.



Select your source. Tap **View** for a preview. No one can see your computer screen yet - tap **Share** when you're ready. Or tap **Share** in **call** to share immediately.

About content sharing

Share content on your Cisco device by connecting your PC to the device with a USB-C or HDMI cable, or, share wirelessly with your Webex app, Cisco Proximity, or Miracast®. You can also share whiteboards with call participants.

When Miracast is enabled, you can share content wirelessly from your laptop to a Cisco device without a client. This works both in and out of calls: to share in-call, start the call first. Find out more about Miracast at https://help.webex.com/kfdwufb/.

See "Cisco Proximity" on page 33 in this guide about wireless sharing.

When your camera is on, you can show yourself in front of your content, just like you were presenting in a meeting room. Just connect your laptop with the HDMI or USB-C cable. Tap the **Share** button in the call controls. Toggle on **Show me in front of presentation** and then tap **Share in call**. Drag and drop your image on the screen to your preferred location, and pinch and zoom your image to change its size.

To share outside a call using a cable, connect your source and make sure it's switched on. Your computer screen will appear on the device. To stop sharing, swipe up from the bottom of your device screen and select a different screen, or, disconnect your source.

Change the screen layout in a call



During a call, tap the screen to get the call controls and then tap the **Layout** button.



Select your preferred layout from the menu that opens.

About layouts

You can change your screen layout during a call while someone is sharing content. Typical options available are:


Stack: presenter is stacked above the content.

Floating: presenter floats over top of the content.

Side by Side: presenter and content share the screen.

Focus: content takes the whole screen.

Whiteboarding



About whiteboards

You can use your Desk series device for digital whiteboarding.

To open the whiteboard tap the **Whiteboard** button on the homescreen.

Use the stylus or your finger to write and draw.

The size of a whiteboard page is as large as you want. Use two fingers to drag the whiteboard and pinch to zoom.

To save your whiteboard drawings you can send them as emails. If your device is configured to do this, tap the Email button and then type in the recipient addresses. Whiteboards are sent in PDF format.

Remember, swiping up from the bottom of the screen opens the task switcher. You'll see any open apps, other current whiteboards, and the homescreen there, and can switch between them.

To delete all whiteboards, open the control panel and tap **End Session**.

End your session to clear your device



When you're finished working, open the control panel and tap **End session**.



Decide if you want to clear all whiteboards, all website data, or both. The option to delete website data appears only if the web engine is enabled.

About sessions

During a session your whiteboards, annotations, and web activity is stored on your device. You can take a break or switch between activities and then go back to your files and continue your work.

You can end your session at any time from your device, clearing up all whiteboards and browsing data for the next user.

By default, your whiteboards and web data are deleted automatically every day at midnight. Check with your system administrator if the automatic cleanup is disabled or set to occur at a different time.

Wired touch redirect

You can control your laptop from a Desk device's screen. This works when you have connected your Windows 10 laptop to the device with an HDMI cable and/or a USB-C cable. It's great for tasks involving drag and drop, drawing programs, and maps.

Touch redirect is available if you're sharing locally or sharing in a call.

The feature is tested and verified with Windows 10. Basic functionality should also work with another OS.

Limitations:

- When you use touch redirect, you can't annotate on the screen you are sharing.
- Volume control on the Desk device is not available when touch redirect is in use. Use the volume control from your laptop.

Enable drag and drop in your browser

To use touch redirect for drag and drop on your browser, enable it on your browser.

- Chrome: go to chrome://flags/#touch-events and set to Enabled.
- Firefox: go to about:config and set Dom.w3c_touch_ events.legacy_apis.enabled = true.
- Edge: go to about:flags and set Enable Touch Events = always on.

Use touch redirect with Windows 10 laptops

- Switch your laptop to tablet mode by selecting the action center on the taskbar next to the date and time, and then select **Tablet mode** to turn it on.
- Connect your laptop to a Desk device with an HDMI cable and/or a USB-C cable. You can use either a USB-C-USB-C cable, or a USB-C-USB-A cable.
- 3. Note: USB-C-USB-A cables are supported for longer cable lengths.
- Select Share from the home screen and tap the Touch Redirect button.

If you want to switch to other activities on the Desk device while you're using touch redirect, tap the **Touch Redirect** button and tap the screen to get access to home screen.

Web apps



About web apps

A web app is a web page or application you access from the device's home screen. You can share and work on a web app locally or in call.

Web apps launch in full screen, and time out after 15 minutes if not used. The web app may be interactive.

When you open a web app in a call, it's automatically shared. You can't preview the web app while in call.

When presenting a web app that plays audio but doesn't allow volume control, you can't adjust the audio that's shared to the participants. Data such as cache, cookies, and local storage, is automatically cleared when the session ends.

You can add, delete, and edit web apps directly from the settings menu on your device.

Open the control panel and tap **Device** settings. Scroll to and tap **Manage Web Apps**. You can add a web app, and edit or delete ones that are already there.

Any web apps configured in the UI extension editor are visible in the web apps list under Externally Managed Web Apps, but it's not possible to edit or delete them from the device.



Scheduled meetings

Join a scheduled meeting



Joining a meeting

Your device may be connected to a management system capable of scheduling video meetings. Any meetings scheduled then appear as shown at left.

Tap **Join** to participate in the meeting.

If the meeting has started already, you can still join.

When a scheduled meeting appears on the device screen, the device wakes up from stand-by.

Join a Webex meeting



Tap **Webex**. You are prompted to type in the meeting number you received in your invite. Tap **Join** to join the meeting.



Favorites, Recents, and Directory



About the Contact lists

Tap the **Call** button to open your contacts lists. The contacts list consists of three parts:


Favorites. These contacts are put there by you. These entries are those you call frequently or otherwise need to access in a swift and convenient manner from time to time.

Directory is typically a corporate directory installed on your device by your video support team.

Recents is a list of calls you have placed, received or missed earlier.

Note that removing entries from *Recents* can only be done from the web interface.

Add someone to Favorites during a call



In a call, tap the screen to get the call controls and then tap the **Participants** button.



Tap the participant to add to Favorites.

About favorites

The Favorites is your own shortlist of contacts you frequently call or otherwise want to have easy access to.

Favorites may be populated from the Recents or Directory lists as well as from manual entries.



Tap **Favorite**. Tap outside the menu to close it. Remove people from *Favorites* the same way.

Add someone to Favorites outside a call




While not in a call, tap **Call** to open the contacts list. Tap **Recents** or **Directory** and search for the entry to add to your *Favorites* and tap it to open the contact card.



After tapping **More**, you can toggle **Favorite** on or off. Tap anywhere outside the menu to exit.



Tap the star button on the contact card to favorite the person right away. Or, tap the **More** button.




To remove an entry from your *Favorites*, go to **Favorites** in the contacts list and repeat the procedure.

About favorites


The Favorites is your own shortlist of contacts you frequently call or otherwise want to have easy access to.

Favorites may be populated from the *Recents* or *Directory* lists as well as from manual entries.


Edit a Favorite



Tap **Call** to open the contacts list. Then tap **Favorites**.



Edit the entry and tap **Save** on the keyboard to exit. Otherwise tap the back arrow on the contact card, or anywhere outside the card to exit.



Tap the person to be edited. Then tap **More**.

About favorites


You can update a favorite contact at any time.



Turn the camera on and off



During a call, tap the screen to get the call controls.



Tap the **Stop Video** button. Tap **Start Video** to turn the outgoing video back on.

About video off

You can also control the video transmission from your camera on some devices by mechanically blocking the camera.

Access and adjust the selfview in and out of call



Make sure your camera is on. During a call, tap the screen to open the selfview up on top of the call. Then tap the button on the selfview's right corner and change the visibility to Hide, Show in call, or Always show.

In or out of call, open the control panel and tap the **Selfview** button to get the same settings.



Even when you select to hide it, your selfview will still appear to you in the control panel with the same options available there.

About selfview

The selfview shows what others see from your device. You can use it to confirm that they see what you want them to see.

You can see, adjust, and move your selfview around the screen both in and out of call.

To check your selfview at any time, open the control panel. As long as your camera is open/on, you'll see your selfview there and can expand it to **Fullscreen** if you want. To exit fullscreen, open the control panel and tap Fullscreen again.

Tap the **Selfview** button in the control panel to set visibility for your selfview to **Hide**, **Show in call**, or **Always show**.

Note

Move the selfview



Tap and hold the selfview image. Drag and drop it to a new position on your screen.



Lift your finger to release the image in the new place.

About selfview

YSelfview shows what others see from your device. You can use it to confirm that they see what you want them to see.

You can see, adjust, and move your selfview around the screen both in and out of call.

Virtual backgrounds



Open the control panel and tap the **Background** button, or, tap on your selfview image and then tap the **Background** button there.



The background options open and you can choose one. Tap anywhere outside the control panel or selfview when you're done.

About backgrounds

With video backgrounds you can change or blur the background of the image others see in the video meeting. This helps you to be the focus of the image or hide a messy background at the office.

Background options:

- Background blur
- Computer screen share as background (if your computer is connected to the desk device)
- Standard background images
- Custom background image (if custom images have been uploaded by your administrator)

NOTE: The blurring may not cover the background entirely and possible sensitive information may be visible to others in the video meeting.

Control your camera manually



In or out of call, open the control panel and tap the **Camera** button. Or, tap the selfview image and then tap the **Camera** button there. Select **Manual** under **Camera mode**.



Use the controls to pan, tilt, and zoom the camera. Tap anywhere else on the screen to exit.

About manual camera control

Your desk device automatically frames you with **Best view**. However, in some situations you might want to adjust the framing.

In or out of a call, you can control the zoom, pan, and tilt of the camera manually.

Add a camera position preset



In or out of call, open the control panel and tap the **Camera** button. Or, tap the selfview image and then tap the **Camera** button there. Select **Manual** under **Camera mode**.



Name the preset and tap **Done**.



Use the controls to pan, tilt, and zoom the camera. When you're done, tap Save camera view.



Your preset is added to the **Saved camera views** list and available for selection.

About camera presets

Manual camera controls let you control the zoom, pan, and tilt of the camera. When you adjust the camera manually, if you like the view you can save it to use again.

This means you can create custom views with predefined zoom and camera direction. You can easily switch between presets during meetings.

To apply a defined preset, open the control panel, tap the **Camera** button, and select it from the **Saved camera views** list.

To delete a preset, tap the **More** button beside it in the list, and then select **Delete view**.

Control a far-end camera



During a call, tap the screen to get the call controls. Then tap the **Participants** button.



Tap the participant whose camera you want to control, then tap **Control camera**.

About far-end cameras

When you're in a video call where one or more of the other devices have a remotely controllable camera, you can control those cameras from your own device.

If the far-end device has activated **Speaker** mode where the camera follows the active speaker or is using **Best View**, you can't control the camera remotely.

You don't have remote access to any camera presets.



Adjust the remote camera's tilt, pan, and zoom with the camera control buttons. Tap anywhere outside the controls when you're done.



Settings

Control panel and Device settings

In the **Settings** menu you can check device information and change several settings.

- About provides video address information, IP and MAC address, SIP Proxy, and the current software version
- Issues and diagnostics
- Activate and deactivate Bluetooth
- Select ringtone and set its volume
- Turn Music mode on or off.
- Toggle whiteboard appearance
- Choose a call service
- Select between Wired and Wireless (Wi-Fi) connection
- Restart the device
- Perform a Factory Reset to return to factory default settings. By doing this, you lose your current registration. You cannot undo a factory reset



Access the settings

To open the control panel swipe from the right side of the screen, or tap the button on the upper right corner of the home screen. As long as your camera is open, you'll see your self-view at the top. In the control panel you can find:

- Camera controls
- Selfview
- Backgrounds
- Microphone options
- Standby
- Screen brightness
- Device volume/speakers
- Access to device settings
- End session (when you have created whiteboards or annotations)

To get to the Settings menu, open the control panel. Then tap **Device settings**. The menu opens and you can scroll through it. If you are in a call, the menu opens as a dialog on top of your call.

Which settings are available may have been restricted by your administrator.



Americas Headquarters Cisco Systems, Inc. San Jose, CA Asia Pacific Headquarters Cisco Systems (USA) Pte. Ltd. Singapore Europe Headquarters Cisco Systems International BV Amsterdam, The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: www.cisco. com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)