

MFC-J625DW

LC1220/ 1240 Cartridges

Wireless Colour Inkjet All-in-One with Automatic double sided printing and Fax



Built for work. Styled for home.

This A4 inkjet all-in-one printer is the perfect choice for a home or small office environment. It provides you with all the professional standards you'd expect from your office equipment, fast quality printing, clear sharp copying, and high quality scanning and faxing, all in one compact machine. And because of its sleek black styling it will look just as good at home as it will in the office. There's no compromise on features, with automatic double-sided printing provided as standard to save time and money and wireless network-ready out of the box so you can share with other users. And because it's one of the most eco-friendly machines on the market you benefit from low power consumption and low noise levels.

Ad Spec

- **12 ipm black and white 10 ipm colour based on ISO/IEC 24734**
- Fast mode up to 35ppm black & white and 27ppm colour
- **Up to A4 automatic double sided printing**
- 4x6 photos as fast as 15 seconds,
- Up to 6,000 x 1,200 dpi resolution
- **Wireless 802.11b/g/n, Hi speed USB 2.0 interfaces as standard.**
- 4.9 cm colour LCD with touch panel,
- **4 individual ink cartridges (high yield option)**
- 64MB Memory,
- **100 sheet paper capacity plus 20 sheet photo tray,**
- **20 sheet automatic document feeder**
- **Media card centre compatible with: MemoryStick®, MemoryStick Pro™, Secure Digital™ Secure Digital High Capacity, Multimedia card, Multimedia card plus, Multimedia card mobile.**
- **PictBridge and USB host port (print & Scan)**
- Up to 19,200 dpi scan resolution (interpolated)
- 36/24bit colour processing – actual in/out
- **Scan to: E-mail / OCR / Image / File/ Card / USB Flash Memory Drive**
- Supporting: JPEG, BMP, PDF, TIFF, PNG
- Up to 99 multi-copies with stack feature
- **Reduce or enlarge from 25 - 400% in 1% increments**
- Up to 1,200 x 1,200 dpi copy resolution Mono and Colour
- Multi-layout copying 2 in 1, 2 in 1 (ID) 4 in 1 (A4/LTR only) & poster mode
- Watermark copy, thin paper copy and book copy enhancement
- **14,400bps Fax Modem**
- 100 Speed Dial Locations with two numbers in each location.
- Up to 400 Pages Memory Transmission Reception (ITU-T Test Chart #1/MMR)

Software

Brother MFLpro suite

- Includes Print and scan drivers and Brother's control centre program

Nuance Paper Port 12se (Windows®)

- Scan, share, organize and save all your documents with this easy to use document management software.

Presto Page Manager9 (Macintosh®)

- Document management software for Macintosh®

Reallusion® FaceFilter Studio Software

- A simple and easy to use photo editor that enables you to fine-tune your photos to print perfect, professional looking photos with or without borders.

Detailed Spec

General

Engine	Inkjet
Max. Flatbed paper Input width / height	215.9/297mm
Input Paper Capacity	100 sheets / 20 sheet photo tray
ADF (Automatic Document Feeder)	Up to 20 sheets
Output paper capacity	50 sheets
Output width / height	148/148mm to 215.9/355.6mm
LCD Display Size	4.9 cm colour LCD
On-screen programming	Step by step prompts are displayed within the LCD in order to facilitate programming machine options and settings.
Total Memory Capacity	64MB
Simultaneous Operation	Yes
Ink gauge indication menu	Ink levels can easily be displayed in the LCD using the ink management
Power save button	This model has an On/Off button on the control panel

Colour Printer

Speed	12 ipm mono 10 ipm colour based on ISO/IEC 24734 Up to 35 pages per minute for in black & white and up to 27 pages per minute for colour (150 x 600dpi)
Warm-up time	0 seconds
Resolution	Up to 6,000 x 1,200 (Vertical x Horizontal) dpi
2-sided Print	Up to A4
Paper Handling Size	A4, LTR, EXE, JISB5, A5, A6, Photo(102x152mm/4x6"), Indexcard(127x203mm/5x8"), Photo-2L(127x178mm/5x7"), Post Card 1(100x148mm/3.9x5.8"), Post Card 2 (Double)(148x200mm/5.8x7.9"), C5 Envelope, Com-10, DL Envelope, Monarch
Media type	Plain / Inkjet / Glossy / Transparency
Media weight	Paper tray: 64-220g/m ² , Duplex 64-105g/m ² . Photo tray: 64-220g/m ²
Borderless printing	Borderless printing is available for A4/Ltr/A6/Photo Card/Index Card/Post Card
Droplet Size	Minimum droplet size of 1.5pl
Colour Enhancement	Brother Image Enhancement allows the user to customise colour output
Printer Driver	Compatible with Windows® XP/XP Professional x64/Vista/Windows 7/ Server 2003/2003 x64/2003 R2/2003 R2 x64/2008/2008 R2, Mac OS X 10.4.11, 10.5.x, 10.6.x

Colour Fax

Colour Fax (A4 Only)

This model is capable of sending and receiving colour faxes to and from other colour capable fax machines, using the ITU.T-30E colour fax protocol. (Cannot send from memory in colour)

Fax Modem Speed	14.4kbps
Automatic Redial	Automatic redialling if the recipient fax is busy
Speed Dials	100 Speed Dial locations
Group Dial	Up to 6 groups
Telephone Index	An electronic, alphabetical listing of stored speed dial and group numbers.
Distinctive Ring Detection	A service purchased from the Telephone Company that allows two or more telephone numbers to share a single fixed line, the function enables the

FAX/TEL Switch	machine to provide a different ring tone for each number. Available only for UK and Denmark.
Super Fine	Automatic recognition of fax and telephone reception
Grey Scale	Enables quality transmission of very small print and line drawings (Transmit & Receive, B&W only)
Enhanced Remote Activate (mono only)	64 levels for B&W, 256 levels for colour
Quick Scan	Transfer a fax call, answered at an extension phone, to the fax machine,
Memory Transmission	Reduce scanning times by scanning a fax into memory before sending.
Out of Paper Reception	Approx. 4 seconds per page A4 standard
Broadcasting	Up to 400 Pages (ITU-T Test Chart No 1, MMR)
Next Fax Reservation (dual access)	Up to 400 Pages (ITU-T Test Chart No 1, MMR)
Auto Reduction	Send the same fax message to up to 50 separate locations
ECM (Error Correction Mode)	By placing a document on the Flatbed scanner and entering the dialling location the user can prepare a fax for transmission whilst the machine is already receiving a call.
Speaker / Ring volume	Long documents are automatically reduced to fit to A4
Station ID	Where machines share the ECM feature, errors during transmission are corrected automatically ensuring received documents are error free
PC-Fax only)	3 Steps and off
	This is the stored information that appears on the top of faxed pages
	Send and receive faxes from your PC, broadcast to up to 50 locations. (B&W
<u>Colour Copy</u>	
Speed	6ipm colour and mono ISO/IEC 24734. Up to 23 copies per minute in black & white and up to 20 copies per minute for Colour (150 x 600dpi)
Resolution (Mono)	Maximum print resolution: 1200 x 1,200 dpi (Colour) 1,200 x 1,200 dpi
Enlargement/Reduction Ratio	Maximum scan resolution 1200 x 1200 dpi (Colour & Mono)
Multi Copy	Reduce or Increase document sizes from 25% to 400% in 1% increments
Automatic 2-sided copy	Up to 99 copies of the original
	Yes
<u>Colour Scanner</u>	
Technology	CIS (Contact Image Sensor)
Warm-up time	0 Seconds
Resolution (Optical)	Up to 1200 x 2400 dpi
Resolution (Interpolated)	Up to 19200 x 19200 dpi
Speed	Max. 3.37sec Mono /4.83sec Colour (A4) (A4, 100 x 100dpi)
Grey Scale	256 shades of grey are available for copying or scanning
Twain Compliant	This model is TWAIN and WIA compliant for Windows®
Operating System	Windows® XP/Vista/ 7, Mac® Mac OS X 10.4.11, 10.5.x, 10.6.x
'Scan to' Key	Allows the user to scan to e-mail, OCR, Image, File, USB Flash Memory drive, Card
Colour Depth	Supporting: JPEG, PDF, TIFF
Scan to USB Flash Drive –	This model has a 36 bit internal processing colour scanner
Auto Crop (firm/PC)	JPEG, PDF
	No/Yes
<u>Interface</u>	
Host Interface (USB)	Hi-Speed USB 2.0 interface as standard
Network Interface as standard	This model is supplied with a built in 10/100 Base-TX network interface
Wireless Ready as standard	This model is supplied with built-in 802.11b/g/n Wireless
<u>Direct Photo Printing</u>	
PictBridge Connection	Yes
Print From USB Flash Drive/Media Card	Yes (JPEG /JPEG)
PhotoCapture Center compatible with:	Memory Stick: 16MB-128MB (Duo with Adapter) Memory Stick Pro: 256MB-32GB (MagicGate: YES if not use MG function) Secure Digital: 16MB-2GB (miniSD/microSD with Adapter) Secure Digital High Capacity (SDHC) (miniSDHC/microSDHC with adapter): 4-32GB. Multimedia card 32MB-2GB Multimedia card plus 128MB-4GB Multimedia card mobile 64MB-1GB with adaptor
Media format	The following media formats are supported by this model: DPOF (Ver1.0, 1.1), Exif DCF (up to ver2.1)
Image format	The following image formats are supported by this model:

Removable disk drive	Photo print – JPEG/JPEG Scan to card – JPEG, PDF (colour) / TIFF, PDF (black & white) The PhotoCapture Centre™ can be used as a removable disk drive in order to save and retrieve files onto any of the supported Media cards
LCD Photo enhance	Edit and enhance images using the colour LCD

Built-in Network as standard

Network connection	Wireless LAN IEEE802.11b/g/n (Infrastructure Mode/Adhoc Mode)
Network functions	Printing, Scanning, PhotoCapture, (Network Scanning 2 user license supplied as standard)
Protocol support	TCP-IP - Including the following: ARP/RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLNR responder, LPR/LPD, Custom Raw Port/Port9100, FTP Server, SNMPv1/v2c, TFTP server, ICMP, Web Services (Print/Scan)
Wireless Setup	Wi-Fi Protected Setup™ (WPS), AirStation OneTouch Secure System™ (AOSS)
Wireless Security	WEP 64/128, WPA-PSK(TKIP/AES), WPA2-PSK(AES)
Operating system	Print / Scan / PhotoCapture Centre™: Win XP/Vista/Windows 7 Print / Scan / PhotoCapture Centre™: Mac OSX 10.4.11 or greater
Network Management	BRAdmin Light (Windows only)
Internet Fax	Yes
Optional user licences	Optional 5 user licences are available to purchase (NL-5)

Weights and Measures

With Carton	465(W) x 255(D) x460(H) mm – 11.6Kg
Without Carton	405(W) x 378(D) x180(H) mm – 9Kg
Power Consumption	Sleep mode 2 Watts Standby 6 Watts Operating (Peak) 19 Watts Off mode 0.15 Watts
Machine Noise	Peak Printing Max 50dB(A)

4 Separate Ink Cartridges

Standard / High Yield

Black	LC1220-BK / LC1240-BK	Approximately 300/600 A4 pages*
Cyan	LC1220-C / LC1240-C	Approximately 300/600 A4 pages*
Magenta	LC1220-M / LC1280-M	Approximately 300/600 A4 pages*
Yellow	LC1220-Y / LC1280-Y	Approximately 300/600 A4 pages*

*Approx. cartridge yield is declared in accordance with ISO/IEC 24711
www.brother.com/pageyield

Brother Paper

BP71GA4: A4 glossy photo paper, 20 sheets
BP71GP: 4x6" glossy photo paper, 20 / 50 sheets
BP60MA4: A4 Matte inkjet paper, 25 sheets
BP60PA: A4 inkjet paper, 250 sheets

Box Contents

Ink Cartridges - Black, Cyan, Magenta, Yellow ink cartridges
Driver Software for Windows® and Macintosh® (CD ROM)
Brother Control Centre 4 software for Windows® (CD ROM)
Brother Control Centre 2 software for Macintosh® (CD ROM)
Nuance Paper Port 12se (Windows®)
Presto Page Manager9 (Macintosh®)
Reallusion® FaceFilter Studio Software (CD ROM)
Power Supply Cord
Quick Setup Guide
User's guide
Sample Photo Paper
PC Interface cable not included