



BEHIND EVERY GREAT MEAL



2014



BEHIND EVERY GREAT MEAL

- 04 A GREAT BRITISH BRAND**
- 05 HOME DELIVERY / CONTACT**
- 08 FREESTANDING COOKERS**
- 13 HOW FANNED GAS WORKS**
- 14 COLOUR BOUTIQUE**
- 16 RANGE COOKERS**
- 23 INDUCTION TECHNOLOGY**
- 24 BUILT-IN OVENS**
- 28 MULTIFUNCTION OVENS**
- 29 INDUCTION OVEN**
- 30 PYROLYTIC OVENS**
- 31 BUILT-IN HOBS**
- 34 HOODS AND SPLASHBACKS**
- 39 INTEGRATED APPLIANCES
AND TABLETOP COOKING**
- 43 PRODUCT SPECIFICATIONS**



JOIN US ONLINE FOR RECIPES, VIDEOS
AND GREAT COOKING IDEAS.



AT BELLING, WE'RE PROUD TO HAVE SUPPORTED GREAT BRITISH HOME COOKING, MANUFACTURING AND YOU, THE BRITISH CONSUMERS, FOR OVER A CENTURY, AND WE PLAN TO KEEP ON DOING IT, WITH OUR FOUR BIG COMMITMENTS.

WE'RE BEHIND GREAT BRITISH DESIGN AND MANUFACTURING



Belling is proud to be part of Glen Dimplex Home Appliances, the only manufacturer that builds freestanding cookers, built-in ovens & hobs and range cookers right here in the UK. Manufacturing uniquely British products for British cooks.

Belling products are made with pain-staking attention to detail, and its production site is purposely split into small teams, who work solely on just one product, carefully assembling each and every appliance from the ground up, by hand.

We are proud to be founder-members of the Made In Britain initiative and are still very much involved with its campaigning and championing of British industry. For more information, or to join the Made In Britain campaign please visit: www.madeingb.org.

WE'RE BEHIND INNOVATIVE COOKING TECHNOLOGY



From the world's first enamelled cooker and domestic fan oven, to the first slot-in range cooker and more recently, the world's first induction oven – we've developed products and technologies over the decades that are still important to British cooks today.

No surprise then that we continue to pioneer products across all fuel types, like the largest tall oven on a range cooker with 91 litres capacity. Or that we perfect features like open-door grilling – which means your food is grilled instead of baked, or that all ovens boast an 'A' class energy rating. We're never behind when it comes to progress.

WE'RE BEHIND AWARD-WINNING CUSTOMER SERVICE



Belling's first class customer care has seen the brand win the much coveted Total Excellence Quality Customer Care award on numerous occasions. Belling's UK-based customer call centre employs 130 operatives and 200 service engineers.

If you wish to speak to one of our operatives, please call **0844 815 3746**.

WE'RE BEHIND COOKING AND CELEBRATING GREAT FOOD



Since 2010, we've been the proud appliance supplier of the BBC Good Food Shows, equipping our much-loved celebrity chefs with the latest cooking technology. With amazing cooking demonstrations and recipes, plus the chance to see our brand ambassador Chef Brian Turner CBE, the Good Food Show has something for everyone. Whether you're a kitchen whizz or a first time trier, we'd love to see you there...



For more information visit us online at: www.belling.co.uk



WE ARE DELIGHTED TO BE ABLE TO OFFER GO DELIVER – OUR IMPROVED HOME DELIVERY SERVICE, AVAILABLE AS AN OPTIONAL EXTRA WHEN YOU BUY YOUR BELLING APPLIANCE

The service is designed to make buying and installing your new Belling appliance simple and stress-free:

- We offer fast delivery times and can deliver to anywhere within the UK, 6 days a week.
- We will position and install the appliance in your room of choice.
- We offer a service to dispose of your old appliance.
- Our team of expert installers will test everything to make sure it's in perfect working order.

When you buy your Belling appliance, ask your retailer about Go Deliver.



Order Day 1 for delivery Day 3. Delivery available UK only to most postcodes, 6 days a week.



Delivery and installation is available Monday to Friday. Delivery is available to the whole of the UK, followed up with installation by our fleet of national engineers.



Our all-in-one service that includes it all. Delivery, disconnection, installation and removal all in one convenient visit on a choice of days. UK mainland only.

CONTACT DETAILS

Belling
Stoney Lane, Prescott, Merseyside L35 2XW

Belling Customer Care:
0844 815 3746

Trade Support Line:
0844 248 4147

Product Information Helpline:
0844 248 4149
www.belling.co.uk

Glen Dimplex Home Appliances operates the policy of continual product improvement and development. Therefore we reserve the right to change the specifications of any product without prior notice. All dimensions in this publication are approximate. Information correct at time of going to print. Please note that ongoing product improvement may result in minor changes in product technical specification. Where possible this will be communicated prior to supply. Please contact customer services for further information.

Belling is a member of Glen Dimplex Home Appliances. The Belling logo is a registered trademark.

Designed by www.uniform.net



Corporate Member



THE AROMATIC SIZZLE OF A CRUNCHY FRESH CHICKEN STIR FRY

FOR OUR TAKE ON CHICKEN STIR FRY, VISIT
WWW.BELLING.CO.UK/KITCHEN-TABLE-CONVERSATION/RECIPES

FREESTANDING COOKERS

OUR FREESTANDING COLLECTION RESTS SOLIDLY ON A FOUNDATION OF EXCELLENT DESIGN, HIGH MANUFACTURING STANDARDS, AND YOUR KITCHEN FLOOR.



50CM WIDE ELECTRIC

FSE50SO



50cm Electric single cavity cooker

- 4 sealed elements
- Rotary controls
- Conventional electric oven
- Fixed rate electric grill
- Easy clean enamel

WHITE 444442256



FSE50TC



50cm Electric oven with separate grill

- 4 sealed elements
- Rotary controls
- Conventional electric main oven
- Variable electric grill
- Easy clean enamel

STAINLESS STEEL 444442490 | BLACK 444442489
WHITE 444442488



FSE50FDO



50cm Electric fanned double oven

- 4 sealed elements
- Rotary controls
- Fanned electric main oven
- Fixed rate electric grill
- Easy clean enamel

SILVER 444442710 | BLACK 444442709
WHITE 444442492 | STAINLESS STEEL 444442493



50CM WIDE ELECTRIC

FSE50DOP



50cm Electric double oven with programmable timer

- 4 sealed elements
- Rotary controls
- Fanned electric main oven
- Fixed rate electric grill
- Easy clean enamel

STAINLESS STEEL 444442255



FSEC50DO



50cm Electric double oven

- 4 ceramic elements
- Rotary controls
- Conventional electric main oven
- Top cavity conventional electric oven with grill
- Easy clean enamel

SILVER 444442707 | BLACK 444442484
WHITE 444442483



FSEC50FDO



50cm Electric fanned double oven

- 4 ceramic elements
- Rotary controls
- Fanned electric main oven
- Top cavity conventional electric oven with grill
- Easy clean enamel

SILVER 444442708 | BLACK 444442486
WHITE 444442485



50CM WIDE ELECTRIC

FSEC50DOP



50cm Electric fanned double oven with programmable timer

- 4 ceramic elements
- Rotary controls
- Fanned electric main oven
- Top cavity conventional electric oven with grill
- Easy clean enamel

STAINLESS STEEL 444442487



60CM WIDE ELECTRIC

FSE60DOP



60cm Electric double oven with programmable timer

- 4 ceramic elements
- Rotary controls
- Fanned electric main oven
- Top cavity conventional electric oven with variable electric grill
- Easy clean enamel

STAINLESS STEEL 444449572 | BLACK 444449574
WHITE 444449573

FSE60MF



60cm Electric multifunction double oven with programmable timer & grill in both ovens

- 4 ceramic elements including large dual zone
- Rotary controls
- 9 oven functions including fan
- Top cavity conventional electric oven with variable electric grill
- Easy clean enamel

STAINLESS STEEL 444449575 | BLACK 444449576

FSE60DOI



60cm Electric multifunction double oven with induction hotplate & grill in both ovens

- 4 zone induction hotplate
- Fully programmable timer
- 9 oven functions including fan
- Top cavity conventional electric oven with variable electric grill
- Easy clean enamel

STAINLESS STEEL 444440916

55CM WIDE ELECTRIC

ENFIELD E552



55cm Electric oven with separate grill

- 4 ceramic elements
- Rotary controls
- Fanned electric main oven
- Top cavity conventional electric oven with grill
- Easy clean enamel

SILVER 444449200 | WHITE 444449199



FSGC55TCF



55cm Twin cavity with fanned gas

- 4 gas burners
- Cast iron pan supports
- Conventional gas main oven with fanned electric option
- Variable gas grill
- Easy clean enamel
- Glass lid

STAINLESS STEEL 444442711 | BLACK 444442712
WHITE 444442713



60CM WIDE ELECTRIC

FSE60DO



60cm Electric double oven

- 4 ceramic elements
- Rotary controls
- Fanned electric main oven
- Top cavity conventional electric oven with grill
- Easy clean enamel

STAINLESS STEEL 444449570 | BLACK 444449371
WHITE 444440776

60CM WIDE ELECTRIC

FSE60MFI



60cm Electric multifunction double oven with induction hotplate

- 4 zone induction hotplate
- Fully programmable timer
- 9 oven functions including fan
- Top cavity conventional electric oven with variable electric grill
- Easy clean enamel

STAINLESS STEEL 444442673 | WHITE 444442781



60CM WIDE DUAL FUEL

FSDF60DO



60cm Dual fuel double oven

- 4 gas burners
- Rotary controls
- Fanned electric main oven
- Top cavity conventional electric oven with variable electric grill
- Easy clean enamel
- Glass lid

STAINLESS STEEL 444440165



FSDF60DOW



60cm Dual fuel double oven

- 4 gas burners including wok
- Rotary controls
- Fanned electric main oven
- Top cavity conventional electric oven with variable electric grill
- Easy clean enamel
- Glass lid

STAINLESS STEEL 444442722 | BLACK 444442723



60CM WIDE GAS

FSG60DO



60cm Gas double oven

- 4 gas burners
- Enamel pan supports
- Conventional gas main oven
- Top cavity gas oven with electric grill
- Easy clean enamel
- Glass lid

STAINLESS STEEL 444449565 | BLACK 444449566
WHITE 444440777

FSG60DOP



60cm Gas double oven with cook to off programmable timer

- 4 gas burners
- Enamel pan supports
- Conventional gas main oven
- Top cavity gas oven with electric grill
- Easy clean enamel
- Glass lid

STAINLESS STEEL 444449567 | BLACK 444449569
WHITE 444449568

FSG60TC



60cm Gas oven with separate grill & LED minute minder

- 4 gas burners
- Enamel pan supports
- Conventional gas main oven
- Variable gas grill
- Easy clean enamel

STAINLESS STEEL 444449563 | BLACK 444449564

FSG60TCLW



60cm Gas oven with separate grill & led minute minder

- 4 gas burners including wok
- Cast iron pan supports
- Conventional gas main oven
- Variable gas grill
- Easy clean enamel
- Glass lid

STAINLESS STEEL 444442720 | BLACK 444442721



FSG60DOF



60cm Gas double oven with fanned gas main oven

- 4 gas burners
- Cast iron pan supports
- Conventional gas main oven with fanned electric option
- Top cavity gas oven with electric grill
- Easy clean enamel
- Glass lid
- Programmable timer

STAINLESS STEEL 444442714 | BLACK 444442715
WHITE 444442716



FSG60DOF LPG



60cm Gas double oven with fanned gas main oven


- 4 gas burners
- Cast iron pan supports
- Conventional gas main oven with fanned electric option
- Top cavity gas oven with electric grill
- Easy clean enamel
- Glass lid
- Programmable timer

STAINLESS STEEL 444442717 | BLACK 444442718
WHITE 444442719



HOW FANNED GAS WORKS

IT COOKS EVERYTHING EVENLY



6 BEAUTIFUL COLOURS FOR INDIVIDUAL TASTES

90CM WIDE



Icy Brook 90DFT



Day's Break 90DFT

100CM WIDE



Floral Burst 100DFT



Midnight Gaze 100DFT

110CM WIDE



Hot 110GT



Wild Berry 110DFT



We say variety is the spice of life, and whatever your palette we've got a Classic range cooker in a colour to suit your dream kitchen. So why not choose from one of our stunning six colour options, in three different Classic sizes, from our Colour Boutique range.

See the full Colour Boutique range online at www.belling.co.uk

**FOR OUR RHUBARB AND CUSTARD RECIPE
VISIT WWW.BELLING.CO.UK/KITCHEN-TABLE-CONVERSATION/RECIPES**



RANGE COOKERS

THE CORNERSTONE OF THE KITCHEN, THE BEATING HEART OF THE HOUSE, OUR RANGE COOKERS DON'T JUST COMPLETE YOUR LOOK, THEY CHANGE THE WAY YOU COOK. CHOOSE FROM CLASSIC, DB, AND COUNTRY CLASSIC.



90CM WIDE CLASSIC

CLASSIC 90DFT



90cm Dual fuel range cooker

1. Variable rate dual circuit electric grill
 2. Fanned electric main oven
 3. Tall fanned electric oven
- 5 gas burners
 - 3.5 KW wok burner
 - A energy rating
 - Easy clean enamel

SILVER 444440379 | BLACK 444440378

CREAM 444440380

ALSO AVAILABLE IN COLOUR BOUTIQUE



CLASSIC 90E



90cm Electric range cooker

1. Variable rate dual circuit electric grill
 2. Fanned electric main oven
 3. Tall fanned electric oven
- LED programmer
 - 5 ceramic elements
 - A energy rating
 - Easy clean enamel

SILVER 444440384 | BLACK 444440383

CREAM 444440385

ALSO AVAILABLE IN COLOUR BOUTIQUE



CLASSIC 90EI



90cm induction electric range cooker

1. Variable rate dual circuit electric grill
 2. Fanned electric main oven
 3. Tall fanned electric oven
- LED programmer
 - 4 zone induction hob
 - A energy rating
 - Easy clean enamel

SILVER 444441896 | BLACK 444441895

CREAM 444441897

ALSO AVAILABLE IN COLOUR BOUTIQUE



SEE PAGE 23

100CM WIDE CLASSIC

CLASSIC 100DFT



100cm Dual fuel range cooker

1. Variable rate dual circuit electric grill
 2. Fanned electric main oven
 3. 2nd conventional electric oven
 4. Storage compartment
- LED programmer
 - 7 gas burners
 - A energy rating
 - Easy clean enamel

SILVER 444440389 | BLACK 444440388

CREAM 444440921

ALSO AVAILABLE IN COLOUR BOUTIQUE



CLASSIC 100GT



100cm Gas range cooker

1. Variable rate gas grill
 2. Conventional gas oven
 3. 2nd conventional electric oven
 4. Storage compartment
- Cook to off programmer
 - 3.5 KW wok burner
 - 7 gas burners
 - Easy clean enamel

SILVER 444440393 | BLACK 444440392

CREAM 444440923

ALSO AVAILABLE IN COLOUR BOUTIQUE



CLASSIC 100E



100cm Electric range cooker

1. Variable rate dual circuit electric grill
 2. Fanned electric main oven
 3. 2nd conventional electric oven
 4. Storage compartment
- LED programmer
 - 6 ceramic elements
 - A energy rating
 - Easy clean enamel

SILVER 444440391 | BLACK 444440390

CREAM 444440922

ALSO AVAILABLE IN COLOUR BOUTIQUE



110CM WIDE CLASSIC

CLASSIC 110DFT



110cm Dual fuel range cooker

1. Variable rate dual circuit electric grill
 2. Fanned electric main oven
 3. Conventional electric oven
 4. Storage compartment
- LED programmer
 - 7 gas burners
 - 3.5 KW wok burner
 - A energy rating
 - Easy clean enamel

■ SILVER 444440395 | ■ BLACK 444440394
■ CREAM 444440396

ALSO AVAILABLE IN COLOUR BOUTIQUE



CLASSIC 110GT



110cm Gas range cooker

1. Variable gas grill
 2. Conventional gas oven
 3. 2nd conventional gas oven
 4. Storage compartment
- Cook to off programmer
 - 7 Gas burners
 - 3.5 KW wok burner
 - Easy clean enamel

■ SILVER 444440401 | ■ BLACK 444440400
■ CREAM 444440402

ALSO AVAILABLE IN COLOUR BOUTIQUE



CLASSIC 110E



110cm Electric range cooker

1. Variable rate dual circuit electric grill
 2. Fanned electric main oven
 3. 2nd conventional electric oven
 4. Storage compartment
- LED programmer
 - 7 ceramic elements
 - Warming zone
 - A energy rating
 - Easy clean enamel

■ SILVER 444440398 | ■ BLACK 444440397
■ CREAM 444440399

ALSO AVAILABLE IN COLOUR BOUTIQUE



100CM WIDE DB4

DB4 100G



100cm Gas range cooker

1. Variable gas grill
 2. Conventional gas oven
 3. 2nd conventional gas oven
 4. Storage compartment
- Cook to off programmer
 - 7 gas burners
 - 3.5 KW wok burner
 - Easy clean enamel

■ STAINLESS STEEL 444443020 | ■ BLACK 444443019
■ WHITE 444443021



DB4 100E



100cm Electric range cooker

1. Variable rate dual circuit electric grill
 2. Fanned main oven
 3. 2nd conventional electric oven
 4. Storage compartment
- LED programmer
 - 6 ceramic elements
 - Easy clean ceramic glass surface
 - A energy rating
 - Easy clean enamel

■ STAINLESS STEEL 444443024 | ■ BLACK 444443023
■ WHITE 444443025



DB4 100EI



100cm Induction electric range cooker

1. Variable rate dual circuit electric grill
 2. Fanned electric main oven
 3. 2nd conventional electric oven
 4. Storage compartment
- LED programmer
 - 5 zone induction hob
 - Easy clean ceramic glass surface
 - A energy rating
 - Easy clean enamel

■ STAINLESS STEEL 444443028 | ■ BLACK 444443027
■ WHITE 444443029



90CM WIDE DB4

DB4 90DFT



90cm Dual fuel range cooker

1. Variable rate dual circuit electric grill
 2. Fanned electric main oven
 3. Tall fanned electric oven
- LED programmer
 - 5 gas burners
 - 3.5 KW wok burner
 - A energy rating
 - Easy clean enamel

■ STAINLESS STEEL 444440181 | ■ BLACK 444440180
■ WHITE 444440147



DB4 90E



90cm Electric range cooker

1. Variable rate dual circuit electric grill
 2. Fanned electric main oven
 3. Tall fanned electric oven
- LED programmer
 - 5 ceramic elements, inc. 1 dual zone
 - A energy rating
 - Easy clean enamel

■ STAINLESS STEEL 444449417 | ■ BLACK 444449418
■ WHITE 444441048



DB4 90EI



90cm Induction electric range cooker

1. Variable rate dual circuit electric grill
 2. Fanned electric main oven
 3. Tall fanned electric oven
- LED programmer
 - 4 zone induction hob
 - A energy rating
 - Easy clean enamel

■ STAINLESS STEEL 4444491673 | ■ BLACK 444441672
■ WHITE 444441894



100CM WIDE DB4

DB4 100DF



100cm Dual fuel range cooker

1. Variable rate dual circuit electric grill
 2. Conventional electric oven
 3. 2nd conventional electric oven
 4. Storage compartment
- LED programmer
 - 7 gas burners
 - 3.5 KW wok burner
 - A energy rating
 - Easy clean enamel

■ STAINLESS STEEL 444443016 | ■ BLACK 444443015
■ WHITE 444443017



DB4 110G



110cm Gas range cooker

1. Variable gas grill
 2. Conventional gas oven
 3. 2nd conventional gas oven
 4. Storage compartment
- Cook to off programmer
 - 7 gas burners
 - 3.5 KW wok burner
 - Easy clean enamel

■ STAINLESS STEEL 444443036 | ■ BLACK 444443035
■ WHITE 444443037



DB4 110E



110cm Electric range cooker

1. Variable rate dual circuit electric grill
 2. Fanned electric main oven
 3. 2nd conventional electric oven
 4. Storage compartment
- LED programmer
 - 7 ceramic elements
 - Easy clean ceramic glass surface
 - A energy rating
 - Easy clean enamel

■ STAINLESS STEEL 444443040 | ■ BLACK 444443039
■ WHITE 444443A041



110CM WIDE DB4

DB4 110DF



DB4 110EI



90DFT



110cm Dual fuel range cooker

- Variable rate dual circuit electric grill
 - Fanned electric main oven
 - 2nd fanned electric oven
 - Storage compartment
- LED programmer
 - 7 gas burners
 - Wok burner (3.5 KW)
 - A energy rating
 - Easy clean enamel

STAINLESS STEEL 444443032 | BLACK 444443031
WHITE 444443033



110cm Induction electric range cooker

- Variable rate dual circuit electric grill
 - Fanned electric main oven
 - 2nd fanned electric oven
 - Storage compartment
- LED programmer
 - 5 zone induction hob
 - Easy clean ceramic glass surface
 - A energy rating
 - Easy clean enamel

STAINLESS STEEL 444443044 | BLACK 444443043
WHITE 444443045



90cm Dual Fuel Range Cooker

- Variable rate dual circuit electric grill
 - Fanned electric main oven
 - Tall fanned electric oven
- LED programmer
 - 5 gas burners
 - 3.5 KW wok burner
 - A energy rating
 - Easy clean enamel

STAINLESS STEEL 444440535



90CM WIDE DB4 PROFESSIONAL

90E



90EI



100G



90cm Electric range cooker

- Variable rate dual circuit electric grill
 - Fanned electric main oven
 - Tall fanned electric oven
- LED programmer
 - 5 ceramic elements, inc. 1 dual zone
 - A energy rating
 - Easy clean enamel

STAINLESS STEEL 444440534



90cm Induction electric range cooker

- Variable rate dual circuit electric grill
 - Fanned electric main oven
 - Tall fanned electric oven
- LED programmer
 - 4 zone induction hob
 - A energy rating
 - Easy clean enamel

STAINLESS STEEL 444441674



100cm Gas range cooker

- Variable gas grill
 - Conventional gas oven
 - 2nd conventional gas oven
 - Storage compartment
- Cook to off programmer
 - 7 gas burners
 - 3.5 KW wok burner
 - Easy clean enamel

STAINLESS STEEL 444443022



100CM WIDE DB4 PROFESSIONAL

100CM WIDE DB4 PROFESSIONAL

100E



100EI



100DF



100cm Electric range cooker

- Variable rate dual circuit electric grill
 - Fanned main oven
 - 2nd conventional electric oven
 - Storage compartment
- LED programmer
 - 6 ceramic elements
 - Easy clean ceramic glass surface
 - A energy rating
 - Easy clean enamel

STAINLESS STEEL 444443026



100cm Induction electric range cooker

- Variable rate dual circuit electric grill
 - Fanned electric main oven
 - 2nd Conventional electric oven
 - Storage compartment
- LED programmer
 - 5 zone induction hob
 - Easy clean ceramic glass surface
 - A energy rating
 - Easy clean enamel

STAINLESS STEEL 444443030



100cm Dual fuel range cooker

- Variable rate dual circuit electric grill
 - Conventional electric oven
 - 2nd conventional electric oven
 - Storage compartment
- LED programmer
 - 7 gas burners
 - 3.5 KW wok burner
 - A energy rating
 - Easy clean enamel

STAINLESS STEEL 444443018



110CM WIDE DB4 PROFESSIONAL

110G



110E



110DF



110cm Gas range cooker

- Variable gas grill
 - Conventional gas oven
 - 2nd conventional gas oven
 - Storage compartment
- Cook to off programmer
 - 7 gas burners
 - 3.5 KW wok burner
 - Easy clean enamel

STAINLESS STEEL 444443038



110cm Electric range cooker

- Variable rate dual circuit electric grill
 - Fanned electric main oven
 - 2nd conventional electric oven
 - Storage compartment
- LED programmer
 - 7 ceramic elements
 - Easy clean ceramic glass surface
 - A energy rating
 - Easy clean enamel

STAINLESS STEEL 444443042



110cm Dual Fuel Range Cooker

- Variable rate dual circuit electric grill
 - Fanned electric main oven
 - 2nd fanned electric oven
 - Storage compartment
- LED programmer
 - 7 gas burners
 - Wok burner (3.5 KW)
 - A energy rating
 - Easy clean enamel

STAINLESS STEEL 444443034



110CM WIDE DB4
PROFESSIONAL

110EI



SEE
PAGE 23

110cm Induction electric range cooker

- 1. Variable rate dual circuit electric grill
- 2. Fanned electric main oven
- 3. 2nd fanned electric oven
- 4. Storage compartment
- LED programmer
- 5 zone induction hob
- Easy clean ceramic glass surface
- A energy rating
- Easy clean enamel

STAINLESS STEEL 444443046



100CM WIDE COUNTRY CLASSIC

COUNTRY CLASSIC
100DFT



COUNTRY CLASSIC
100GT



COUNTRY CLASSIC
100E



100cm Dual fuel range cooker

- 1. Variable rate dual circuit electric grill
- 2. Fanned electric main oven
- 3. 2nd conventional electric oven
- 4. Storage compartment
- LED programmer
- 8 gas burners
- Easy clean enamel

SILVER 444449441 | ANTHRACITE 444449440



100cm Gas range cooker

- 1. Variable rate dual circuit electric grill
- 2. Conventional gas main oven
- 3. 2nd conventional gas oven
- 4. Storage compartment
- Cook to off programmer
- 8 gas burners
- Cast iron pan supports
- Easy clean enamel

SILVER 444449443 | ANTHRACITE 444449442

SILVER (LPG VERSION) 444440979



100cm Electric range cooker

- 1. Variable rate dual circuit electric grill
- 2. Fanned electric main oven
- 3. 2nd Conventional electric oven
- 4. Storage compartment
- LED programmer
- 6 ceramic elements
- Easy clean ceramic glass surface
- Easy clean enamel

SILVER 444449444 | ANTHRACITE 444449445



SMARTER
FASTER
SAFER
GREENER

INDUCTION TECHNOLOGY IS AVAILABLE ON
FREESTANDING, BUILT-IN AND RANGE COOKERS.



Smarter:
Intuitive technology that helps you achieve perfect results

- Pause function. This allows you to shutdown and re-start the product at the touch of a button.
- Recall function. This automatically saves your last temperature setting in the hob's intelligent management system.
- Automatic switch off. This allows you to pre-programme each of the hob's cookzones to turn off whenever you wish.
- Griddle* zone. This allows you to pair two of the cooking elements to create one large cooking zone.
- Minute minder. A timer and alarm system that tells you when your selected time has elapsed.
- Keep warm. Delivers constant low temperature, perfect for melting chocolate and delicate sauces.



Safer:
Added peace of mind

- Safety shutdown function. If left unattended for a long period, all cookzones on the hob are turned off safely.
- Child lock. Disables all of the hob's controls for added safety.
- Pan overheat sensor. If left unattended, the hob automatically shuts down before a dangerous temperature is reached.
- Pan detection function. This means the hob will not function until a suitable pan is placed on the ring.



Greener:
The most energy efficient way to cook

- Induction technology. Approximately 30% more efficient than a gas hob and 25% more than a ceramic hob.
- Ceramic finish. This is easy to wipe-clean, meaning that spillages don't burn onto the surface.



Faster:
Reaches the required temperature faster

- Induction technology. Nearly twice as fast as a gas hob and 30% faster than a ceramic hob.
- The hob's automatic heat up function will initially heat up to its highest temperature before dropping to the selected setting. This really speeds up the heating process, ideal for cooking pasta.
- Power boost. Draws additional power when required, perfect for wok cooking.



32 amp connection:
Works on a standard
32amp power supply.

TRY OUR PERFECT CHICKEN PASTA AT
WWW.BELLING.CO.UK/KITCHEN-TABLE-CONVERSATION/RECIPES/

* Not all features appear on all products,
please see individual product specifications



BUILT-IN OVENS & HOBS

**SINGLE, BUILT-UNDER AND DOUBLE, OUR
BUILT-IN OVENS FIT AS PERFECTLY WITH
YOUR LIFESTYLE AS THEY DO WITH
YOUR KITCHEN.**



60CM WIDE ELECTRIC

BI60F



60cm Built-In electric single oven with minute minder

- Fanned oven
- Variable electric grill
- 2 oven shelves, 5 positions
- Easy clean enamel

STAINLESS STEEL 444449578 | BLACK 444449579
WHITE 444449580



BI60FP



60cm Built-In electric single oven with fully programmable timer

- Fanned oven
- Variable electric grill
- 2 oven shelves, 5 positions
- Easy clean enamel

STAINLESS STEEL 444449581 | BLACK 444449582
WHITE 444449583



BI60MF



60cm Built-In electric single multifunction oven with fully programmable timer

- Multifunction oven with 9 functions
- Variable electric grill
- 2 oven shelves, 5 positions
- Easy clean enamel

STAINLESS STEEL 444449584 | BLACK 444449585



BI60SO



60cm Built-In electric single fanned oven with side opening door

- Fanned oven
- Variable electric grill
- 2 oven shelves
- 5 shelf positions
- Fully programmable timer
- Door can be hinged either left or right
- Easy clean enamel

STAINLESS STEEL 444449618



BI60SOXL



60cm Built-In electric single oven with side opening door and fully programmable timer

- Fanned oven
- Variable electric grill
- 2 oven shelves with telescopic sliders
- 8 shelf positions
- Touch control fully programmable timer
- Door can be hinged either left or right
- Easy clean enamel

BLACK 444440849



BI60I



60cm Built-In electric single fanned oven with integrated induction plate

- Fanned oven & integrated induction plate
- Dual circuit electric grill
- 6 in 1 unique functions (see page 29)
- Easy clean enamel

STAINLESS STEEL 444449600



See page 29

60CM WIDE GAS

BI60G



60cm Built-In gas single oven with cook to off programmable timer

- Conventional gas oven
- Main oven 2 oven shelves, 5 positions
- Fixed rate electric grill
- Cook to off programmable timer
- Easy clean enamel

STAINLESS STEEL 444449596



XOU60LPG



60cm Built-In single LPG gas single oven with cook to off programmable timer

- Conventional gas oven
- Main oven 2 oven shelves, 5 positions
- Fixed rate gas grill
- Cook to off programmable timer
- Easy clean enamel

SATIN STEEL 444447954



70CM WIDE ELECTRIC

BI70FP



70cm Built-Under electric double oven with fully programmable timer

- Fanned main oven
- Main oven 2 oven shelves, 5 positions
- Top cavity conventional electric oven with dual circuit grill
- Fully programmable timer
- Easy clean enamel

STAINLESS STEEL 444449587 | BLACK 444449588
WHITE 444449589



90CM WIDE ELECTRIC

BI90FP



90cm Built-In electric double oven with fully programmable timer

- Fanned main oven
- Main oven 2 oven shelves, 5 positions
- Top cavity conventional electric oven with dual circuit grill
- Fully programmable timer
- Easy clean enamel

STAINLESS STEEL 444449590 | BLACK 444449591
WHITE 444449592



BI90MF



90cm Built-In electric multifunction double oven with programmable timer

- Multifunction main oven with 9 functions
- Top cavity conventional electric oven with dual circuit grill
- Main oven 2 oven shelves, 5 positions
- Fully programmable timer
- Easy clean enamel

STAINLESS STEEL 444449593 | BLACK 444449594



BI90FMW



90cm Built-In electric single oven and microwave

- Fanned electric main oven
- Top cavity 1200w microwave
- Fully programmable timer
- Easy clean enamel

STAINLESS STEEL 444440664 | BLACK 444441472



70CM WIDE GAS

BI70G



70cm Built-Under gas double oven with cook to off programmable timer

- Conventional gas main oven
- Main oven 2 oven shelves, 5 positions
- Top cavity conventional gas oven with fixed rate electric grill
- Cook to off programmable timer
- Easy clean enamel

STAINLESS STEEL 444449597



BI70LPG



70cm Built-Under LPG gas twin cavity oven

- Conventional gas main oven
- Main oven 2 oven shelves, 5 positions
- Variable rate gas grill
- Easy clean enamel

STAINLESS STEEL 444441106



BI70MLPG



70cm Built-Under twin cavity LPG oven with cook to off programmable timer

- Conventional gas main oven
- Main oven 2 oven shelves, 5 positions
- Variable rate gas grill
- Cook to off programmable timer
- Easy clean enamel

STAINLESS STEEL 444441105



90CM WIDE GAS

BI90G



90cm Built-In gas double oven with cook to off programmable timer

- Conventional gas main oven
- Top cavity conventional gas oven with fixed rate electric grill
- Main oven 2 oven shelves, 5 positions
- Cook to off programmable timer
- Easy clean enamel

STAINLESS STEEL 444449598



DESIGNED BY SEBASTIAN CONRAN

SCBI60FP



60cm Built-In electric single fanned oven with analogue programmable timer

- Fanned main oven
- Variable electric grill
- 1 oven shelf, 5 positions
- Fully programmable timer
- Easy clean enamel

ALUMINIUM 444442650 | ANTHRACITE 444442652
ICY BROOK 444442653 | DUCK EGG BLUE 444442651
PASTEL GREEN 444442654



SCBI90FP



90cm Built-In electric double oven with analogue programmable timer

- Fanned main oven
- Top cavity conventional electric oven with dual circuit grill
- Fully programmable timer
- Easy clean enamel

ALUMINIUM 444442655 | ANTHRACITE 444442657
ICY BROOK 444442658 | DUCK EGG BLUE 444442656
PASTEL GREEN 444442659



See page 33 for co-ordinating hobs & page 37 for co-ordinating hoods

MULTIFUNCTION OVENS

MULTIFUNCTION OVEN SETTINGS

CONVENTIONAL GRILLING

This function cooks food from the top and is ideal for a range of food from toast to steaks. As the whole grill is working you can cook large quantities of food.

FANNED GRILLING

Circulates heat around the food, making it ideal for thinner foods such as bacon, fish, gammon and steaks.

INTENSIVE BAKE

Suitable for food with a high moisture content, such as quiche, bread and cheese cake. It also eliminates the need for baking pastry blind.

BASE HEAT WITH FAN

The base element cooks the base of your open pies, while the fan allows the air to circulate around the filling.

BASE HEAT

The base heat can be used to provide additional browning for pizzas, pies and quiche. Use this function towards the end of cooking.

DEFROST

The fan assists defrosting by circulating room temperature air around the food, it is more hygienic and is done in half the time.

FANNED OVEN

Distributes the heat evenly through the use of an integrated fan. Perfect for batch baking.

CONVENTIONAL OVEN

This function is ideal for traditional roasting. The meat is placed in the middle of the oven, roast potatoes towards the top.

TOP HEAT

Use the top oven element towards the end of the cooking, for delicate browning. Great for dishes like lasagne.

HOW THE INDUCTION OVEN WORKS



6-IN-1

1. SLOW COOKING
2. CASSEROLES
3. STEAMING
4. ROASTING AND HEATING
5. FANNED COOKING
6. GRILLING

BI60I FANNED OVEN WITH INDUCTION HOTPLATE



SEE PAGE 25



The smarter, faster, safer, greener way to cook

* Only pots and pans that are magnetic can be used on an induction surface to complete the circuit and heat up.



THE OVEN THAT CLEANS UP AFTER YOU

Belling Pyrolytic ovens incorporate a self-cleaning cycle that gives impressively thorough results.



BI60 E PYR

60cm Built-In electric single multifunction oven with pyrolytic cleaning and programmable timer

- Conventional grilling
- Fanned grilling
- Intensive bake
- Base heat with fan
- Base heat
- Defrost
- Fanned oven
- Conventional oven
- Top heat
- Pyrolytic cleaning
- A energy rating
- Oven light
- Programmable timer

STAINLESS STEEL 444442977

60CM WIDE GAS

GHU60GE



60cm Gas hob with enamel pan supports

- 4 gas burners in 3 sizes
- Gloss enamel pan supports
- Auto ignition

STAINLESS STEEL 444449465 | BLACK 444449468
WHITE 444449472



GHU60GC



60cm Gas hob with cast iron pan supports

- 4 gas burners in 3 sizes
- Cast iron pan supports
- Auto ignition

STAINLESS STEEL 444449498 | BLACK 444449499



GHU60TGC LPG



60cm LPG hob with cast iron pan supports

- 4 gas burners in 3 sizes
- Cast iron pan supports
- Auto ignition

STAINLESS STEEL 444440670 | BLACK 444440671



70CM WIDE GAS

GHU70GE



70cm Gas hob with enamel pan supports

- 5 gas burners in 4 sizes
- Gloss enamel pan supports
- Auto ignition

STAINLESS STEEL 444449501 | BLACK 444449502



GHU70GC



70cm Gas hob with cast iron pan supports

- 5 gas burners in 4 sizes
- Cast iron pan supports
- Auto ignition

STAINLESS STEEL 444449504 | BLACK 444449505



GHU70TGC LPG



70cm LPG hob with cast iron pan supports

- 5 gas burners in 4 sizes
- Cast iron pan supports
- Auto ignition

STAINLESS STEEL 444440672 | BLACK 444440673



60CM WIDE CERAMIC

CH60R GRANITE



60cm Ceramic hob with rotary controls

- 4 ceramic elements in 2 sizes
- Easy clean ceramic glass surface
- Side rotary controls
- 6 power levels
- Granite finish

■ GRANITE 444441156



CH60RX BLACK



60cm Ceramic hob with rotary controls

- 4 ceramic elements in 3 sizes
- Side rotary controls
- 9 power levels
- Hot hob light
- Easy clean ceramic glass surface

■ BLACK 444441158



CH60T GRANITE



60cm Ceramic hob with touch controls

- 4 ceramic elements in 2 sizes
- Easy clean ceramic glass surface
- Touch controls
- 9 power levels
- Child lock

■ GRANITE 444441163



CH60TX BLACK



60cm Ceramic hob with touch controls

- 4 ceramic elements in 3 sizes
- Touch controls
- 9 power levels
- Timer
- Easy clean ceramic glass surface

■ BLACK 444441165



70CM WIDE CERAMIC

CH70TX BLACK



70cm Ceramic hob with touch controls

- 4 ceramic elements in 3 sizes
- Easy clean ceramic surface
- Touch control
- 9 power levels
- Timer
- Child lock

■ BLACK 444441170



77CM WIDE CERAMIC

CH77TC



77cm Ceramic hob with touch controls

- 5 ceramic elements in 3 sizes
- Easy clean ceramic surface
- Touch control
- 9 power levels
- Timer
- Child lock

■ BLACK 444443063



90CM WIDE CERAMIC

CH90TX BLACK



90cm Ceramic hob with touch controls

- 4 ceramic elements in 3 sizes
- Easy clean ceramic surface
- Touch control

■ BLACK 444441174



60CM WIDE INDUCTION

IH60R



60cm Induction hob with rotary controls

- 4 zone induction in 2 sizes
- Easy clean ceramic glass surface
- Side rotary control
- 9 power levels plus boost
- Pan detection

■ BLACK 444440538



SEE PAGE 23

60CM WIDE INDUCTION

ZHT60



60cm Induction hob with touch controls

- 4 zone induction with power boost
- Minute minder and timer
- Digital power display with 9 power settings plus boost
- Pan detection and pan overheat detection
- Child lock

■ BLACK 444443433



SEE PAGE 23

IH60RXL



60cm Induction hob with rotary controls

- 4 zone induction in 3 sizes
- Side rotary controls
- 9 power levels plus boost
- Pan detection

■ BLACK 444440803



SEE PAGE 23

IH6013



60cm Induction hob with touch controls

- 4 zone induction in 2 sizes
- Easy clean ceramic glass surface
- Can be hardwired to 13amp connection
- Touch controls
- 9 power levels plus boost
- Pan detection

■ BLACK 444441493



SEE PAGE 23

IH60XL



60cm Induction hob with touch controls

- 4 zone induction in 3 sizes
- Easy clean ceramic glass surface
- Touch controls
- 9 power levels plus boost
- Timer
- Pan detection

■ BLACK 444440802



SEE PAGE 23

DESIGNED BY SEBASTIAN CONRAN

SCGHU60GC



60cm Gas hob with cast iron pan supports

- 4 gas burners
- x1 small
- x2 medium
- x1 large
- Cast iron pan supports
- Automatic ignition
- Metal control knobs

■ AULMINIUM 444442660 | ■ ANTHRACITE 444442662
■ ICY BROOK 444442663 | ■ DUCK EGG BLUE 444442661
■ PASTEL GREEN 444442664



SCGHU70GC



70cm Gas hob with cast iron pan supports

- 5 gas burners
- x1 small
- x2 medium
- x1 large
- x1 wok burner
- Cast iron pan supports
- Automatic ignition

■ AULMINIUM 444442665 | ■ ANTHRACITE 444442667
■ ICY BROOK 444442668 | ■ DUCK EGG BLUE 444442666
■ PASTEL GREEN 444442669



SCIH60



60cm Induction hob with touch controls

- 4 zone induction in 2 sizes
- Easy clean ceramic glass surface
- Touch control
- 9 power levels plus boost
- Pan detection

■ ANTHRACITE 444442671



HOODS AND SPLASHBACKS

COMPLEMENT YOUR COOKER WITH OUR COLLECTION OF DESIGNER HOODS AND SPLASHBACKS.



60CM WIDE HOODS

60VH



60cm Visor hood

- 3 fan speeds
- 1 light
- Slider control
- 1 grease filter

SILVER 444441224

60ICH



60cm Integrated hood

- 3 fan speeds
- 1 light
- Slider control
- 1 grease filter

SILVER 444441225

UIH60S



60cm Integrated hood

- 3 fan speeds
- 1 halogen light
- Slider control
- 1 acrylic grease filter

SILVER 444449650

60 BELLING CHIM



60cm Chimney hood

- 3 fan speeds
- 2 lights
- Push button controls
- 2 grease filters
- Extendable chimney section

STAINLESS STEEL 444441226

BLACK 444441227

600CGH MK2



60cm Wide curved glass hood

- 3 fan speeds
- 2 halogen lights
- Push button controls
- 1 grease filter

STAINLESS STEEL 444448742

60DGH



60cm Designer hood

- 3 fan speeds
- 2 halogen lights
- Push button controls
- 1 grease filter
- Extendable chimney section

STAINLESS STEEL 444441228

600 K-LINE



60cm Designer hood

- 3 fan speeds + booster
- 2 halogen lights
- Illuminated push button controls
- 1 grease filter
- Extendable chimney section

STAINLESS STEEL 444441229

70CM WIDE HOODS

70 BELLING CHIM



70cm Chimney hood

- 3 fan speeds
- 2 lights
- Push button controls
- 2 grease filters

■ STAINLESS STEEL 444441129
■ BLACK 444441130

70DGH



70cm Designer hood

- 3 fan speeds
- 2 halogen lights
- Push button controls
- 1 grease filter
- Extendable chimney section

■ STAINLESS STEEL 444441230

90CM WIDE HOODS

90 DB/CLASSIC CHIM



90cm Chimney hood

- 3 fan speeds
- 2 round LED multispot lights
- Push button controls
- 3 grease filters

■ STAINLESS STEEL 444442824 (DB)
■ BLACK 444442821 (CLASSIC)
■ CREAM 444442836 (CLASSIC)
■ HOT JALAPEÑO 444442839 (CLASSIC)

90 DB FLAT



90cm Designer hood

- 3 fans speeds
- 2 round LED multispot lights
- Push button controls
- 3 grease filters

■ STAINLESS STEEL 444442833
■ BLACK 444442827
■ WHITE 444442830

100CM WIDE HOODS

100 DB/CLASSIC CHIM



100cm Chimney hood

- 3 fan speeds
- 2 round LED multispot lights
- Push button controls
- 3 grease filters

■ STAINLESS STEEL 444442825 (DB)
■ BLACK 444442822 (CLASSIC)
■ CREAM 444442837 (CLASSIC)
■ HOT JALAPEÑO 444442840 (CLASSIC)

100DB FLAT



100cm Designer hood

- 3 fan speeds
- 2 round LED multispot lights
- Push button controls
- 3 grease filters

■ STAINLESS STEEL 444442834
■ BLACK 444442828
■ WHITE 444442831

110 DB/CLASSIC CHIM



110cm Chimney hood

- 3 fan speeds
- 2 round LED multispot lights
- Push button controls
- 3 grease filters

■ STAINLESS STEEL 444442826 (DB)
■ BLACK 444442823 (CLASSIC)
■ CREAM 444442838 (CLASSIC)
■ HOT JALAPEÑO 444442841 (CLASSIC)

110 DB FLAT



110cm Designer hood

- 3 fan speeds
- 2 round LED multispot lights
- Push button controls
- 3 grease filters

■ STAINLESS STEEL 444442835
■ BLACK 444442829
■ WHITE 444442832

DESIGNED BY SEBASTIAN CONRAN

SCCHIM90



■ PASTEL GREEN 444442748



■ ANTHRACITE 444442746



■ DUCK EGG BLUE 444442745

SCCHIM90



■ ALUMINIUM 444442744



■ ICY BROOK 444442747

SCCHIM60



■ ALUMINIUM 444442739

■ ANTHRACITE 444442741

■ ICY BROOK 444442742

■ DUCK EGG BLUE 444442740

■ PASTEL GREEN 444442743

SCCHIM90

90cm Chimney hood

- 3 fan speeds
- 2 LED lights
- Push button controls
- 3 grease filters
- Utensil rail

SCCHIM60

60cm Chimney hood

- 3 fans speeds
- 2 LED lights
- Push button controls
- 2 grease filters
- Utensil rail

See page 27 for co-ordinating ovens
and page 32 for co-ordinating hobs

GLASS SPLASHBACKS

SBK 60 GLASS



60cm Splashback

- Toughened glass
- Polished edge
- Self adhesive tape fixing

- BLACK 444442907
- STAINLESS SHIMMER 444442911
- COLOUR UNION JACK 444442921
- MONO UNION JACK 444442923



SBK 90 GLASS



90cm Splashback

- Toughened glass
- Polished edge
- Self adhesive tape fixing

- BLACK 444442908
- STAINLESS SHIMMER 444442912
- WHITE 444442918
- HOT JALAPEÑO 444442915
- COLOUR UNION JACK 444442922
- MONO UNION JACK 444442924
- CREAM 444443186



SBK 100 GLASS



100cm Splashback

- Toughened glass
- Polished edge
- Self adhesive tape fixing

- BLACK 444442909
- STAINLESS SHIMMER 444442913
- WHITE 444442919
- HOT JALAPEÑO 444442916
- CREAM 444443187



SBK 110 GLASS



110cm Splashback

- Toughened glass
- Polished edge
- Self adhesive tape fixing

- BLACK 444442910
- STAINLESS SHIMMER 444442914
- WHITE 444442920
- HOT JALAPEÑO 444442917
- CREAM 444443188



METAL SPLASHBACKS



SBK60

60cm Splashback without rail

- STAINLESS STEEL 444449519
- BLACK 444449521

SBK80

80cm Splashback without rail

- STAINLESS STEEL 444449523

SBK100

100cm Splashback without rail

- STAINLESS STEEL 444449527
- BLACK 444442907

SBK70

70cm Splashback without rail

- STAINLESS STEEL 444449522

SBK90

90cm Splashback without rail

- STAINLESS STEEL 444449524
- BLACK 444442908

SBK110

110cm Splashback without rail

- STAINLESS STEEL 444449530

METAL SPLASHBACKS WITH RAIL



Utensils not included

SBK60R

60cm Splashback with rail

- STAINLESS STEEL 444449520

SBK100R

100cm Splashback with rail

- STAINLESS STEEL 444449528

SBK90R

90cm Splashback with rail

- STAINLESS STEEL 444449525

SBK110R

110cm Splashback with rail

- STAINLESS STEEL 444449531

INTEGRATED APPLIANCES AND TABLE TOP COOKING

DESIGNING YOUR IDEAL KITCHEN
DOESN'T END WITH YOUR CHOICE
OF BELLING COOKER.

MICROWAVES

BIMW60



Microwave, grill & convection

- 900W microwave
- 2400W convection
- 1100W grill
- Fully touch control
- Electronic clock programmer

- STAINLESS STEEL 444442598

BI60COMW



Built in combination microwave oven with grill

- 900W microwave
- 1750W convection
- 1750W grill
- Touch control
- 13 Automatic programmes

- STAINLESS STEEL 444443161

COOLING AND REFRIGERATION

ILF800



Built-Under larder

- 130 ltrs gross capacity (128 usable)
- CFC/HFC free
- A+ energy rating
- 2 shelves + 1 half depth + salad crisper

☐ WHITE 444441928

IFZ800



Built-Under freezer

- 96 ltrs gross capacity (87 usable)
- CFC/HFC free
- A+ energy rating
- Reversible door

☐ WHITE 444441929

IFF7030



Built-In 70/30 combi

- 283 ltrs gross capacity (244 usable)
- CFC/HFC free
- A+ energy rating
- 3 shelves + salad crisper cover

☐ WHITE 444441930

IFF5050



Built-In 50/50 combi

- 242 ltrs gross capacity (224 usable)
- CFC/HFC free
- A+ energy rating
- 3 shelves + salad crisper cover

☐ WHITE 444441931

IFF5050FF



Built-In frost free 50/50 combi

- 230 ltrs gross capacity (217 usable)
- CFC/HFC free
- A+ energy rating
- 3 shelves + salad crisper

☐ WHITE 444441932

IFF7030FF



Built-In frost free 70/30 combi

- 283 ltrs gross capacity (240 usable)
- CFC/HFC free
- A+ energy rating
- 3 shelves + salad crisper

☐ WHITE 444442927

WINE COOLERS



150WC

150mm wide wine cooler

- 7 bottles capacity
- Adjustable thermostat
- 5 - 22 °C temperature range
- 6 chrome wire shelves

☐ STAINLESS STEEL 444440917
☒ BLACK 444443281



300WC

300mm wide wine cooler

- 18 bottles capacity
- Adjustable thermostat
- 5 - 22 °C temperature range
- 6 wooden shelves

☐ STAINLESS STEEL 444440918
☒ BLACK 444443282



600WC

600mm wide wine cooler

- 46 bottles capacity
- Adjustable thermostat
- 5 - 22 °C temperature range
- 6 wooden shelves

☐ STAINLESS STEEL 444440919
☒ BLACK 444443283



DISHWASHERS

IDW450 MK2



45cm integrated slimline dishwasher

- 9 place settings
- 4 temperature levels
- Delay timer
- 6 programmes

☐ WHITE 444440455

IDW604 MK2



60cm integrated dishwasher

- 12 place settings
- 4 temperature settings
- Delay timer
- Residual heat drying

☐ WHITE 444440454

LAUNDRY

IWM7KG



Integrated washing machine

- 0-24hr delay timer
- 1200 (RPM) full spin speed
- Variable rinse
- 400-1200 (RPM) variable spin speed

☐ WHITE 444441080

TABLE TOP COOKING

MK318



Conventional oven, with fixed grill and sealed plate hob

- 2 element hob
- 1 KW grill
- 6 heat settings
- x1 large hob (1.5 KW)

☐ WHITE 444442306

BABY BELLING 121R



Conventional oven, with fixed grill and sealed plate hob

- 2 element hob
- 1 KW grill

☐ WHITE 444440335

☒ BLACK 444440668

BABY BELLING 321R



Conventional oven, with fixed grill and sealed plate hob

- 2 element hob
- 1 KW grill

☐ WHITE 444440336

☒ BLACK 444440669

BABY BELLING STAND



Oven stand

☒ BLACK 444440337

FREESTANDING COOKERS

50CM



PRODUCT OVERVIEW	FSE50SO	FSE50TC	FSE50FDO	FSE50DOP	FSEC50DO	FSEC50FDO	FSEC50DOP
Description	50cm Electric single cavity cooker	50cm Electric oven with separate grill	50cm Electric fanned double oven	50cm Electric double oven with programmable timer	50cm Electric double oven	50cm Electric fanned double oven	50cm Electric fanned double oven with programmable timer
Hotplate	4 sealed elements x1 large (2 KW) x2 medium (1.5 KW) x1 small (1 KW)	4 sealed elements 1 large (2 KW) x2 medium (1.5 KW) 1 small (1 KW)	4 sealed elements x1 large (2 KW) x2 medium (1.5 KW) x1 small (1 KW)	4 sealed elements x2 large (2 KW) x2 medium (1.5 KW)	4 ceramic elements x2 large (1.8 KW) x2 small (1.2 KW)	4 ceramic elements x2 large (1.8 KW) x2 small (1.2 KW) Easy clean ceramic glass surface	4 ceramic elements x2 large (1.8 KW) x2 small (1.2 KW) Easy clean ceramic glass surface
Main Oven	Conventional electric oven (2 KW) Easy clean enamel A energy rating Oven light 56 litre capacity 1 shelf (5 positions) Top heat only Base heat only Drop down glass door	Conventional electric oven (2 KW) Easy clean enamel A energy rating 48 litre capacity 2 shelves (5 positions) Removable shelves Left hand door opening	Fanned electric oven (2 KW) Easy clean enamel A energy rating 48 litre capacity 2 shelves (5 positions) Removable shelves Left hand door opening	Fanned electric oven (2 KW) Easy clean enamel A energy rating Oven light 48 litre capacity 2 shelves (5 positions) Removable shelves Programmable timer Side-opener glass door	Conventional electric oven (2 KW) Easy clean enamel A energy rating 48 litre capacity 2 shelves (5 positions) Removable shelves Left hand door opening	Fanned electric oven (2 KW) Easy clean enamel A energy rating 48 litre capacity 2 shelves (5 positions) Removable shelves Left hand door opening	Fanned electric oven (2 KW) Easy clean enamel A energy rating 48 litre capacity 2 shelves (5 positions) Removable shelves Left hand door opening
Top Cavity	N/A	Variable electric grill (1.5 KW) 22 litre capacity 1 shelf (3 positions) Drop down glass door	Conventional electric oven (1.2 KW) Fixed rate grill (1.5 KW) 22 litre capacity 1 shelf (3 positions) Drop down glass door	Conventional electric oven (1.2 KW) Fixed rate electric grill (1.5 KW) 22 litre capacity 1 shelf (3 positions) Drop down glass door Easy clean enamel	Conventional electric oven (1.2 KW) Fixed rate electric grill (1.5 KW) 22 litre capacity 1 shelf (3 positions) Easy clean enamel Drop down glass door	Conventional electric oven (1.2 KW) Fixed rate grill (1.5 KW) 22 litre capacity 1 shelf (3 positions) Drop down glass door	Conventional electric oven (1.2 KW) Fixed rate grill (1.5 KW) 22 litre capacity 1 shelf (3 positions) Drop down glass door

SPECS & DIMENSIONS							
General							
Fuel	Electric	Electric	Electric	Electric	Electric	Electric	Electric
Timer	-	No	-	Yes	-	-	Yes
Adjustable feet	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Fascia cooling system	-	-	-	-	-	-	-
Accessories (included)							
Grillpan Handle	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Grillpan/Trivet	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Roasting tin	-	-	-	-	-	-	-
LPG convertible	-	-	-	-	-	-	-
LPG conversion kit available (separately)	-	-	-	-	-	-	-
Removable Parts (for cleaning)							
Hob Burners	-	-	-	-	-	-	-
Pan Supports	-	-	-	-	-	-	-
Inner door	-	-	-	-	-	-	-
Shelves	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Shelf runners	-	-	-	-	-	-	-
Installation							
Gas type	-	-	-	-	-	-	-
Gas inlet type	-	-	-	-	-	-	-
Gas inlet position	-	-	-	-	-	-	-
Electrical connection	Fixed wiring	Fixed wiring	Fixed wiring	Fixed wiring	Fixed wiring	Fixed wiring	Fixed wiring
Terminal block position	Centre of rear panel	Centre of rear panel	Centre of rear panel	Centre of rear panel	Centre of rear panel	Centre of rear panel	Centre of rear panel
Power Supply	240V	240V	240V	240V	240V	240V	240V
Fuse size (A)	32	32	32	32	32	32	32
Fitted 3 pin plug	-	-	-	-	-	-	-
Product Dimensions							
Height (mm)	885-915	885-915	885-915	885-915	885-915	885-915	885-915
Width (mm)	500	500	500	500	500	500	500
Depth (mm)	600	600	600	600	600	600	600
Weight (kg)	44	41	41	48	41	41	41
Finishes & codes							
Silver		444442490	444442710		444442707	444442708	
Black		444442489	444442709		444442484	444442486	
White	444442256	444442488	444442492		444442483	444442485	
Anthracite							
Stainless Steel			444442493	444442255			444442487

FREESTANDING COOKERS

55CM									60CM								
																	
PRODUCT OVERVIEW	ENFIELD E552	FSGC55TCF	FSE60DOP	FSE60MF	FSE60DOI	FSG60TC	FSG60DO	FSG60DOP			FSE60DO	FSDF60DO	FSG60DOF	FSG60DOF LPG	FSG60TCLW	FSDF60DOW	FSE60MFI
Description	55cm Ceramic double oven	55cm Gas twin cavity with fanned gas oven	60cm Electric double oven with programmable timer	60cm Electric multifunction double oven with programmable timer & grill in both ovens	60cm Electric multifunction double oven with induction hotplate & grill in both ovens	60cm Gas oven with separate grill & LED minute minder	60cm Gas double oven	60cm Gas double oven with cook to off programmable timer			60cm Electric double oven	60cm Dual fuel double oven	60cm Gas double oven with fanned gas main oven and programmable timer	60cm Gas double oven with fanned gas main oven	60cm Gas oven with separate grill & led minute minder	60cm Dual fuel double oven	60cm Electric multifunction double oven with induction hotplate
Hotplate	4 ceramic elements x2 large (1.8 KW) x2 small (1.2 KW) Easy clean ceramic glass surface	4 gas burners x2 medium (2.0 KW) x1 small (1.0 KW) x1 large wok (4.0 KW) Cast iron pan supports Push button ignition (mains) Flame safety device Rotary control Glass lid with shut-off	4 ceramic elements x2 large (1.7 KW) x2 small (1.2 KW) Easy clean ceramic glass surface Rotary control - 6 settings	4 ceramic elements x1 large (1.8 KW) x2 small (1.2 KW) x1 large dual (0.7-1.7 KW) Hot hob light Easy clean ceramic glass surface Rotary control	4 zone induction hob x2 small (1.2-1.6 KW) x2 medium (1.5-2.0 KW) Digital power display Easy clean ceramic glass surface Rotary control Digital power display Keep warm function Pan detection Pan overheat sensor Boost function Griddle zone Auto heat up	4 gas burners x2 medium (2.0 KW) x1 small (1.0 KW) x1 large (3.0 KW) Gloss enamel pan supports Push button ignition Flame safety device	4 gas burners x2 medium (2.0 KW) x1 small (1.0 KW) x1 large (3.0 KW) Gloss enamel pan supports Push button ignition Flame safety device Glass lid with auto shut off	4 gas burners x2 medium (2.0 KW) x1 small (1.0 KW) x1 large (3.0 KW) Gloss enamel pan supports Push button ignition Flame safety device Glass lid with auto shut off			4 ceramic elements x2 large (1.7 KW) x2 small (1.2 KW) Easy clean ceramic glass surface Rotary control - 6 settings	4 gas burners x2 medium (2.0 KW) x1 small (1.0 KW) x1 large (3.0 KW) Gloss enamel pan supports Push button ignition Flame safety device Glass lid with auto shut off	4 gas burners x2 medium (2.0 KW) x1 small (1.0 KW) x1 large wok (4.0 KW) Cast iron pan supports Push button ignition Flame safety device Glass lid with auto shut off	4 gas burners x2 medium (2.0 KW) x1 small (1.0 KW) x1 large wok (4.0 KW) Cast iron pan supports Push button ignition Flame safety device Glass lid with auto shut off	4 gas burners x2 medium (2.0 KW) x1 small (1.0 KW) x1 large wok (4.0 KW) Cast iron pan supports Push button ignition Flame safety device Glass lid with auto shut off Wok holder	4 gas burners x2 medium (2.0 KW) x1 small (1.0 KW) x1 large wok (4.0 KW) Cast iron pan supports Push button ignition Flame safety device Glass lid with auto shut off	4 zone induction hob x2 small (1.2-1.6 KW) x2 medium (1.5-2.0 KW) Digital power display Easy clean ceramic glass surface Rotary control Pan detection Pan overheat sensor Boost function Keep warm function
Main Oven	Fanned electric oven (2 KW) Easy clean enamel A energy rating Oven light 59 litre capacity 2 shelves (15 positions) Removable shelves Side-opener glass door Defrost function	Fanned gas oven (2.5 KW) Easy clean enamel Oven light 59 litre capacity 2 shelves (5 positions) Removable shelves Side-opener glass door Drop down	Fanned electric oven (2 KW) Easy clean enamel A energy rating Oven light 59 litre capacity 2 shelves (5 positions) Removable shelves Programmable timer Side-opener glass door	Fanned electric oven (2.5 KW) A energy rating Oven light 59 litre capacity 2 shelves (5 positions) Removable shelves Programmable timer Side-opener glass door 9 oven functions (2 KW) Defrost function Intensive bake feature Top heat only Base heat with & without fan Pizza function Grill with fan	Fanned electric oven (2.5 KW) A energy rating Oven light 59 litre capacity 2 shelves (5 positions) Removable shelves Programmable timer Side-opener glass door 9 oven functions (2.1 KW) Defrost function	Conventional gas oven (2.5 KW) Easy clean enamel Oven light 59 litre capacity 2 shelves (5 positions) Removable shelves Side-opener glass door LED clock & minute minder	Conventional gas oven (2.5 KW) Easy clean enamel Oven light 59 litre capacity 2 shelves (5 positions) Removable shelves Side-opener glass door	Conventional gas oven (2 KW) Easy clean enamel Oven light 59 litre capacity 2 shelves (5 positions) Removable shelves Side-opener glass door Programmable timer			Fanned electric oven (2 KW) Easy clean enamel A energy rating Oven light 59 litre capacity 2 shelves (5 positions) Removable shelves Side-opener glass door	Fanned electric oven (2 KW) Easy clean enamel A energy rating Oven light 59 litre capacity 2 shelves (5 positions) Removable shelves Side-opener glass door Defrost function	Fanned or conventional gas oven (2.5 KW) Easy clean enamel Oven light 59 litre capacity 2 shelves (5 positions) Removable shelves Side-opener glass door LED clock programmer Cook to off programmer	Fanned or conventional gas oven (2.5 KW) Easy clean enamel Oven light 59 litre capacity 2 shelves (5 positions) Removable shelves Side-opener glass door Cook to off programmer LPG converted LED clock programmer	Conventional gas oven (2.5 KW) Easy clean enamel Oven light 59 litre capacity 2 shelves (5 positions) Removable shelves Side-opener glass door LED clock & minute minder	Fanned electric oven (2 KW) Easy clean enamel A energy rating Oven light 59 litre capacity 2 shelves (5 positions) Removable shelves Side-opener glass door Defrost function	Fanned electric oven (2.5 KW) A energy rating Oven light 59 litre capacity 2 shelves (5 positions) Removable shelves Side-opener glass door 9 oven functions (2.1 KW) Defrost function Intensive bake feature Top heat only Base heat with & without fan Pizza function Grill with fan
Top Cavity	Conventional electric oven (1.3 KW) Fixed rate electric grill (1.7 KW) 39 litre capacity 1 shelf (2 positions) Drop down glass door Easy clean enamel	Variable gas grill (2 KW) 39 litre capacity 1 shelf (5 positions) Drop down glass door Easy clean enamel Flame safety device	Conventional electric oven (1.2 KW) Variable 3 stage electric grill (0.6/1.7/2.7 KW) 39 litre capacity 1 shelf (5 positions) Oven light Drop down glass door Easy clean enamel	Conventional electric oven (1.2 KW) Variable 3 stage electric grill (0.6/1.7/2.7 KW) 39 litre capacity 1 shelf (5 positions) Oven light Drop down glass door Easy clean enamel	Conventional electric oven (1.2 KW) Variable 3 stage electric grill (0.6/1.7/2.7 KW) 39 litre capacity 1 shelf (2 positions) Oven light Drop down glass door Easy clean enamel	Variable gas grill (2.4 KW) 39 litre capacity 1 shelf (5 positions) Side-opener glass door Easy clean enamel Flame safety device	Conventional gas oven (1.8 KW) Electric grill 39 litre capacity 1 shelf (5 positions) Drop down glass door Easy clean enamel	Conventional gas oven (1.8 KW) Electric grill 39 litre capacity 1 shelf (5 positions) Drop down glass door Easy clean enamel			Conventional electric oven (1.3 KW) Variable 3 stage electric grill (0.6/1.7/2.7 KW) 39 litre capacity 1 shelf (5 positions) Oven light Drop down glass door Easy clean enamel	Conventional electric oven (1.3 KW) Variable 3 stage electric grill (0.6/1.7/2.7 KW) 39 litre capacity 1 shelf (2 positions) Drop down glass door Easy clean enamel	Conventional gas oven (2 KW) Electric grill 39 litre capacity 1 shelf (5 positions) Drop down glass door Easy clean enamel	Conventional oas oven (2 KW) Electric grill 39 litre capacity 1 shelf (5 positions) Drop down glass door Easy clean enamel	Variable gas grill (2.4 KW) 39 litre capacity 1 shelf (5 positions) Drop down glass door Easy clean enamel Flame safety device	Conventional electric oven (1.3 KW) Variable gas grill (2 KW) 39 litre capacity 1 shelf (2 positions) Drop down glass door Easy clean enamel	Conventional gas oven (1.2 KW) Variable 3 stage electric grill (0.6/1.7/2.7 KW) 39 litre capacity 1 shelf (2 positions) Oven light Drop down glass door Easy clean enamel

SPECS & DIMENSIONS

General								
Fuel	Electric	Gas	Electric	Electric	Electric	Electric	Electric	Gas
Timer	No	No	Yes	Yes	Yes	Yes	No	Yes
Adjustable feet	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Fascia cooling system	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Accessories (included)								
Grillpan Handle	-	-	-	-	-	-	-	-
Grillpan/Trivet	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Roasting tin	-	-	-	-	-	-	-	-
LPG convertible	-	-	-	-	-	-	-	-
LPG conversion kit available (separately)	-	-	-	-	-	-	-	-
Removable Parts (for cleaning)								
Hob Burners	-	Yes	-	-	-	Yes	Yes	Yes
Pan Supports	-	Yes	-	-	-	Yes	Yes	Yes
Inner door	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Shelves	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Shelf runners	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Installation								
Gas type	-	Nat gas	-	-	-	Nat gas	Nat gas	Nat gas
Gas inlet type	-	1/2" BSP female	-	-	-	1/2" BSP female	1/2" BSP female	1/2" BSP female
Gas inlet position	-	Rear right	-	-	-	Rear right	Rear right	Rear right
Electrical connection	Fixed wiring	-	Fixed wiring	Fixed wiring	Fixed wiring	-	-	-
Terminal block position	Centre of rear panel	Centre of rear panel	Centre of rear panel	Centre of rear panel	Rear LH	Centre of rear panel	Centre of rear panel	Centre of rear panel
Power Supply	240V	240V	240V	240V	240V	240V	240V	240V
Fuse size (A)	32	13	32	32	32	3	13	13
Fitted 3 pin plug	-	Yes	-	-	-	Yes	Yes	Yes
Product Dimensions								
Height (mm)	900-930	900-930	900-930	900-930	900-915	900-930	900-930	900-930
Width (mm)	552	552	600	600	600	602	602	602
Depth (mm)	602	602	600	600	600	602	602	602
Weight (kg)	44.8	48.8	50	52	50	48.8	55.8	55.8
Finishes & codes								
Stainless Steel			444449572	444449575	444440916	444449563	444449565	444449567
Silver	444449200	444442711						
Black		444442712	444449574	444449576		444449564	444449566	444449569
White	444449199	444442713	444449573				444440777	444449568

Electric	Dual fuel	Gas	LPG	Gas	Dual Fuel	Electric
No	Yes	Yes	Yes	Yes	Timer	Yes
Yes	Yes	Yes	Yes	Yes	Yes	yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes
-	-	-	-	-	-	-
Yes	Yes	Yes	Yes	Yes	Yes	Yes
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	Yes	-
-	-	Yes	Yes	Yes	Yes	-
-	-	Yes	Yes	Yes	Yes	-
Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes
-	Nat gas	Nat gas	LPG	Nat gas	Nat gas	-
-	1/2" BSP female	1/2" BSP female	1/2" BSP female	1/2" BSP female	1/2" BSP female	-
-	Rear right	Rear right	Rear right	Rear right	Rear right	-
Fixed wiring	Fixed wiring	-	-	-	Fixed wiring	Fixed wiring
Centre of rear panel	Centre of rear panel	Centre of rear panel	Centre of rear panel	Centre of rear panel	Centre of rear panel	Rear LH
240V	240V	240V	240V	240V	240V	240V
32	32	13	13	3	32	32
Yes	-	Yes	Yes	Yes	-	-
900-930	900-930	900-930	900-930	900-930	900-930	900-915
600	600	602	602	602	600	600
600	600	602	602	602	600	600
50	50	55.8	55.8	48.8	50	50
444449570			444442717			444442673
	444440165	444442714		444442720	444442722	
444449571		444442715		444442721	444442723	
444440776		444442716			444442724	444442781

RANGE COOKERS

CLASSIC									
PRODUCT OVERVIEW	90DFT	90E	90EI	100DFT	100GT	100E	110DFT	110GT	110E
Description	90cm Dual fuel range cooker	90cm Electric ceramic range cooker	90cm Induction electric range cooker	100cm Dual fuel range cooker	100cm Gas range cooker	100cm Electric ceramic range cooker	110cm Dual fuel range cooker	110cm Gas range cooker	110cm Electric ceramic range cooker
Hob	5 gas burners x2 medium (2.0 KW) x1 small (1.0 KW) x1 wok (3.5 KW) x1 large (3.0 KW) Cast iron pan supports Push button ignition Flame safety device	5 ceramic elements (1 dual zone) x2 medium (1.8 KW) x1 dual (2.2 KW or 0.7 KW) x2 small (1.2 KW) Easy clean ceramic glass surface	4 zone induction hob x2 small (1.4 KW) x1 medium (1.4-2.0 KW) x1 large (1.9-2.3 KW) Easy clean ceramic glass surface Touch control Digital power display Pan detection Pan overheat detection Child lock Boost function	7 gas burners x3 medium (2.0 KW) x2 small (1.4 KW) x1 wok (3.5 KW) x1 large (3.0 KW) Cast iron pan supports Push button ignition Flame safety device	7 gas burners x3 medium (2.0 KW) x2 small (1.0 KW) x1 wok (3.5 KW) x1 large (3.0 KW) Cast iron pan supports Push button ignition Flame safety device	6 ceramic elements (1 dual zone) x2 large (1.8 KW) x1 dual (2.2 KW or 0.7 KW) x2 small (1.2 KW) x1 warming zone (0.1 KW) Easy clean ceramic glass surface	7 gas burners x3 medium (2.0 KW) x2 small (1.0 KW) x1 wok (3.5 KW) x1 large (3.0 KW) Cast iron pan supports Push button ignition Flame safety device	7 gas burners x3 medium (2.0 KW) x2 small (1.0 KW) x1 wok (3.5 KW) x1 large (3.0 KW) Cast iron pan supports Push button ignition Flame safety device	7 ceramic elements (1 dual zone) x2 large (1.8 KW) x1 dual (2.2 KW or 0.7 KW) x1 medium (1.5 KW) x2 small (1.2 KW) x1 warming zone (0.1 KW) Easy clean ceramic glass surface
Cavity 1	Variable rate dual circuit electric grill Removable shelves	Variable rate dual circuit electric grill Removable shelves	Variable rate dual circuit electric grill Removable shelves	Variable rate dual circuit electric grill Removable shelves	Variable rate gas grill Removable shelves	Variable rate dual circuit electric grill Removable shelves	Variable rate dual circuit electric grill Removable shelves	Variable rate gas grill Removable shelves	Variable rate dual circuit electric grill Removable shelves
Cavity 2	Fanned electric oven Programmable oven Easy clean enamel A energy rating Oven light Defrost function 62 actual / 52 litre usable capacity 2 shelves (5 positions) Removable shelves	Fanned electric oven Programmable oven Easy clean enamel A energy rating Oven light Defrost function 62 actual / 52 litre usable capacity 2 shelves (5 positions) Removable shelves	Fanned electric oven Programmable oven Easy clean enamel A energy rating Oven light Defrost function 62 actual / 52 litre usable capacity 2 shelves (5 positions) Removable shelves	Conventional electric oven Easy clean enamel A energy rating Oven light 62 actual / 52 litre usable capacity 2 shelves (5 positions) Removable shelves	Conventional gas oven Easy clean enamel Oven light 62 actual / 42 litre usable capacity 2 shelves (5 positions) Removable shelves	Conventional electric oven Easy clean enamel A energy rating Oven light 62 actual / 59 litre usable capacity 2 shelves (5 positions) Removable shelves	Conventional electric oven Easy clean enamel A energy rating Oven light 62 actual / 59 litre usable capacity 2 shelves (5 positions) Removable shelves	Conventional gas oven Easy clean enamel Oven light 62 actual / 48 litre usable capacity 2 shelves (5 positions) Removable shelves	Conventional electric oven Easy clean enamel A energy rating Oven light 62 actual / 59 litre usable capacity 2 shelves (5 positions) Removable shelves
Cavity 3	Tall fanned electric oven Easy clean enamel A energy rating Oven light Defrost function 91 actual / 76 litre usable capacity 3 shelves (25 positions) Removable shelves	Tall fanned electric oven Easy clean enamel A energy rating Oven light Defrost function 91 actual / 76 litre usable capacity 3 shelves (25 positions) Removable shelves	Tall fanned electric oven Easy clean enamel A energy rating Oven light Defrost function 91 actual / 76 litre usable capacity 3 shelves (25 positions) Removable shelves	Fanned electric oven Programmable oven Easy clean enamel A energy rating Oven light Defrost function 62 actual / 52 litre usable capacity 2 shelves (5 positions) Removable shelves	Conventional gas oven Cook to off programmer Easy clean enamel Oven light 62 actual / 42 litre usable capacity 2 shelves (5 positions) Removable shelves	Fanned electric oven Programmable oven Easy clean enamel A energy rating Oven light Defrost function 69 actual / 59 litre usable capacity 2 shelves (5 positions) Removable shelves	Fanned electric oven Programmable oven Easy clean enamel A energy rating Oven light Defrost function 69 actual / 59 litre usable capacity 2 shelves (5 positions) Removable shelves	Conventional gas oven Cook to off programmer Easy clean enamel Oven light 69 actual / 48 litre usable capacity 2 shelves (5 positions) Removable shelves	Fanned electric oven Programmable oven Easy clean enamel A energy rating Oven light Defrost function 69 actual / 59 litre usable capacity 2 shelves (5 positions) Removable shelves
Cavity 4	N/A	N/A	N/A	Storage compartment	Storage compartment	Storage compartment	Storage compartment	Storage compartment	Storage compartment
Timer / Programmer	LED clock / programmer	LED clock / programmer	LED clock / programmer	LED clock/ programmer	LED clock / cook to off programmer	LED clock / programmer	LED clock / programmer	LED clock / cook to off programmer	LED clock / programmer

SPECS & DIMENSIONS

Timer	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Fascia cooling system	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Accessories (included)									
Removable cast griddle plate	-	-	-	-	-	-	-	-	-
Grillpan/trivet	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Roasting tin	-	-	-	-	-	-	-	-	-
LPG convertible	Yes	-	-	Yes	-	Yes	-	-	-
LPG conversion kit available (separately)	Yes	-	-	Yes	-	-	Yes	-	-
Removable Parts (for cleaning)									
Hob burners	Yes	-	-	Yes	Yes	-	Yes	Yes	-
Pan supports	Yes	-	-	Yes	Yes	-	Yes	Yes	-
Shelves	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Shelf runners	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Installation									
Gas type	Nat gas	-	-	Nat gas	Nat gas	-	Nat gas	Nat gas	-
Gas inlet type	1/2" BSP female	-	-	1/2" BSP female	1/2" BSP female	-	1/2" BSP female	1/2" BSP female	-
Gas inlet position	Rear right	-	-	Rear right	Rear right	-	Rear right	Rear right	-
Fuse size (A)	32	45	32	32	3	45	32	3	45
Fitted 3 pin plug	-	-	-	-	-	-	-	-	-
Product Dimensions									
Height (mm)	900-930	900-930	900-930	900-930	900-930	900-930	900-930	900-930	900-930
Width (mm)	896	896	896	996	996	996	1096	1096	1096
Depth (mm)	600	600	600	600	600	600	600	600	600
Weight (kg)	78	78	78	81	81	81	87	87	87
Finishes & codes									
Black	444440378	444440383	444441895	444440388	444440392	444440390	444440394	444440400	444440397
Cream	444440380	444440385	444441897	444440921	444440923	444440922	444440396	444440402	444440399
Silver	444440379	444440384	444441896	444440389	444440393	444440391	444440395	444440401	444440398
Wild Berry	444441397	444441361	444441899	444441409	444441433	444441373	444441421	444441445	444441385
Hot Jalapeño	444441398	444441362	444441900	444441410	444441434	444441374	444441422	444441446	444441386
Icy Brook	444441399	444441363	444441901	444441411	444441435	444441375	444441423	444441447	444441387
Days Break	444441400	444441364	444441902	444441412	444441436	444441376	444441424	444441448	444441388
Midnight Gaze	444441402	444441366	444441904	444441414	444441438	444441378	444441426	444441450	444441390
Floral Burst	444441404	444441368	444441906	444441416	444441440	444441380	444441428	444441452	444441392

This appliance has side opening doors, we recommend a side clearance of 60mm either side of the cooker to allow the oven door to fully open. See product manual for full installation details.

RANGE COOKERS

DB4											
PRODUCT OVERVIEW	90DFT	90E	90EI	100G	100E	100EI	100DF	110G	110E	110DF	110EI
Description	90cm Dual fuel range cooker	90cm Electric ceramic range cooker	90cm Electric induction range cooker	100cm Gas range cooker	100cm Electric range cooker	100cm Induction range cooker	100cm Dual fuel range cooker	110cm Gas range cooker	110cm Electric range cooker	110cm Dual fuel range cooker	110cm Induction range cooker
Hob	5 gas burners x2 medium (2.0 KW) x1 small (1.0 KW) x1 wok (3.5 KW) x1 large (3.0 KW) Cast iron pan supports Push button ignition Flame safety device	5 ceramic elements (1 dual zone) x2 medium (1.8 KW) x1 dual (2.2 KW or 0.7 KW) x2 small (1.2 KW) Easy clean ceramic glass surface	4 zone induction hob x2 small (1.4 KW) x1 medium (1.4-2.0 KW) x1 large (1.9-2.3 KW) Easy clean ceramic surface Touch control Digital power display Keep warm function Pan detection Pan overheat detection Child lock Boost function	7 gas burners Wok burner (3.5 KW) x1 large (3.0 KW) x3 medium (2.0 KW) x2 small (1.0 KW) Push button ignition Flame safety device Cast iron pan supports	6 ceramic elements x2 large (1.8 KW) x2 small (1.2 KW) x1 dual (0.7-2.2KW) Warming zone Easy clean ceramic glass surface	5 zone induction hob x1 large (2.1-3.7 KW) x3 medium (1.8-3 KW) x1 small (1.45-2.2 KW) Warming zone Easy clean ceramic glass surface	7 gas burners Wok burner (3.5 KW) x1 large (3.0 KW) x3 medium (2.0 KW) x2 small (1.0 KW) Push button ignition Flame safety device Cast iron pan supports	7 gas burners Wok burner (3.5 KW) x1 large (3.0 KW) x3 medium (2.0 KW) x2 small (1.0 KW) Push button ignition Flame safety device Cast iron pan supports	7 ceramic elements x2 large (1.8 KW) x1 medium (1.5 KW) x2 small (1.2 KW) x1 dual (0.7-2.2 KW) Warming zone Easy clean ceramic glass surface	7 gas burners Wok burner (3.5 KW) x1 large (3.0 KW) x3 medium (2.0 KW) x2 small (1.0 KW) Push button ignition Flame safety device Cast iron pan supports	5 zone Induction hob x1 large (2.1-3.7 KW) x3 medium (1.8-3 KW) x1 small (1.45-2.2 KW) Warming zone Easy clean ceramic glass surface
Cavity 1	Variable rate dual circuit electric grill Removable shelves	Variable rate dual circuit electric grill Removable shelves	Variable rate dual circuit electric grill Removable shelves	Variable gas grill Removable shelves	Variable rate dual circuit electric grill Removable shelves	Variable rate dual circuit electric grill Removable shelves	Variable rate dual circuit electric grill Removable shelves	Variable gas grill Removable shelves	Variable rate dual circuit electric grill Removable shelves	Variable rate dual circuit electric grill Removable shelves	Variable rate dual circuit electric grill Removable shelves
Cavity 2	Fanned electric oven Programmable oven Easy clean enamel A energy rating Oven light Defrost function 62 actual / 52 litre usable capacity 2 shelves (5 positions) Removable shelves	Fanned electric oven Programmable oven Easy clean enamel A energy rating Oven light Defrost function 62 actual / 52 litre usable capacity 2 shelves (5 positions) Removable shelves	Fanned electric oven Programmable oven Easy clean enamel A energy rating Oven light Defrost function 62 actual / 52 litre usable capacity 2 shelves (5 positions) Removable shelves	Conventional gas oven Programmable oven 62 actual / 42 litre usable capacity Easy clean enamel Oven light 2 shelves (5 positions) Removable shelves	Conventional electric oven 62 actual / 52 litre usable capacity A energy rating Easy clean enamel Oven light 2 shelves (5 positions) Removable shelves	Conventional electric oven 62 actual / 52 litre usable capacity A energy rating Easy clean enamel Oven light 2 shelves (5 positions) Removable shelves	Conventional electric oven 62 actual / 52 litre usable capacity A energy rating Easy clean enamel Oven light 2 shelves (5 positions) Removable shelves	Conventional gas oven Programmable oven 69 actual / 48 litre usable capacity Easy clean enamel Oven light 2 shelves (5 positions) Removable shelves	Conventional electric oven 69 actual / 59 litre usable capacity A energy rating Easy clean enamel Oven light 2 shelves (5 positions) Removable shelves	Conventional electric oven 69 actual / 59 litre usable capacity A energy rating Easy clean enamel Oven light 2 shelves (5 positions) Removable shelves	Conventional electric oven 69 actual / 59 litre usable capacity A energy rating Easy clean enamel Oven light 2 shelves (5 positions) Removable shelves
Cavity 3	Tall fanned electric oven Easy clean enamel A energy rating Oven light Defrost function 91 actual / 76 litre usable capacity 3 shelves (25 positions) Removable shelves	Tall fanned electric oven Easy clean enamel A energy rating Oven light Defrost function 91 actual / 76 litre usable capacity 3 shelves (25 positions) Removable shelves	Tall fanned electric oven Easy clean enamel A energy rating Oven light Defrost function 91 actual / 76 litre usable capacity 3 shelves (25 positions) Removable shelves	Conventional gas oven 62 actual / 42 litre usable capacity Easy clean enamel Oven light 2 shelves (5 positions) Removable shelves	Fanned electric oven 62 actual / 52 litre usable capacity A energy rating Easy clean enamel Oven light 2 shelves (5 positions) Removable shelves Programmable oven	Fanned electric oven 62 actual / 52 litre usable capacity A energy rating Easy clean enamel Oven light 2 shelves (5 positions) Removable shelves Programmable oven	Fanned electric oven 62 actual / 52 litre usable capacity A energy rating Easy clean enamel Oven light 2 shelves (5 positions) Removable shelves Programmable oven	Conventional gas oven 69 actual / 48 litre usable capacity Easy clean enamel Oven light 2 shelves (5 positions) Removable shelves	Fanned electric oven 69 actual / 58 litre usable capacity A energy rating Easy clean enamel Oven light 2 shelves (5 positions) Removable shelves Programmable oven	Fanned electric oven 69 actual / 59 litre usable capacity A energy rating Easy clean enamel Oven light 2 shelves (5 positions) Removable shelves Programmable oven	Fanned electric oven 69 actual / 59 litre usable capacity A energy rating Easy clean enamel Oven light 2 shelves (5 positions) Removable shelves Programmable oven
Cavity 4	N/A	N/A	N/A	Storage	Storage	Storage	Storage	Storage	Storage	Storage	Storage
Timer / Programmer	LED clock / programmer	LED clock / programmer	LED clock / programmer	LED clock / cook to off programmer	LED clock / programmer	LED clock / programmer	LED clock / programmer	LED clock / cook to off programmer	LED clock / programmer	LED clock / programmer	LED clock / programmer

SPECS & DIMENSIONS

Timer	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Fascia cooling system	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Accessories (included)											
Removable cast griddle plate	-	-	-	-	-	-	-	-	-	-	-
Grillpan/trivet	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Roasting tin	-	-	-	-	-	-	-	-	-	-	-
LPG convertible	Yes	-	-	-	-	-	Yes	-	-	Yes	-
LPG conversion kit available (separately)	Yes	-	-	-	-	-	Yes	-	-	Yes	-
Removable Parts (for cleaning)											
Hob burners	Yes	-	-	Yes	-	-	Yes	Yes	-	Yes	-
Pan supports	Yes	-	-	Yes	-	-	Yes	Yes	-	Yes	-
Shelves	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Shelf runners	Yes	Yes	Yes	-	Yes	Yes	Yes	-	Yes	Yes	Yes
Installation											
Gas type	Nat gas	-	-	Nat gas	-	-	Nat gas	-	-	Nat gas	-
Gas inlet type	1/2" BSP female	-	-	1/2" BSP female	-	-	1/2" BSP female	-	-	1/2" BSP female	-
Gas inlet position	Rear right	-	-	Rear right	-	-	Rear right	-	-	Rear right	-
Fuse size (A)	32	45	32	13	45	32	13	45	32	13	32
Fitted 3 pin plug	-	-	-	Yes	-	-	-	-	Yes	-	-
Dimensions (product)											
Height (mm)	900-930	900-930	900-930	900-930	900	900	900	900	900	900	900
Width (mm)	896	896	896	996	996	996	996	1096	1096	1096	1096
Depth (mm)	600	600	600	595	595	595	595	595	595	595	595
Weight (kg)	95	95	95	81	81	85	81.4	87	87	87	87
Finishes & codes											
Black	444440180	444449418	444441672	444443019	444443023	444443027	444443015	444443035	444443039	444443031	444443043
White	444441047	444441048	444441894	444443024	444443025	444443021	444443017	444443036	444443041	444443033	444443045
Stainless	444441081	444449417	444441673	444443020	444443024	444443028	444443016	444443036	444443040	444443032	444443044

This appliance has side opening doors, we recommend a side clearance of 60mm either side of the cooker to allow the oven door to fully open. See product manual for full installation details.

RANGE COOKERS

DB4 PROFESSIONAL



PRODUCT OVERVIEW	90DFT	90E	90EI	100G	100E	100EI	100DF	110G	110E	110DF	110EI
Description	90cm Dual fuel range cooker	90cm Electric ceramic range cooker	90cm Electric induction range cooker	100cm Gas range cooker	100cm Electric range cooker	100cm Induction range cooker	100cm Dual Fuel Range Cooker	110cm Gas range cooker	110cm Electric range cooker	110cm Dual fuel range cooker	110cm Induction range cooker
Hob	5 gas burners x2 medium (2.0 KW) x1 small (1.0 KW) x1 wok (3.5 KW) x1 large (3.0 KW) Cast iron pan supports Push button ignition Flame safety device	5 ceramic elements (1 dual zone) x2 medium (2.0 KW) x1 dual (2.2 KW or 0.7KW) x2 small (1.0 KW) Easy clean ceramic glass surface Easy clean ceramic glass surface	4 zone induction hob x2 small (1.4 KW) x1 medium (1.4-2.0 KW) x1 large (1.9-2.3 KW) Easy clean ceramic surface Touch control Digital power display Keep warm function Pan detection Pan overheat detection Child lock Boost function	7 gas burners x1 wok Burner (3.5 KW) x1 large (1.8 KW) x3 medium (3.0 KW) x3 medium (2.0 KW) x2 small (1.0 KW) Push button ignition Flame safety device Cast iron pan supports	6 ceramic elements x2 large (1.8 KW) x2 small (1.2 KW) x1 dual (0.7-2.2 KW) Warming zone Easy clean ceramic glass surface	5 zone induction hob x1 large (2.1-3.7 KW) x3 medium (1.8-3 KW) x1 small (1.45-2.2 KW) Warming zone Easy clean ceramic glass surface	7 gas burners x1 wok burner (3.5 KW) x1 large (3.0 KW) x3 medium (2.0 KW) x2 small (1.0 KW) Push button ignition Flame safety device Cast iron pan supports	7 gas burners x1 wok burner (3.5 KW) x1 large (3.0 KW) x3 medium (2.0 KW) x2 small (1.0 KW) Push button ignition Flame safety device Cast iron pan supports	7 ceramic elements x2 large (1.8 KW) x1 medium (1.5 KW) x2 small (1.2 KW) x1 dual (0.7-2.2 KW) Warming zone Easy clean ceramic glass surface	7 gas burners x1 wok burner (3.5 KW) x1 large (3.0 KW) x3 medium (2.0 KW) x2 small (1.0 KW) Push button ignition Flame safety device Cast iron pan supports	5 zone induction hob x1 large (2.1-3.7 KW) x3 medium (1.8-3 KW) x1 small (1.45-2.2 KW) Warming zone Easy clean ceramic glass surface
Cavity 1	Variable rate dual circuit electric grill 28 litre capacity Removable shelves	Variable rate dual circuit electric grill 28 litre capacity Removable shelves	Variable rate dual circuit electric grill 28 litre capacity Removable shelves	Variable gas grill 35 litre capacity Removable shelves	Variable rate dual circuit electric grill 35 litre capacity Removable shelves	Variable rate dual circuit electric grill 35 litre capacity Removable shelves	Variable rate dual circuit electric grill 35 litre capacity Removable shelves	Variable gas grill 39 litre capacity Removable shelves	Variable rate dual circuit electric grill 39 litre capacity Removable shelves	Variable rate dual circuit electric grill 39 litre capacity Removable shelves	Variable rate dual circuit electric grill 39 litre capacity Removable shelves
Cavity 2	Fanned electric oven Programmable oven Easy clean enamel A energy rating Oven light Defrost function 62 actual / 52 litre usable capacity 2 shelves (5 positions) Removable shelves	Fanned electric oven Programmable oven Easy clean enamel A energy rating Oven light Defrost function 62 actual / 52 litre usable capacity 2 shelves (5 positions) Removable shelves	Fanned electric oven Programmable oven Easy clean enamel A energy rating Oven light Defrost function 62 actual / 52 litre usable capacity 2 shelves (5 positions) Removable shelves	Conventional gas oven Programmable oven 62 actual / 52 litre usable capacity Easy clean enamel Oven light 2 Shelves (5 positions) Removable shelves	Conventional electric oven 62 actual / 52 litre usable capacity A energy rating Easy clean enamel Oven light 2 Shelves (5 positions) Removable shelves	Conventional electric oven 62 actual / 52 litre usable capacity A energy rating Easy clean enamel Oven light 2 shelves (5 positions) Removable shelves	Conventional electric oven 62 actual / 52 litre usable capacity A energy rating Easy clean enamel Oven light Defrost function 2 shelves (5 positions) Removable shelves	Conventional gas oven Programmable oven 69 actual / 48 litre usable capacity Easy clean enamel Oven light 2 shelves (5 positions) Removable shelves	Conventional electric oven 69 actual / 59 litre usable capacity A energy rating Easy clean enamel Oven light Defrost function 2 shelves (5 positions) Removable shelves	Conventional electric oven 69 actual / 59 litre usable capacity A energy rating Easy clean enamel Oven light 2 shelves (5 positions) Removable shelves	Conventional electric oven 69 actual / 59 litre usable capacity A energy rating Easy clean enamel Oven light 2 shelves (5 positions) Removable shelves
Cavity 3	Tall fanned electric oven Easy clean enamel A energy rating Oven light Defrost function 91 actual / 76 litre usable capacity 3 shelves (25 positions) Removable shelves	Tall fanned electric oven Easy clean enamel A energy rating Oven light Defrost function 91 actual / 76 litre usable capacity 3 shelves (25 positions) Removable shelves	Tall fanned electric oven Easy clean enamel A energy rating Oven light Defrost function 91 actual / 76 litre usable capacity 3 shelves (25 positions) Removable shelves	Conventional gas oven 62 actual / 52 litre usable capacity Easy clean enamel Oven light 2 shelves (5 positions) Removable shelves	Fanned electric oven 62 actual / 52 litre usable capacity A energy rating Easy clean enamel Oven light Defrost function 2 shelves (5 positions) Removable shelves	Fanned electric oven 62 actual / 52 litre usable capacity A energy rating Easy clean enamel Oven light Defrost function 2 shelves (5 positions) Removable shelves	Fanned electric oven 62 actual / 52 litre usable capacity A energy rating Easy clean enamel Oven light Defrost function 2 shelves (5 positions) Removable shelves	Conventional gas oven 69 actual / 48 litre usable capacity Easy clean enamel Oven light 2 shelves (5 positions) Removable shelves	Fanned electric oven 69 actual / 58 litre usable capacity A energy rating Easy clean enamel Oven light Defrost function 2 shelves (5 positions) Removable shelves	Fanned electric oven 69 actual / 59 litre usable capacity A energy rating Easy clean enamel Oven light Defrost function 2 shelves (5 positions) Removable shelves	Fanned electric oven 69 actual / 59 litre usable capacity A energy rating Easy clean enamel Oven light Defrost function 2 shelves (5 positions) Removable shelves
Cavity 4	N/A	N/A	N/A	Storage	Storage	Storage	Storage	Storage	Storage	Storage	Storage
Timer / Programmer	LED clock/ programmer	LED clock/ programmer	LED clock/ programmer	LED clock/ cook to off programmer	LED clock/ programmer	LED clock/ programmer	LED clock/ programmer	LED clock/ cook to off programmer	LED clock/ programmer	LED clock/ programmer	LED clock/ programmer

SPECS & DIMENSIONS

Timer	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Fascia cooling system	-	-	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Accessories (included)											
Removable cast griddle plate	-	-	-	-	-	-	-	-	-	-	-
Grillpan/trivet	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Roasting tin	-	-	-	-	-	-	-	-	-	-	-
LPG convertible	-	-	-	-	-	-	Yes	-	-	Yes	-
LPG conversion kit available (separately)	-	-	-	-	-	-	Yes	-	-	Yes	-
Removable Parts (for cleaning)											
Hob burners	Yes	-	-	Yes	-	-	Yes	Yes	-	Yes	-
Pan supports	Yes	-	-	Yes	-	-	Yes	Yes	-	Yes	-
Shelves	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Shelf runners	Yes	Yes	Yes	-	Yes	Yes	Yes	-	Yes	Yes	Yes
Installation											
Gas type	Nat gas	-	-	Nat gas	-	-	Nat gas	Nat gas	-	Nat gas	-
Gas inlet type	1/2" BSP female	-	-	1/2" BSP female	-	-	1/2" BSP female	1/2" BSP female	-	1/2" BSP female	-
Gas inlet position	Rear right	-	-	Rear right	-	-	Rear right	Rear right	-	Rear right	-
Fuse size (A)	32	45	32	13	45	32	32	13	45	32	32
Fitted 3 pin plug	-	-	-	Yes	-	-	-	Yes	-	-	-
Dimensions (product)											
Height (mm)	900-930	900-930	900-930	900-930	900-930	900-930	900-930	900-930	900-930	900-930	900-930
Width (mm)	896	896	896	996	996	996	996	1096	1096	1096	1096
Depth (mm)	600	600	600	595	600	595	595	595	595	595	595
Weight (kg)	95	95	95	81	81	85	81.4	87	87	87	87
Finishes & codes											
Stainless	444440535	444440534	444441674	444443022	444443026	444443030	444443018	444443038	444443042	444443034	444443046

RANGE COOKERS

COUNTRY CLASSIC



PRODUCT OVERVIEW	100DFT	100GT	100E
Description	100cm Dual fuel range cooker	100cm Gas range cooker	100cm Electric ceramic range cooker
Hob	8 gas burners x4 Medium (2.0 KW) x2 small (1.0 KW) x2 large (3.0 KW) Cast iron pan supports Push button ignition Flame safety device	8 gas burners x4 medium (2.0 KW) x2 small (1.0 KW) x2 large (3.0 KW) Cast iron pan supports Push button ignition Flame safety device	6 ceramic elements (1 dual zone) x2 medium (1.8 KW) x1 dual (2.2 KW Or 0.7 KW) x2 small (1.2 KW) x1 warming zone (0.1 KW) Easy clean ceramic glass surface
Cavity 1	Variable rate electric grill 28 litre capacity Removable shelves	Variable rate gas grill 24 litre capacity Removable shelves	Variable rate electric grill 28 litre capacity Removable shelves
Cavity 2	Conventional electric oven Easy clean enamel A energy rating Oven light 62 actual / 52 litre usable capacity 2 shelves (5 positions) Removable shelves	Conventional gas oven Easy clean enamel 62 actual / 42 litre usable capacity 2 shelves (5 positions) Removable shelves	Conventional electric oven Easy clean enamel A energy rating 62 actual / 52 litre usable capacity 2 shelves (5 positions) Removable shelves
Cavity 3	Fanned electric oven Easy clean enamel A energy rating Defrost function 62 actual / 52 litre usable capacity 2 shelves (5 positions) Removable shelves	Conventional gas oven Easy clean enamel A energy rating 62 actual / 42 litre usable capacity 2 shelves (5 positions) Removable shelves	Fanned electric oven Easy clean enamel A energy rating Defrost function 62 actual / 52 litre usable capacity 2 shelves (5 positions) Removable shelves
Cavity 4	Storage	Storage	Storage
Timer / Programmer	LED clock/minute minder	LED clock/minute minder	LED clock/minute minder

SPECS & DIMENSIONS

Timer	Yes	Yes	Yes
Fascia cooling system	-	-	-
Accessories (included)			
Removable cast griddle plate	-	-	-
Grillpan/trivet	Yes	Yes	Yes
Roasting tin	-	-	-
LPG convertible	Yes	-	-
LPG conversion kit available (separately)	Yes	-	-
Removable Parts (for cleaning)			
Hob burners	Yes	Yes	-
Pan supports	Yes	Yes	-
Shelves	Yes	Yes	Yes
Shelf runners	Yes	Yes	Yes
Installation			
Gas type	Nat Gas	Nat Gas	-
Gas inlet type	1/2" BSP female	1/2" BSP female	-
Gas inlet position	Rear centre	Rear centre	-
Fuse size (A)	32	13	45
Fitted 3 pin plug	-	Yes	-
Dimensions (product)			
Height (mm)	900-930	900-930	900-930
Width (mm)	996	996	996
Depth (mm)	595	595	595
Weight (kg)	85	85	85
Finishes & codes			
Black			
Cream			
Silver	444449441	444449443	444449444
Hot Jalapeño			
Anthracte	444449440	444449442	444449445

MICROWAVES



PRODUCT OVERVIEW

BIMW60 B160COMW

Description	Microwave, grill & convection	Integrated combination microwave oven & grill
Features		
Microwave Power Rating (W)	900W	900
Convection Power Rating (W)	2400W	1750
Grill Power Rating (W)	1100W	1750
Top Heater (W)	-	1750
Bottom heater (W)	-	600
Built-in & Built-Under Installation	Built-in	Yes
Fully Touch Control	Yes	-
Child Lock	Yes	Yes
Touch Control	Yes	Yes
Electronic Clock programmer	Yes	Yes
Display Colour	Green & red	Yes (Green)
Fast preheating	-	5 min to 230 C
Basic functions	-	9
Programme End Signal	Yes	-
Clock/programmer	Yes	Yes
Light	Yes	Yes
Size (Litres)	25	44
Door opening	Push button	Handle
Number of Programmes	10	13
Actual Capacity (Litres)	25	-
Usable Capacity (Litres)	23	44
No. of Oven Lights	1	1
Interior cavity finish	Stainless steel	Stainless steel
Door type	Stainless steel	Drop down
Viewing window	Yes	
Functions		
Microwave Only	Yes	Yes
Grill Only	Yes	Yes
Convection Oven	Yes	Yes
Microwave & Grill	Yes	Yes
Microwave & Convection Oven	Yes	Yes
Grill & Fan	Yes	Yes
Automatic Defrost		
By Weight	Yes	Yes
By Time	Yes	Yes
Max. kW Rating	2.5	3.35
Automatic Cooking Functions		
Programme 1	Vegetable	Vegetables
Programme 2	Fish	Potatoes peeled/ cooked
Programme 3	Meat	Potatoes roasted
Programme 4	Pasta	Poultry/fish
Programme 5	Potato	Cake
Programme 6	Soup	Apple pie
Programme 7	Roast chicken	Quiche
Programme 8	Bread	Drink/soup
Programme 9	Cake	Plated food
Programme 10	Pizza	Sauce/stew/dish
Programme 11	-	Pizza
Programme 12	-	Oven chips
Programme 13	-	Lasagna
Power		
Max power (W)	2300-2400W	1750
Power levels - Oven	10	5
Power levels - grill	1	3
Accessories (included)		
Grill Rack	Yes	-
Turntable	Yes	Yes
Long grill pan	-	Yes
Short grill pan	-	Yes
Round enamelled grill pan	-	Yes
Surround trim kit	Yes	-
Installation		
Fuse size (A)	13A	20
Fitted 3 pin plug	Yes	-
Product Dimensions		
Height (mm)	460	454.5
Width (mm)	513	594
Depth (mm)	473	550
Weight (kg)	20	35.5
Height (trim kit) (mm)	460	-
Width (trim kit) (mm)	594	-
Finishes & codes		
Stainless Steel	444442598	444443161

BUILT-IN OVENS

60CM									
PRODUCT OVERVIEW	BI60F	BI60FP	BI60MF	BI60SO	BI60SOXL	BI60I	BI60G	XOU60 LPG	BI60E PYR
Description	60cm Built-In single electric oven with minute minder	60cm Built-In single electric oven with programmable timer	60cm Built-In single electric multifunction oven with programmable timer	60cm Built-In single electric oven with side opening door with programmable timer	60cm Built-In single electric oven with side opening door and programmable timer	60cm Built-In single electric oven with integrated induction plate	60cm Built-In single gas oven with cook to off timer	60cm Built-In single LPG oven with minute minder	60cm Built-In single electric multifunction oven with pyrolytic cleaning and programmable timer
Main cavity Oven / Main oven	Fanned electric oven (2 KW) Easy clean enamel A energy rating Oven light 69 actual / 58 litre usable capacity 2 shelves (5 positions) Removable shelves Drop down glass door	Fanned electric oven (2 KW) Easy clean enamel A energy rating Oven light 69 actual / 58 litre usable capacity 2 shelves (5 positions) Removable shelves Programmable timer Drop down glass door	Fanned electric oven (2 KW) Easy clean enamel A energy rating Oven light 69 actual / 58 litre usable capacity 2 shelves (5 positions) Removable shelves Programmable timer Drop down glass door	Fanned electric oven (2 KW) Easy clean enamel A energy rating Oven light 69 actual / 58 litre usable capacity 2 shelves (5 positions) Removable shelves Programmable timer Side-opener glass door	Fanned electric oven (2 KW) Easy clean enamel A energy rating Oven light 69 actual / 58 litre usable capacity 2 telescopic shelves Removable shelves Touch programmable timer Side-opener glass door	Fanned oven and integrated induction plate (31 KW) Easy clean enamel A energy rating Oven light 69 actual / 58 litre usable capacity 2 shelves (5 positions) Removable shelves Programmable timer Drop down glass door	Conventional gas oven (2.5 KW) Easy clean enamel A energy rating Oven light 69 actual / 51 litre usable capacity 2 shelves (5 positions) Removable shelves Programmable timer Drop down glass door Automatic ignition Flame safety device	Conventional gas oven (2.5 KW) Easy clean enamel A energy rating Oven light 69 actual / 51 litre usable capacity 2 shelves (5 positions) Removable shelves Programmable timer Drop down glass door Automatic ignition Flame safety device	Fanned electric oven (2 KW) Pyrolytic cleaning Conventional oven Fanned grilling A energy rating Oven light 69 actual / 58 litre usable capacity 2 shelves (5 postions) Removeable shelves Drop down glass door 10 Oven functions Defrost function Intensive bake feature Top heat only
			9 Oven functions Conventional electric oven Defrost function Intensive bake feature Top heat only Base heat with or without fan Grill with or without fan		6-in-1 unique functions within an oven Roast, casserole, steam, grilling, slow cook, fanned cooking Cast iron pot included Steaming and roasting trivets included				
Top cavity Grill / Top oven & grill	Variable electric grill (1.85 KW)	Variable electric grill (1.85 KW)	Variable electric grill (1.8 KW)	Variable electric grill (1.85 KW)	Variable electric grill (1.85 KW)	Dual circuit grill (2.2 KW)	Fixed rate electric grill (1.8 KW)	Fixed rate gas grill (2.4 KW)	Variable rate electric grill (1.8 KW)

SPECS & DIMENSIONS

General									
Fuel	Electric	Electric	Electric	Electric	Electric	Electric	Gas	LPG	Electric
Timer	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Fascia cooling system	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Accessories (included)									
Full width Roasting Tin/Trivet									
Cook Pot & Trivets	-	-	-	-	-	Yes	-	-	-
Grillpan/Trivet	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Handle	-	-	-	-	-	-	-	-	-
Roasting tin	-	-	-	-	-	-	-	-	-
LPG convertible	-	-	-	-	-	-	-	-	-
LPG conversion kit available (separately)	-	-	-	-	-	-	-	-	-
Removable Parts (for cleaning)									
Inner door	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Shelves	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Shelf runners	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Installation									
Gas type	-	-	-	-	-	-	Gas	LPG	-
Gas inlet type	-	-	-	-	-	-	1/2" BSP female	1/2" BSP female	-
Gas inlet position	-	-	-	-	-	-	Rear right	Lower rear LHS	-
Electrical connection	Fixed wiring	Fixed wiring	Fixed wiring	Fixed wiring	Fixed wiring	Fixed wiring	-	-	Fixed wiring
Terminal block position	Rear left	Rear left	Rear left	Rear left	Rear left	Rear left	-	-	Rear left
Maximum load (W)	1905	1905	2075	1905	1905	3100	1735	-	2480
Fuse size (A)	13	13	13	13	13	13	13	13	13
Fitted 3 pin plug	-	-	-	-	-	-	Yes	-	-
Product Dimensions									
Height (mm)	585	585	585	585	585	585	585	585	585
Width (mm)	595	595	595	595	595	595	595	595	595
Depth (mm)	550	550	550	550	550	550	550	550	550
Weight (kg)	26.8	26.8	26.8	26.8	26.8	37	30	30	26.8
Finishes & codes									
Stainless Steel	444449578	444449581	444449584	444449618		444449600	444449596		444442977
Black	444449579	444449582	444449585		444440849				
White	444449580	444449583							
Satin Steel							444447954		
Duck Egg Blue									
Aluminium									
Anthracite									
Icy Brook									
Pastel Green									

70CM									
90CM									
SEBASTIAN CONRAN									
BI70FP	BI70G	BI70LPG	BI70MLPG	BI90FP	BI90MF	BI90G	BI90FMW	SCBI60FP	SCBI90FP
70cm Built-Under double electric oven with programmable timer	70cm Built-Under double gas oven with cook to off timer	70cm Built-Under twin cavity LPG gas oven	70cm Built-Under twin cavity LPG gas oven with timer	90cm Built-In double electric oven with programmable timer	90cm Built-In double electric multifunction oven	90cm Built-In double gas oven with cook to off timer	90cm Built-In oven & microwave	60cm Built-In single electric oven with analogue programmable timer	90cm Built-In double electric oven with analogue programmable timer
Fanned electric oven (2 KW) Easy clean enamel A energy rating Oven light 59 actual / 50 litre usable capacity 2 shelves (5 positions) Removable shelves Drop down glass door Programmable timer Drop down glass door	Conventional gas oven (2.5 KW) Easy clean enamel Oven light 59 actual / 43 litre usable capacity 2 shelves (5 positions) Removable shelves Drop down glass door Automatic ignition Flame safety device Minute minder Cook to off	Conventional gas oven (2.5 KW) Easy clean enamel Oven light 59 actual / 43 litre usable capacity 2 shelves (5 positions) Removable shelves Drop down glass door Automatic ignition Flame safety device	Conventional gas oven (2.5 KW) Easy clean enamel Oven light 59 actual / 43 litre usable capacity 2 shelves (5 positions) Removable shelves Cook to off timer Minute minder Automatic ignition Flame safety device	Fanned electric oven (2 KW) Easy clean enamel A energy rating Oven light 69 actual / 58 litre usable capacity 2 shelves (5 positions) Removable shelves Programmable timer Drop down glass door	Fanned electric oven (2 KW) A energy rating Oven light 69 actual / 58 litre usable capacity 2 shelves (5 positions) Removable shelves Programmable timer Drop down glass door 9 oven functions Conventional electric oven Defrost function Intensive bake feature Top heat only Base heat with or without fan Grill with or without fan	Conventional gas oven (2.5 KW) Easy clean enamel Oven light 69 actual / 51 litre usable capacity 2 shelves (5 positions) Removable shelves Drop down glass door Automatic ignition Flame safety device Minute minder Cook to off	Fanned electric oven (2 KW) & grill (1.85 KW) Easy clean enamel A energy rating Oven light 69 actual / 58 litre usable capacity 2 shelves (5 positions) Removable shelves Programmable timer Drop down glass door	Fanned electric oven (2 KW) Easy clean enamel A energy rating Oven light 69 actual / 58 litre usable capacity 1 shelf (5 positions) Removable shelves Programmable timer Drop down glass door Belling design by Sebastian Conran Full width roasting tin/trivet	Fanned electric oven (2 KW) Easy clean enamel A energy rating Oven light 69 actual / 58 litre usable capacity 1 shelf (5 positions) Removable shelves Programmable timer Drop down glass door Belling design by Sebastian Conran Full width roasting tray and trivet
Conventional electric oven (2.7 KW) Variable rate dual circuit electric grill (2.7 KW) 39 actual / 35 litre usable capacity 1 shelf (2 positions) Oven light Drop down glass door A energy rating	Conventional gas oven (1.8 KW) Fixed rate electric grill/top oven (1.8 KW) 39 actual / 29 litre usable capacity 1 shelf (2 positions) Oven light Drop down glass door	Variable rate gas grill (2.4 KW) 39 actual / 29 litre usable capacity 1 shelf (2 positions) Automatic ignition Flame safety device	Variable rate gas grill (2.4 KW) 39 actual / 29 litre usable capacity 1 shelf (2 positions) Automatic ignition Flame safety device	Conventional electric oven (2.7 KW) Variable rate dual circuit electric grill (2.7 KW) 39 actual / 35 litre usable capacity 1 shelf (2 positions) Oven light Drop down glass door A energy rating	Conventional electric oven (2.7 KW) Variable rate dual circuit electric grill (2.7 KW) 39 actual / 35 litre usable capacity 1 shelf (2 positions) Oven light Drop down glass door A energy rating	Conventional gas oven (1.8 KW) Fixed rate electric grill (1.8 KW) 39 actual / 29 litre usable capacity 1 shelf (2 positions) Oven light Drop down glass door Automatic ignition Flame safety device	Electric microwave (1.2 KW) & grill (1 KW) 20 litres Oven light Side opening door		Conventional electric oven (2.7 KW) Variable rate electric grill (2.7 KW) 39 actual / 35 litre usable capacity 1 shelf (2 positions) Oven light Drop down glass door Full width roasting tray and trivet

Electric	Gas	LPG	LPG	Electric	Electric	Gas	Electric	Electric	Electric
Yes	Yes	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
-	-	-	Yes	-	-	-	-	Yes	Yes
-	-	-	-	-	-	-	-	-	-
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
-	Gas	LPG	LPG	-	-	Gas		-	-
-	1/2" BSP female	1/2" BSP female	1/2" BSP female	-	-	1/2" BSP female		-	-
-	Rear right	Rear right	Rear right	-	-	Rear right		-	-
Fixed wiring	-	-	-	Fixed wiring	Fixed wiring	-	Fixed wiring	Fixed wiring	Fixed wiring
Rear right	-	-	-	Rear right	Rear right	-	Rear right	Rear left	Rear right
4515	1760	35	35	4515	4685	1760	3140 + 2450	1905	4515
32	13	3	3	32	32	13	32	13	32
-	-	Yes	Yes	-	-	-	-	-	-
703	703	703	703	885	885	885	885	585	885
595	595	595	595	595	595	595	595	595	595
550	550	550	550	550	550	550	550	550	550
44	44	44	44	50	50	47	40	26.8	50
444449587	444449597	444441106	444441105	444449590	444449593	444449598	444440664		
444449588				444449591	444449594		444441472		
444449589				444449592					
								444442651	444442656
								444442650	444442655
								444442652	444442657
								444442653	444442658
								444442654	444442659

BUILT-IN HOBS

60CM



PRODUCT OVERVIEW

Description	60cm Gas hob with enamel pan supports	60cm Gas hob with cast iron pan supports	60cm LPG hob with cast iron pan supports	70cm Gas hob with enamel pan supports	70cm Gas hob with cast iron pan supports	70cm LPG hob with cast iron pan supports	60cm Ceramic hob with rotary controls	60cm Ceramic hob with rotary controls	60cm Ceramic hob with touch controls	60cm Ceramic hob with touch controls
Hob	4 gas burners x1 small (1 KW) x2 medium (2 KW) x1 large (3 KW) Gloss enamel pan supports Auto ignition Flame safety device Side rotary controls	4 gas burners x1 small (1 KW) x2 medium (2 KW) x1 large (3 KW) Cast iron pan supports Auto ignition Flame safety device Front rotary controls	4 gas burners x1 small (1 KW) x2 medium (2 KW) x1 large (3 KW) Cast iron pan supports Auto ignition Flame safety device Front rotary controls	5 gas burners x1 small (1 KW) x2 medium (2 KW) x1 large (3 KW) x1 wok burner (3.5 KW) Gloss enamel pan supports Auto ignition Flame safety device Front rotary controls	5 gas burners x1 small (1 KW) x2 medium (2 KW) x1 wok burner (3.5 KW) Cast iron pan supports Auto ignition Flame safety device Front rotary controls	5 gas burners x1 small (1 KW) x2 medium (2 KW) x1 large (3 KW) x1 wok burner (3.5 Kw) Cast iron pan supports Auto ignition Flame safety device Front rotary controls	4 ceramic elements x2 small (1.2 KW) x2 medium (1.7 KW) Easy clean ceramic glass surface Side rotary control Granite finish 6 power settings	4 ceramic elements x2 small (1.2 KW) x1 medium (1.7 KW) x1 large (2.1 KW) Easy clean ceramic glass surface Side rotary control Hob hot light 9 power settings	4 ceramic elements x2 small (1.2 KW) x2 large (1.8 KW) Easy clean ceramic glass surface Touch controls Digital display Granite finish Central on/off key Child lock Auto heat up & shutdown Hot hob light 9 power settings	4 ceramic elements x2 small (1.2 KW) x1 medium (1.7 KW) x1 large (2.1 KW) Easy clean ceramic glass surface Touch controls Digital display Central on/off key Child lock Auto heat up & shutdown Keep warm function Timer

SPECS & DIMENSIONS

Hob Burners	Yes	Yes	Yes	Yes	Yes				
Pan Supports	Yes	Yes	Yes	Yes	Yes	Yes			
Installation									
Gas type	Nat gas	Nat gas	LPG	Nat gas	Nat gas	LPG			
Gas inlet type	1/2" female	1/2" female	1/2" female	1/2" female	1/2" female	1/2" female			
Gas inlet position	Rear right	Rear right	Rear right	Rear right	Rear right	Rear right			
Electrical connection							Fixed wiring Rear centre	Fixed wiring Rear centre	Fixed wiring Rear centre
Terminal block position									
Power Supply							240v	240v	240v
Fuse size (A)	3	3	3	3	3	3	32	32	32
Fitted 3 pin plug	-	-	-	-	-	-			
Product Dimensions									
Width (mm)	580	580	580	680	680	680	590	590	590
Depth (mm)	510	510	510	510	510	510	520	520	520
Depth below worktop (mm)	-	-	-						
Weight (kg)	7.2	7.2	10.5	10.6	10.6	11.1	7	7	7
Finishes & codes									
Stainless Steel	444449465	444449498	444440670	444449501	444449504	444440672			
Black	444449468	444449499	444440671	444449502	444449505	444440673	444441156	444441158	444441163
White	444449472								444441165
Duck Egg Blue									
Aluminium									
Anthracite									
Icy Brook									
Pastel Green									

70CM



**CH70TX
BLACK**

60cm Ceramic hob with touch controls	77cm Ceramic hob with touch controls	90cm Ceramic hob with touch controls	60cm Induction hob with touch controls	60cm Induction hob with touch controls	60cm Induction hob with touch controls	60cm Induction hob with rotary controls	60cm Induction hob with touch controls	60cm Gas hob with cast iron pan supports	70cm Gas hob with cast iron pan supports	60cm Induction hob with touch controls
ceramic elements x2 small (1.2 KW) x2 medium (1.8 KW) x1 large (dual 0.7-2.2 KW) easy clean ceramic glass surface Touch controls Digital display Central on/off key Child lock Timer Residual heat indicators Auto heat up & shutdown	5 ceramic elements x2 small (1.2 KW) x2 medium (1.8 KW) x1 large (dual 0.7-2.2 KW) Easy clean ceramic glass surface Touch controls Digital display Central on/off key Child lock Timer Residual heat indicators Auto heat up & shutdown 9 power settings	4 ceramic elements x2 small (1.2 KW) x1 medium (1.8 KW) x1 large (dual 0.7-2.2 KW) Easy clean ceramic glass surface Touch controls Digital display Central on/off key Child lock Timer Residual heat indicators Auto heat up & shutdown	4 zone induction x2 small (1.2-1.6 KW) x2 large (1.5-2 KW) Easy clean ceramic glass surface Touch controls Side rotary control Auto shutdown Boost function Residual heat indicators Pan detection Pan overheat sensor 9 power settings	4 zone induction x4 large (1.9 KW) Easy clean ceramic glass surface Touch controls Digital display Central on/off key Child lock Auto shutdown Boost function Residual heat indicators Pan detection Pan overheat sensor 9 power settings	4 zone induction x2 small (1.2-1.6 KW) x2 large (1.5-2 KW) Easy clean ceramic glass surface Touch controls Digital display Central on/off key Child lock Auto shutdown Boost function Residual heat indicators Pan detection Pan overheat sensor 9 power settings	4 zone induction x1 small (1.4-2.2 KW) x2 medium (1.85-3.0 KW) x1 large (2.3 - 3.7 KW) Easy clean ceramic glass surface Side rotary control Auto heat up & shutdown Boost function Keep warm function Residual heat indicators Pan detection Pause & recall functions 9 power settings Griddle function	4 zone induction x1 small (1.4-2.2 KW) x2 medium (1.85 - 3.0 KW) x1 large (2.3 - 3.7 KW) Easy clean ceramic glass surface Touch control Digital display Central on/off key Auto heat up & shutdown Boost function Keep warm function Residual heat indicators Auto heat up Pan detection Pan overheat sensor Griddle function Child lock Minute minder	4 gas burners x1 small (1 KW) x2 medium (2 KW) x1 large (2.5 KW) Cast iron pan supports Auto ignition Front rotary controls Metal control knobs (cool to touch)	5 gas burners x1 small (1 KW) x2 medium (2 KW) x1 large (2.5 KW) x1 wok burner (3.5 KW) Cast iron pan supports Auto ignition Front rotary controls Metal control knobs (cool to touch)	4 zone induction x2 small (1.2-1.6 KW) x2 large (1.5-2 KW) Easy clean ceramic glass surface Touch controls Digital display Central on/off key Child lock Auto shutdown Boost function Residual heat indicators Pan detection Pan overheat sensor 9 power settings

								Yes	Yes	
								Yes	Yes	
								Nat gas	Nat gas	
								1/2" female	1/2" female	
								Rear right	Rear right	
Fixed wiring	Fixed wiring	Fixed wiring	Fixed wiring	Fixed wiring	Fixed wiring	Fixed wiring	Fixed wiring			Fixed wiring
Rear centre	Rear centre	Rear centre	Rear right	Rear right	Rear right	Rear right	Rear right			Rear right
240v	240v	240v	240v	240v	240v	240v	240v			240v
32	32	32	32	32	13	32	32	3	3	32
-		-						-	-	
680	770	890	580	580	580	580	580	580	680	580
504	520	400	510	510	510	510	510	510	510	510
	45							-	-	
8		8	9	8	7	8	8.7	11.8	11.8	8
444441170	444443063	444441174	444440538	444443433	444441493	444440803	444440802			
								444442661	444442666	
								444442660	444442665	
								444442662	444442667	444442671
								444442663	444442668	
								444442664	444442669	

HOODS



PRODUCT OVERVIEW	60VH	60 BELLING CHIM	60DGH	600 K-LINE	600CGH MK2	60ICH	UIH60S
Description	60cm Visor hood	60cm Chimney hood	60cm Designer hood	60cm Designer hood	60cm Wide curved glass hood	60cm Integrated hood	60cm Integrated hood
Hood Overview	3 fan speeds 1 light Slider control 1 grease filter	3 fan speeds 2 lights Push button controls 2 grease filters Extendable chimney section	3 fan speeds 2 halogen lights Push button controls 1 grease filter Extendable chimney section	3 fan speeds +booster 2 halogen lights Illuminated push button controls 1 grease filter Extendable chimney section	3 fan speeds 2 halogen lights Push button controls 1 grease filter	3 fan speeds 1 light Slider control 1 grease filter	3 fans speeds 1 halogen light Slider control 1 acrylic grease filter

SPECS & DIMENSIONS

Extraction							
Max extraction rate (m3/h)	210	480	380	750	380	191	191
Motor rating (W)	110	130	150	250	150	110	100
Max noise level (dBA) (acoustic pressure)	59	57	50	66	50	49	49
Installation							
Position of ducting outlet	Top	Top	Top	Top	Top	Top	Top
Ducting kit dia (mm)	120	120/150	150/120	150/120	150/120	120/100	120/100
Fuse size (A)	-	-	3	-	-	-	-
Fitted 3 pin plug	-	-	-	-	-	-	-
Product Dimensions							
Height (excl chimney where fitted) (mm)	150	190	42	505	100	400	400
Width (mm)	600	600	600	600	600	600	600
Depth (mm)	395/520	485	500	337	490	270/495	270/495
Weight (kg)	6.26	6.8	12.6	13.5	13	9.02	9.02
Chimney height (incl hood) (mm)	-	560/905	645-970	930-1360	535-965	-	-
Chimney width (mm)	-	250	318	318	318	-	-
Chimney depth (mm)	-	183	259	259	259	-	-
Min height above Hob (mm)	650	650	650	650	650	650	650
Finishes & codes							
Stainless Steel	-	444441226	444441228	444441229	444448742	-	-
Black	-	444441227	-	-		-	-
Silver	444441224	-	-	-		444441225	444449650
White							
Cream							
Hot Jalapeño							
Duck Egg Blue							
Aluminium							
Anthracite							
Icy Brook							
Pastel Green							

70 BELLING CHIM	70DGH	90 CLASSIC CHIM	90 DB FLAT	100 CLASSIC CHIM	100 DB FLAT	110 DB FLAT	110 CLASSIC CHIM	SCCHIM60	SCCHIM90
70cm Chimney hood	70cm Designer hood	90cm Chimney hood	90cm Designer hood	100cm Chimney hood	100cm Designer hood	100cm Designer hood	110cm Chimney hood	60cm Chimney hood	90cm Chimney hood
3 fan speeds 2 lights Push button controls 2 grease filters	3 fan speeds 2 halogen lights Push button controls 1 grease filter Extendable chimney section	3 fan speeds 2 round LED multispot lights Push button controls 3 grease filters	3 fan speeds 2 round LED multispot lights Push button controls 3 grease filters	3 fan speeds 2 round LED multispot lights Push button controls 3 grease filters	3 fan speeds 2 round LED multispot lights Push button controls 3 grease filters	3 fan speeds 2 round LED multispot lights Push button controls 3 grease filters	3 fan speeds 2 round LED multispot lights Push button controls 3 grease filters	3 fan speeds 2 LED lights Push button controls 2 grease filters Utensil rail	3 fan speeds 2 LED lights Push button controls 3 grease filters Utensil rail

480	380	550	550	550	550	550	550	750	750
130	150	100	100	100	100	100	100	250	250
57	50	64.16	64.16	64.16	64.16	64.16	64.16	56	56
Top	Top	Top	Top	Top	Top	Top	Top	Top	Top
120/150	150/120	150/120	150/120	150/120	150/120	150/120	150/120	150	150
-	3	5	5	5	5	5	5	-	-
-	-	-	-	-	-	-	-	-	-
190	42	315	60	315	60	60	315	600	60
700	700	900	900	1000	1000	1100	1100	600	900
485	500	500	500	500	500	500	500	495	495
7.6	13.6	12.3	13.9	12.7	14.9	15.9	13.1	?	15.5
560/905	645-970	Up to 1200	Up to 1200	Up to 1200	Up to 1200	Up to 1200	Up to 1200	850 max	850 max
250	318	222	323	222	323	323	222	285	285
183	259	172	282	172	282	282	172	255	255
650	650	650	650	650	650	650	650	650	650
444441129	444441230	444442824	444442833	444442825	444442834	444442835	444442826		
444441130	-	444442821	444442827	444442822	444442828	444442829	444442823		
			444442830	-	444442831	444442832	-		
		444442836		444442837	-	-	444442838		
		444442839		444442840	-	-	444442841		
								444442740	444442745
								444442739	444442744
								444442741	444442746
								444442742	444442747
								444442743	444442748

SPLASHBACKS (GLASS)

	60CM				90CM						100CM						110CM					
																						
SPECS & DIMENSIONS	SBK 60 GLASS BLK	SBK 60 GLASS SS SHIMMER	SBK 60 GLASS UNION JACK	SBK 60 GLASS MONO UNION JACK	SBK 90 GLASS BLK	SBK 90 GLASS SS SHIMMER	SBK 90 GLASS HJA	SBK 90 GLASS WHI	SBK 90 GLASS CREAM	SBK 90 GLASS UNION JACK		SBK 90 GLASS MONO UNION JACK	SBK 100 GLASS BLK	SBK 100 GLASS SS SHIMMER	SBK 100 GLASS HJA	SBK 100 GLASS WHI	SBK 100 GLASS CREAM	SBK 110 GLASS BLK	SBK 110 GLASS SS SHIMMER	SBK 110 GLASS HJA	SBK 110 GLASS WHI	SBK 110 GLASS CREAM
Description	60cm Splashback	60cm Splashback	60cm Splashback	60cm Splashback	90cm Splashback	90cm Splashback	90cm Splashback	90cm Splashback	90cm Splashback	90cm Splashback		90cm Splashback	100cm Splashback	100cm Splashback	100cm Splashback	100cm Splashback	100cm Splashback	110cm Splashback	110cm Splashback	110cm Splashback	110cm Splashback	110cm Splashback
Features																						
Toughened	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Edge finish	Polished	Polished	Polished	Polished	Polished	Polished	Polished	Polished	Polished	Polished		Polished	Polished	Polished	Polished	Polished	Polished	Polished	Polished	Polished	Polished	Polished
Installation																						
Fixing method	Self adhesive tape	Self adhesive tape	Self adhesive tape	Self adhesive tape	Self adhesive tape	Self adhesive tape	Self adhesive tape	Self adhesive tape	Self adhesive tape	Self adhesive tape		Self adhesive tape	Self adhesive tape	Self adhesive tape	Self adhesive tape	Self adhesive tape	Self adhesive tape	Self adhesive tape	Self adhesive tape	Self adhesive tape	Self adhesive tape	Self adhesive tape
Tape thickness (mm)	2	2	2	2	2	2	2	2	2	2		2	2	2	2	2	2	2	2	2	2	2
Product dimensions																						
Height (mm)	750	750	750	750	750	750	750	750	750	750		750	750	750	750	750	750	750	750	750	750	750
Width (mm)	600	600	600	600	900	900	900	900	900	900		900	1000	1000	1000	1000	1000	1100	1100	1100	1100	1100
Thickness (mm)	6	4	6	6	6	4	6	6	6	6		6	6	4	6	6	6	6	4	6	6	6
Weight (kg)	6.8	4.5	6.8	6.8	10.1	6.8	10.1	10.1	10.1	10.1		10.1	11.3	7.5	11.3	11.3	11.3	12.4	8.3	12.4	12.4	12.4
Finishes & codes																						
Black	444442907				444442908								444442909					444442910				
Stainless Shimmer		444442911				444442912								444442913					444442914			
Hot Jalapeño							444442915								444442916					444442917		
White								444442918								444442919					444442920	
Colour Union Jack			444442921							444442922												
Mono Union Jack				444442923								444442924										
Cream									444443186								444443187					444443188

SPLASHBACKS (METAL)

	60CM		70CM		80CM		90CM		100CM		110CM
											
SPECS & DIMENSIONS	SBK60	SBK60R	SBK70	SBK80	SBK90	SBK90R	SBK100	SBK100R	SBK110	SBK110R	
Description	60cm Splashback	60cm Splashback	70cm Splashback	80cm Splashback	90cm Splashback	90cm Splashback	100cm Splashback	100cm Splashback	110cm Splashback	110cm Splashback	
Features											
Toughened	-	Yes	-	-	-	Yes	-	Yes	-	Yes	
Decorative rail	-	Yes	-	-	-	Yes	-	Yes	-	Yes	
Rail type	-	T bar handle	-	-	-	T bar handle	-	T bar handle	-	T bar handle	
Rail length	-	430mm	-	-	-	800mm	-	900mm	-	1000mm	
Rail hole centres about centreline (mm)	-	352mm	-	-	-	750mm	-	750mm	-	750mm	
Fixing hole position (flange or inboard)	Flange	Flange	Flange	Flange	Flange	Flange	Flange	Flange	Flange	Flange	
Hole centres about centreline (mm)	400	400	500	600	700	700	800	800	900	900	
Product dimensions											
Height (mm)	750	750	750	750	750	750	750	750	750	750	
Width (mm)	600	600	700	800	900	900	1000	1000	1100	1100	
Thickness (mm)	10	10	10	10	10	10	10	10	10	10	
Weight (kg)	6	6.5	6.7	7.8	9	9.7	10.2	11	11	11.9	
Finishes & codes											
Stainless Steel	444449519	444449520	444449522	444449523	444449524	444449525	444449527	444449528	444449530	444449531	
Black	444449521	-	-		444449526	-	444449529	-	444449532	-	

Splashback models: SBK60R, SBK90R, SBK100R, SBK110R come with 2 hooks.

COOLING AND REFRIGERATION




PRODUCT OVERVIEW	ILF800	IFZ800	IFF7030	IFF5050	IFF5050 FF	IFF7030 FF
Description	Built-Under larder	Built-Under freezer	Built-In 70/30 combi	Built-In 50/50 combi	Built-In frost free 50/50 combi	Built-In frost free 70/30 combi
Features						
Total gross capacity (litrs)	130	96	283	242	230	280
Total net capacity (litrs)	128	87	244	224	217	240
Frost free operation	-	-	-	-	Yes	Yes
Handle type	None – integrated product	None – integrated product	None – integrated product	None – integrated product	None – integrated product	None – integrated product
Hinge type	Heavy duty metal hinges	Heavy duty metal hinges	Slider	Slider	Slider	Slider
Reversible doors	Yes	Yes	Yes	Yes	Yes	Yes

SPECS & DIMENSIONS

c/c/h/c free	Yes	Yes	Yes	Yes	Yes	Yes
Refrigerant type	R600a	R600a	R600a	R600a	R600a	R600a
Energy rating	A+	A+	A+	A+	A+	A+
Energy consumption (kwh/year)	118	186	271	269	275	277
Noise level db(a)	39	42	36	38	40	38
Replaceable door gaskets	Yes	Yes	Yes	Yes	Yes	Yes
Power cut safe time (hrs)	-	19	20	14	13	13
Temperature warning light	-	Yes	-	-	-	-
Mains light	-	Yes	-	-	-	-
Climate class	Sn-t	Sn-t	Sn-t	Sn-t	Sn-t	Sn-t
Fridge specification						
gross capacity (litres)	130	-	220	156	156	220
Net capacity (litres)	128	-	189	155	155	190
Adjustable thermostat	Yes	-	Yes	Yes	Yes	Yes
Defrost function	Automatic	-	Automatic	Automatic	Automatic	Automatic
Interior light	Yes	-	Yes	Yes	Yes	Yes
Furniture (fridge)						
door racks	Transparent plastic	-	Solid white	Solid white	Solid white	Solid white
Dairy compartment with lid	1	-	1	1	1	1
Bottle shelf	1	-	1	1	1	1
Door storage	-	-	2	1	1	2
Egg trays	1	-	1	1	1	1
Shelf type	Glass	-	Glass	Glass	Glass	Glass
Number of shelves	2 + 1 half depth + salad crisper	-	3 + salad crisper cover	3 + salad crisper cover	3 + salad crisper cover	3 + salad crisper cover
Wine rack	-	-	Chrome	Chrome	Chrome	Chrome
Salad drawer(s)	Hidden compartment	-	2 half depth	2 half depth	2 half depth	2 half depth clear plastic
Salad drawer cover	Glass	-	Glass	Glass	Glass	Glass
Freezer specifications						
gross capacity (litres)	-	96	63	86	74	60
Net capacity (litres)	-	87	55	69	62	50
Star rating	-	4	4	4	4	4
Fast freeze	-	Yes	-	-	-	-
Adjustable thermostat	-	Yes	Controlled by fridge thermostat	Controlled by fridge thermostat	Controlled by fridge thermostat	Controlled by fridge thermostat
Defrost function	-	Manual	Manual	Manual	Frost free	Frost free
Freezing capacity (kg/24 hrs)	-	10	4	4	3.5	2.5
Furniture (freezer)						
freezer front type	-	Transparent plastic	Transparent plastic	Transparent plastic	Transparent plastic	Transparent plastic
No. Of drawers/baskets	-	3	3	4	4	3
Freezer shelf with flap	-	-	-	-	-	-
Fruit freezing tray	-	-	-	-	-	-
Ice cube tray	-	Yes	Yes	Yes	Yes	Yes
Installation						
current (A)	0.35	0.3	0.5	0.5	0.5	0.6
Connection rating (W)	60	55	100	90	90	115
Levelling feet	Yes	Yes	-	-	-	-
Rear rollers	-	-	-	-	-	-
Fuse rating (a)	13	13	13	13	13	13
Fitted 3 pin plug	Yes	Yes	Yes	Yes	Yes	Yes
Product dimensions						
height (mm)	820	820	1776	1776	1776	1776
Width (mm)	598	598	540	540	540	540
Depth (mm)	545	545	535	535	535	535
Weight (kg)	30	33	58	60	58	60
Finishes & codes						
Integrated	444441928	444441929	444441930	444441931	444441932	444442927

DISHWASHERS



PRODUCT OVERVIEW	IDW450 MK2	IDW604 MK2
Features		
No. of place settings	9	12
No. of temperature levels	4	4
Delay timer	Yes	Yes
Drying type	Residual heat	Residual heat
Rinse aid refill indicator	Yes	Yes
Salt refill indicator	Yes	Yes
Adjustable water softener	Yes	Yes
Overflow protection	Yes	Yes
Adjustable upper basket	Yes	Yes
Removable cutlery basket	Yes	Yes
Adjustable racking	Yes	Yes
Half load	-	Yes
Programmes		
No. of programmes	6	6
Normal wash	Yes	Yes
Rinse and hold	Yes	Yes
Intensive wash	Yes	Yes
Rapid/Quick Wash	Yes	Yes
Economy wash	Yes	Yes
Glass/delicate wash	Yes	Yes
Performance		
Water consumption (Litres/cycle)	10.5	12
Energy consumption (KWh/cycle)	0.74	1.05
Energy Rating	A+	A+
Cleaning rating	A	A
Drying rating	A	A
Noise level (dB)	49	49
Installations		
Fuse size	13	13
Fitted 3 pin plug	Yes	Yes
Product Dimensions		
Height (mm)	850	850
Width (mm)	445	600
Depth (mm)	580	580
Weight (kg)	34	40
Finishes & codes		
Integrated (White)	444440455	444440454

WINE COOLERS



PRODUCT OVERVIEW	150SSWC MK2	300SSWC MK2	600SSWC MK2	150BLKWC	300BLKWC	600BLKWC
Description	150mm Wide wine cooler	300mm Wide wine cooler	600mm Wide wine cooler	150mm Wide wine cooler	300mm Wide wine cooler	600mm Wide wine cooler
Features						
Capacity (bottles)	7	18	46	7	18	46
Capacity (litres)	22	58	145	22	58	145
Adjustable thermostat	Yes	Yes	Yes	Yes	Yes	Yes
Temperature range	5 - 22 °C	5 - 22 °C	5 - 22 °C	5 - 22 °C	5 - 22 °C	5 - 22 °C
Interior light	Yes - LED	Yes - LED	Yes - LED	Yes - LED	Yes - LED	Yes - LED
Door type	Stainless frame	Stainless frame	Stainless frame	Stainless frame	Stainless frame	Stainless frame
Handle type	Exterior pole handle	Exterior pole handle	Exterior pole handle	Exterior pole handle	Exterior pole handle	Exterior pole handle
Reversible doors	Yes	Yes	Yes	Yes	Yes	Yes
Digital temperature display	Yes (single temp.)	Yes (single temp.)	Yes (dual temp.)	Yes (single temp.)	Yes (single temp.)	Yes (dual temp.)
Led colour	Blue	Blue	Blue	Blue	Blue	Blue
Number of shelves	6	6	6	6	6	6
Shelf type	Chrome wire	Wooden	Wooden	Chrome wire	Wooden	Wooden
Technical specification						
Cfc/h/c free	Yes	Yes	Yes	Yes	Yes	Yes
Refrigerant type	R600a (20g)	R600a (22g)	R600a (33g)	R600a (20g)	R600a (22g)	R600a (33g)
Energy rating	D	B	C	D	B	C
Energy consumption (kwh/year)	269	181	247	269	181	247
Noise level db(a)	39	39	39	39	39	39
Replaceable door gaskets	Yes	Yes	Yes	Yes	Yes	Yes
Mains light	LED display	LED display	LED display	LED display	LED display	LED display
Climate class	N	N	N	N	N	N
Installation						
Current (a)	0.4	0.6	1.2	0.4	0.6	1.2
Connection rating (w)	65	85	100	65	85	100
Levelling feet	Front & rear	Front & rear	Front & rear	Front & rear	Front & rear	Front & rear
Rated voltage/frequency	220-240V / 50Hz	220-240V / 50Hz	220-240V / 50Hz	220-240V / 50Hz	220-240V / 50Hz	220-240V / 50Hz
Fuse rating (a)	13	13	13	13	13	13
Fitted 3 pin plug	Yes	Yes	Yes	Yes	Yes	Yes
Dimensions						
Height (mm)	870-890	870-890	870-890	870-890	870-890	870-890
Width (mm)	148	295	595	148	295	595
Depth (mm)	525 (without handle) 570 (with handle)	568 (without handle) 613 (with handle)	568 (without handle) 613 (with handle)	525 (without handle) 570 (with handle)	568 (without handle) 613 (with handle)	568 (without handle) 613 (with handle)
Weight (kg)	19	29	47	19	29	47
Finishes & codes						
Stainless Steel	444440917	444440918	444440919	444443281	444443282	444443283

TABLE TOP COOKING



PRODUCT OVERVIEW	MK318	BABY BELLING 121R	BABY BELLING 321R	BABY BELLING STAND
Features				
Hob	Yes – 2 elements	Yes – 2 elements	Yes – 2 elements	-
Grill	Yes	Yes	Yes	-
Large element rating	1.5KW	-	-	-
Heat settings	6	-	-	-
Small element rating	1.0KW	-	-	-
Heat settings	6	-	-	-
Oven				
Oven type (fanned/conventional)	Conventional	Conventional	Conventional	-
Capacity	28lt	-	-	-
Grill				
Power (kw)	1.0KW	1.5KW	1.5KW	-
Heat settings	Fixed	Fixed	Fixed	-
Grill pan	Yes	Yes	Yes	-
Grill pan trivet	Yes	Yes	Yes	-
Grill pan handle	No	No	No	-
Installation				
Fuse size (a)	13	13	32	-
Product dimensions				
Height (mm)	335	409	409	532
Width (mm)	595	482	482	482
Depth (mm)	385	430	430	419
Weight (kg)	18.3	23	23	5
Finishes & codes				
White	444442306	444440335	444440336	-
Black		444440668	444440669	-

LAUNDRY



PRODUCT OVERVIEW	IWM7KG WASHING MACHINE
Features	
Half load	-
Delay timer	Yes 0-24hr
Full spin speed (rpm)	1200
Variable spin speed (rpm)	400 - 1200
Variable rinse	Yes
Washing Capacity (kg)	7
Programmes	
No of washing programmes	12
No of drying programmes	-
Performance	
Energy Rating	A+
Washing rating	A
Drying rating	-
Water consumption (Litres/cycle)	52
Energy consumption (KWh/cycle)	1.19
Noise level (dB)	65dBA
Installations	
Water supply	Cold fill
Fuse size (A)	10
Fitted 3 pin plug	Yes
Product Dimensions	
Height (mm)	830
Width (mm)	600
Depth (mm)	540
Weight (kg)	71
Finishes & codes	
Integrated (White)	444441080

BEHIND GREAT BRITISH DESIGN



GREAT BRITISH DESIGN AND MANUFACTURING IN
THE HEART OF YOUR HOME. A COLLABORATION WITH
LEADING BRITISH DESIGNER SEBASTIAN CONRAN.



DESIGN • SEBASTIAN CONRAN



www.belling.co.uk