Product data sheet

Specifications





APC Smart-UPS SRT 19 inch Rail Kit for Smart-UPS SRT 5/6/8/10kVA

SRTRK2

Overview

Presentation	Accessory solutions to tailor the Smart-UPS to meet your specific needs.
Lead time	Usually in Stock

Main

Product or Component Type	Rail
Provided Equipment	Installation guide Mounting Hardware
Range of Product	Smart-UPS Accessories

Physical

Color	Gray
Height	1.7 in (4.4 cm)
Width	20.7 in (52.7 cm)
Depth	3.5 in (8.9 cm)
Net Weight	6.02 lb(US) (2.73 kg)
Mounting Mode	Rack-mounted

Environmental

Ambient Air Temperature for Operation	-105284 °F (-76140 °C)
Operating altitude	010000 ft
Relative Humidity	095 % non-condensing
Ambient Air Temperature for Storage	-105284 °F (-76140 °C)
Storage altitude	010000 ft (0.00000000003048.0000000000 m)

Ordering and shipping details

GTIN	731304313113
Country of origin	PH

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.8 in (7.1 cm)
Package 1 Width	27.4 in (69.6 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Length	5.6 in (14.2 cm)
Package 1 Weight	8.02 lb(US) (3.64 kg)
Unit Type of Package 2	P12
Number of Units in Package 2	10
Package 2 Height	19.7 in (50 cm)
Package 2 Width	31.5 in (80 cm)
Package 2 Length	47.2 in (120 cm)
Package 2 Weight	142.53 lb(US) (64.65 kg)

Contractual warranty

Warranty 2 years repair or replace



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Take-back Transparency RoHS/REACh

Resource performance



Take-Back Program Available

Well-being performance



Reach Free Of Svhc



Lead Free

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information