

# JTouch

## Interactive Displays



Touchscreen displays to enhance  
collaboration & captivate audiences

# JTouch Whiteboard

Stop taking photos of your old dry erase board and step up to a digital whiteboard. You'll never lose an idea and your meetings will be more efficient and productive.

- Built-in, full-featured digital whiteboard
- 65-inch 1080p display with multi-touch interactivity
- Display a computer and control it from the touchscreen



## Interactive Whiteboard

Draw, write, and capture notes.

- Capture and save whiteboard notes electronically
- Create a whiteboard on a multi-screen canvas, with room for free-form drawings, diagrams, and notes
- Use it with or without a stylus
- Write or draw with complete collection of digital pens, highlighters, shapes, lines and colors
- Paste images on whiteboard



## Capacitive Touch

The ultra-responsive technology found in tablets and smart phones is now in your whiteboard.

- No calibration required
- Works with finger, stylus, and medical grade gloves
- Sleek, bezel-less technology

Available in the INF6502WB, INF6502WBp, INF6502WBAG, and INF6502WBAGp models.

## Full Touch Control

Display your PC, Mac, or Chromebook and control it from the display via touch.

- Display your computer via HDMI, VGA, or component video
- Enable touch from your computer via USB
- Extend the reach of your computer's USB ports with the 65-inch display's easily-accessible 4-port USB hub

**“The major benefits of the JTouch are flexibility and engagement. The students love to come up and work out problems.”**

– Mrs. Sbarbaro, 8th Grade Math Teacher

Display	INF6501w / INF6501wp	INF6501wAG / INF6501wAGp	INF6502WB/INF6502WBp	INF6502WBAG/INF6502WBAGp
Size			65"	
Resolution			Full HD (1920 x 1080)	
Anti-Glare	N/A	Yes	N/A	Yes
Computer Touch Compatibility		PC, Mac, Chromebook		
Touch Technology	IR		PCAP	

# JTouch with Wireless Collaboration

High Definition touchscreen displays with wireless connectivity enhance your presentation, teamwork, and content sharing capabilities.

- 65-inch 1080p display with multi-touch interactivity
- Connect mobile devices and share content wirelessly
- Built-in, full-featured digital whiteboard
- Access the Internet with the built-in web browser



## Wireless Collaboration

Easily connect and share content from any computer or mobile device. You'll make meetings and lessons of all types more efficient and engaging and make team work easier than ever.

- Connect via free mobile apps and utilize extra features:
  - Annotation from your smartphone or tablet mobile device
  - Built-in support for cloud drive services
  - Use your device's camera as a document camera
- See content from four devices at once with QuadView
- The Moderator feature empowers teachers to control a classroom full of student devices and choose who is presenting
- The Follow feature lets the audience follow along with the presented content from their own device
- Connect natively with AirPlay or Miracast, or via Chrome extension
- On-board video decoding displays HD video seamlessly, even at high resolutions
- Connect to your network to create a new, secure wireless access point

## Interactive Whiteboard

Draw, write, capture, and share notes.

- Capture and save whiteboard notes electronically, directly from the display
- Scroll seamlessly as you need additional space, with room for free-form drawings, diagrams, and notes
- Write or draw with a complete collection of digital pens, highlighters, shapes, lines, and colors
- No calibration required

## Browse the Web

Access your favorite online content from the JTouch without a connected computer.

- Quickly access the web, curriculum, and file sharing platforms
- Easy access to favorites/bookmarks
- Connect the display to your network via LAN or WiFi

**"I use my iPad to cast live camera feed of what students have created at their desks to JTouch. This keeps the class moving quickly."**

**— Mrs. Joy, 5th Grade Teacher**

Display	INF6501CB / INF6501CBp	INF6501CBAG / INF6501CBAGp
Size	65"	
Resolution	Full HD (1920 x 1080)	
Anti-Glare	N/A	Yes
Computer Touch Compatibility	PC, Mac, Chromebook	
Touch Technology	IR	

# DigiEasel

Draw, write, capture notes and share your device's screen on DigiEasel's bright, colorful 40" interactive touch display.

- Unbeatable low price
- Beautiful 1080p capacitive touch display in portrait or landscape orientation
- Draw on a massive whiteboard canvas, and save and share the results
- Multiple colors, shapes, and backgrounds help you communicate your ideas
- Wirelessly display your device's screen or browse the web (IN4030CB/INF4030CBp only)
- Display your notebook via HDMI, VGA, or component video



## DigiEasel

Great ideas and conversations can happen anywhere. At 40 inches, DigiEasel is our most versatile interactive whiteboard that fits where you need it. Choose from portrait or landscape mode to fit the need of any boardroom, classroom, huddle space—anywhere you collaborate.



## Capacitive Touch

The ultra-responsive technology found in tablets and smart phones is now in your DigiEasel display.

- No calibration required
- Works with finger, stylus, and medical grade gloves
- Sleek, bezel-less technology


## Interactive Digital Signs

Impress customers and visitors with a professional interactive sign to promote your products, share news, give direction, and more. Use Sign Manager software (INS-SIGNMGR) to display your interactive signs on DigiEasel—in a variety of different environments, including offices, education, or retail.

Display	INF4030 / INF4030p	INF4030CB / INF4030CBp
Size	40"	
Resolution	Full HD (1920 x 1080)	
Anti-Glare	No	
Computer Touch Compatibility	PC, Mac, Chromebook	
Touch Technology	PCAP	

# JTouch Interactive Display

Large touchscreen displays to engage your audience and fit your budget. Combining precise touchscreen technology with a bright, colorful LCD display, the JTouch engages audiences in classrooms, boardrooms, and beyond.



# Accessories for JTouch Displays

## Mobile Carts

Move your JTouch around the room or around the building

- Integrated cable management with flexible covers to hide cables for a clean installation
- Smooth rolling casters for effortless positioning (2 locking casters)
- Height adjustment 4-6' (1.2-1.8 m)



## Lift Case

Easily store, transport, and use a 40", 55", 57", 65", or 70" flat screen display. Set up displays with only one or two people and be ready for use in less than 5 minutes.

- Full range of viewing heights
- Mounted multi-outlet surge protected power strip
- Shock-mounted lift mechanism
- Pivoting mount on 40" case enables portrait or landscape DigiEasel display
- Integrated cable management system
- 2-piece clamshell locking lid
- Stable, yet portable with four heavy duty casters



## Floor Stand For DigiEasel

Easily display a 40-inch DigiEasel or other small thin display with this sturdy floor stand. Stabilizers prevent wobbling when using the touch screen.

- Three mounting heights
- Add optional swivel mount to rotate between portrait and landscape orientations
- Height adjustment: 4' - 6' (1.2 - 1.8 m)
- 200 x 200 VESA mounting pattern



## Other Room Accessories

### Thunder Speakerphone

Collaborate efficiently with clear conversations even when people are across a large room

- Full duplex capabilities with echo cancellation and noise reduction for natural, productive conversations
- Connect via USB cable, 2.5mm audio cable or Bluetooth, or use with PC-based software
- Powered by 5V DC power adapter (included)
- Four microphones and 3-inch speaker driver for full audio coverage in a room up to 600 sq. ft. (larger with optional Mic Pods)
- Mute, volume, on-hook, off-hook and Bluetooth controls with
- Cable management for clean wire exit from the side or back
- VoiceAware microphone array with intelligent adaptive pickup



## Swivel Mount For DigiEasel

Attach this heavy-duty mount to the DigiEasel Floor Stand to rotate the 40-inch DigiEasel display between portrait and landscape orientations.

- Up to 12 degrees of smooth pivot adjustment in any direction
- Includes 200x200 VESA adapter plate and tilt adapters that allow an additional 10 degrees of tilt
- Weight capacity: 50 lbs (22.7 kg)
- Black finish

## LiteShow 4

Add the InFocus LiteShow 4 wireless presentation adapter to any display with a VGA or HDMI input to quickly and easily share data, audio, and HD video over a secure wireless connection (Comes standard with all CB models).

- Connect LiteShow 4 to your network to create a new, secure wireless access point
- On-board video decoding for fast, smooth playback
- Guests quickly connect with LiteShow USB drive
- Compatible with Windows 7, 8 and 10, Mac and iOS and Android mobile devices
- Connect and display multiple computers at the same time



## LightCast Key

Plug this USB wireless adapter into your wireless-ready display device to enable its LightCast features, such as wireless screen sharing, web browser, and wired LAN connectivity (Comes standard with all CB models).



- Cast your device's screen wirelessly to the display via Miracast (on most Windows and Android devices) or Airplay (Apple devices)
- Turn on the display's web browser capabilities and enhance its built-in whiteboard capabilities
- Enable a network connection for easy sign management

## RealCam PTZ Camera with Shelf

Add the InFocus RealCam pan/tilt/zoom (PTZ) professional-quality HD camera to any PC to make your video meetings or events shine.

- True high definition 1080p resolution
- Pan, tilt and zoom using the included remote control
- Integrated 72.5-degree wide-angle lens
- Connect to any PC via USB 2.0
- HD-SDI and DVI-I outputs also available
- Use seamlessly with any software running on any OS
- Pan angle of -170 to +170 degrees
- Tilt angle of -30 to +90 degrees
- Power adapter required (not supplied)



# Specifications\*

Display	INF4030 INF4030p	INF4030CB INF4030CBp	INF5701 INF5701p	INF6501w INF6501wp INF6501wAG INF6501wAGp	INF6501CB INF6501CBp INF6501CBAG INF6501CBAGp	INF6502WB INF6502WBp INF6502WBAG INF6502WBAGp	INF7001a INF7001ap	INF8002***			
Size	40" diagonal		57" diagonal	65" diagonal			70" diagonal	80" diagonal			
Resolution				Full HD 1920 x 1080			4K (3840 x 2160)				
Anti-Glare	N/A			Yes - INF6501wAG/INF6501wAGp and INF6501CBAG/INF6501CBAGp			Yes - INF60502WBAG and INF6502WBAGp				
Wireless Display (Casting)	N/A	Yes	N/A	N/A	Yes	N/A					
Mounting Orientation	Portrait or Landscape			Landscape							
Technology	LED edge-lit LCD					Direct WLED backlight	LED edge-lit LCD				
Pixel Pitch	0.15 mm horizontal, 0.45 mm vertical	0.67mm	0.63mm			0.248x0.744mm	0.63mm	0.46mm			
Response Time	8.5ms	9.5ms	6.5 ms			6 ms					
Contrast Ratio	5000:1					4000:1					
Brightness	300 cd/m <sup>2</sup>	370 cd/m <sup>2</sup>	400 cd/m <sup>2</sup>			350 cd/m <sup>2</sup>	350 cd/m <sup>2</sup>	400 cd/m <sup>2</sup>			
Input Connections	HDMI x4, VGA, component, composite, 3.5mm audio in, RCA stereo audio in, RS232, USB-B for touch screen control, USB-A x2 on panel, USB-A x2 on bottom for embedded software		HDMI x2, VGA, RS232, RCA stereo audio in, 3.5mm stereo audio in, USB-B for touch screen control	HDMI x4, VGA, component, composite, USB hub (USB 3.0 x4), 3.5mm audio in, RCA stereo audio in, RS232, USB-B for touch screen control			HDMI x2, VGA, RS232, RCA stereo audio in, 3.5mm stereo audio in, 3.5mm microphone in, USB-B for touch screen control	HDMI x2, VGA, RS232, RCA stereo audio in, 3.5mm stereo audio in, 3.5mm microphone in, USB-B for touch screen control			
Output Connections	RCA audio out		RCA audio out, 3.5 mm stereo audio out	RCA audio out			RCA audio out, 3.5 mm stereo audio out				
Touch Technology	Edge to edge PCAP			IR multi-touch system			Edge to edge PCAP	IR multi-touch system			
Touch Points	16	5	6			16	5				
Speakers (Integrated)	10W x 2			10W x 2			7W x 2				
Mount	VESA standard 200 x 200mm M6 screws							VESA 400 x 600mm M6 screws			
Accessories Included	Power cord, VGA & USB cable, tray, stylus, and documentation										
Product Weight	44lbs / 20kg	124lbs / 56kg	110.2lbs / 50.1kg			117.5lbs / 53.5kg	154lbs / 70kg	TBD			
Product Dimensions (H x W x D)	21.8 x 38.3 x 4.5in. 533 x 974 x 113mm	34.9 x 56.7 x 3.7in. 856 x 1388 x 91mm	36.4 x 60.2 x 3.3in. 925 x 1529 x 84mm			32.3 x 59.9 x 3.3in 895 x 1520.5 x 83.1mm	39 x 65.7 x 4in. 991 x 1669 x 102mm	46.3 x 74.8 x 4in. 1176 x 1900 x 101mm			
Shipping Weight	56.4lbs / 25.6kg	153lbs / 69kg	150lbs / 68.2kg			148.4lbs / 67.3kg	170lbs / 77.1kg	201lbs / 91.2kg			
Shipping Dims (H x W x D)	28.1 x 41.9 x 7.9in. 715 x 1063 x 200mm	42.5 x 63.5 x 10in. 1080 x 1613 x 254mm	40 x 68 x 9.5in. 1016 x 1727 x 241mm			69 x 10.6 x 44. in / 1752 x 270 x 1128mm	49 x 73 x 10.5in. 1245 x 1854 x 267mm	53.5 in. x 83.5 x 10.5in. / 1359 x 2121 x 267mm			
Warranties	1 Year			2 Year			1 Year				

\*\*\*Available only in North America

## Wireless Collaboration Solution (available in INF6501CB/INF6501CBp, INF6501CBAG/INF6501CBAG, and INF4030CB/INF4030CBp - Includes both LiteShow 4 and LightCast Key)

App-based Casting Compatibility	Windows, Apple OSX, Android, IOS, and Chrome OS (LiteShow Manager and MirrorOp app**)
Native Casting Compatibility	Chrome and specific versions of Android, Windows, and Apple operating systems (Airplay*, Miracast*, and InFocus LightCast Sender**)
Wireless Range	Up to 300 ft/91 m
Data Rate	Wireless: Up to 150 Mbps LAN: 10/100
Wi-Fi Compliant	802.11 b/g/n with MIMO
Security	IEEE Standard 64/128 bit WEP/WPA/WPA2-PSK/WPA-Enterprise
Connectivity	802.11 b/g (2 dipole antenna), RJ-45 (10Base-TX), VGA, HDMI, USB Type A x 3, 3.5 mm audio out
Video/Audio Decoding	MPEG1, MPEG2, MPEG4, DivX®@3/4/5, Xvid, WMV 9, MP3, WMA
Warranty	1 Year

\*\*Check with your manufacturer for details

## Additional Display Specifications

Refresh Rate: 120 Hz  
Viewing Angle: 176°  
Computer Touch Compatibility (via USB): PC, Mac, Chromebook  
Power: AC 100 to 240V, 50/60 Hz  
Operating Conditions: 32° to 104° F at 0 to 10K feet / 0° to 40° at 0 to 3,048 m  
Noise: <40dBA at 77 F / 25 C

## Accessories

Wall Mount for 50-70 Inch Display (INF-WALLMNT2)  
Mobile Carts for 57-70 Inch Display (INF-MOB CART, INF-MOB CART PRO-B, INF-MOB CART PRO-S)  
Wall Mount for 80-Inch Display (INF-WALLMNT3)  
Mobile Cart for 80-Inch Display (INF-MCART-PL)  
Deluxe Mobile Cart with PTZ Mount and Accessory Shelf (INA-MCARTDX)  
Lift Assist Mount for 57-70 Inch Display (INA-MNTBB70)  
Lift Assist Mount for 80-Inch Display (INA-MNTBB95)  
Floor Support for Lift Assist Wall Mount (INA-SUPPORTBB)  
Mobile Cart for List Assist Mount (INA-CARTBB)  
VESA Interface Bracket for Lift Assist Mount (INA-VESABB)  
DigiEasel Floor Stand (INA-STNDSM)  
LiteShow 4 (INLITESHOW4)

LightCast Key (INA-LCKEY1, INA-LCKEY2, INA-LCKEY3 - selection is location dependent)  
RealCam PTZ Camera with Shelf (INA-PTZ-3)  
Thunder Speakerphone (INA-TH150)  
Touchscreen Stylus (INA-STYLUS)  
Extended Warranties  
40-Inch (EPWHD40JT1, EPWHD40JT2)  
57-Inch (EPWHD57JT1)  
65-Inch (EPWHD65JT1)  
70-Inch (EPWHD70JT1)  
80-Inch (EPWHD80JT1, EPWHD80JT2)

\* Product specifications, terms, and offerings are subject to change at any time without notice.

