ThinkCentre M820z AIO 10SC003BUS

Product

ThinkCentre M820z AIO

Region NA

Country/Region

Machine Type 10SC

TopSeller TopSeller

Processor Intel Core i5-9400 (6C / 6T, 2.9 / 4.1GHz, 9MB)

Chipset Intel B360 Chipset

Graphics Integrated Intel UHD Graphics 630

Memory 1x 8GB DDR4-2666

Storage 1x 256GB SSD M.2 2280 PCIe x4 NVMe

Optane Memory None

Optional Bay None

Front Access HDD None

Optical DVD±RW

Media Reader 3-in-1 Card Reader

Display 21.5" FHD (1920x1080) In-Plane Switching Technology Anti-glare

Touchscreen 10-point Multi-touch

Microphone 2x, Array

Camera 1080p

Speaker 2Wx2

Ethernet Integrated 100/1000M

WLAN + Bluetooth Intel 8265 11ac, 2x2 + BT4.2

Optional Rear Ports None

Chassis Intrusion Switch None Chassis E-Lock

None Kensington Cable Lock

Dust Filter

VESA Mount VESA mount

Carry Handle None

Color Black

Stand UltraFlex III Stand

Keyboard USB Traditional Keyboard, Black, English

Mouse USB Calliope Mouse

Power Supply 150W 90% Adapter

TUV Low Noise None

Monitor Cable

System Management None

Operating System Windows 10 Pro 64, English

Bundled Software None

Base Warranty 3-year, Onsite

Bundled Service

EAN / UPC / JAN 194632894868

End of Support 2026-01-24

Announce Date 2019-12-24

Recommended Services

Best

4Y Lenovo Support (Premier Support + Keep Your Drive) (5PS0N73243)

Better

4Y Lenovo Protect (Premier Support + Keep Your Drive + Accidental Damage Protection) (5PS0N73191)

Good

3Y Premier Support Upgrade from 3Y Onsite (5WS0U26648)

Notes:

California Electronic Waste Recycling Fee

In California, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product. For more information, go to: https://www.calrecycle.ca.gov/Electronics/Consumer

L WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifcations or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.

https://psref

https://psref.lenovo.com

PSREF Visit psref website for the latest version of Product Specifcations Reference. © Lenovo, 2020. All rights reserved.



(intel)

ThinkCentre M820z Platform Specifications

Product Specifications Reference (PSREF)								
ltek RTL8821CE (dual band), adapter, 1x1	9							
altek RTL8822BE (dual band),								
adapter, 2x2								

Len

Processor	Intel [®] Celeron [®] , Intel	Intel® Celeron®, Intel Pentium®, or 8th / 9th Gen Intel Core™ i3 / i5 / i7 / i9 series WLAN Some: 11ac wireless, M.2 Card, Realtek RTL8821CE (dual band),							(dual band),		
	Processor	Cores / Threads	Frequency Base/Max(GHz)	Cache	Memory Support (Up to)	Integrated Graphics		Wi-Fi + Bluetooth 4.2 combo adapter, 1x1 Some: 11ac wireless, M.2 Card, Realtek RTL8822BE (dual band),			
	Celeron G4900	2/2	3.1G	2 MB	DDR4-2400	UHD 610		Wi-Fi + Bluetooth 4.2 combo adapter, 2x2 Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 3165,			
	Celeron G4920	2/2	3.2G	2 MB	DDR4-2400	UHD 610		Wi-Fi + Bluetooth 4.2 combo adapter, 1x1			
	Celeron G4930	2/2	3.2G	2 MB	DDR4-2400	UHD 610		Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 8265,			
	Celeron G4950	2/2	3.3G	2 MB	DDR4-2400	UHD 610		Wi-Fi + Bluetooth 4.2 combo adapter, 2x2			
	Pentium Gold G5400	2/4	3.7G	4 MB	DDR4-2400	UHD 610	Bluetooth™ Ethernet	Some: Bluetooth 4.2 wireless, integrated in Wi-Fi + BT combo adapter Gigabit ethernet, Realtek RTL8111G, Wake on LAN®			
	Pentium Gold G5420	2/4	3.8G	4 MB	DDR4-2400	UHD 610	Manageability	None			
						UHD 630	Security chip	Discrete TPM 2.0, TCG Certified			
	Pentium Gold G5600	2/4	3.9G	4 MB	DDR4-2400	UHD 630		ures • Security slot (in rear for attachment of • Power-on, admin, hard disk passwo			
	Pentium Gold G5620	2/4	4.0G	4 MB	DDR4-2400	UHD 630		optional Kensington [®] MicroSaver [®] cable; • Boot sequence control			
	Core i3-8100	4/4	3.6G	6 MB	DDR4-2400	UHD 630		Kensington lock also locks chassis) Boot without keyboard and mouse 			
	Core i3-8300	4/4	3.7G	8 MB	DDR4-2400	UHD 630		 Smart USB protection, allows keyboard/ Individual USB port disablement Optional Chassis intrusion switch 			
	Core i5-8400	6/6	2.8G / 4.0G	9 MB	DDR4-2666	UHD 630					
	Core i5-8500	6/6	3.0G / 4.1G	9 MB	DDR4-2666	UHD 630	Keyboard	Some: Lenovo Calliope Keyboard (USB connector), black Some: Lenovo Traditional Keyboard (USB connector), black			
	Core i5-8600	6/6	3.1G / 4.3G	9 MB	DDR4-2666	UHD 630		Some: Lenovo Calliope Wire	ess Keyboard (2 4GHz vi	a USB receiver) black	
	Core i7-8700	6/12	3.2G / 4.6G	12 MB	DDR4-2666	UHD 630	Mouse	Some: Lenovo Calliope Mous	se (USB connector), black		
	Core i3-9100	4/4	3.6G / 4.2G	6 MB	DDR4-2400	UHD 630	_	Some: Lenovo Fingerprint M	ouse (USB connector), W	indows Hello support, black	
	Core i3-9300	4/4	3.7G / 4.3G	8 MB	DDR4-2400	UHD 630		Some: Lenovo Calliope Wire	ess Mouse (2.4GHz via L	JSB receiver), black	
	Core i5-9400	6/6	2.9G / 4.1G	9 MB	DDR4-2666	UHD 630	Mechanical	 Business black color 			
	Core i5-9500	6/6	3.0G / 4.4G	9 MB	DDR4-2666	UHD 630	-		ess back cover, stand, memory removal		
	Core i5-9600	6/6	3.1G / 4.6G	9 MB	DDR4-2666	UHD 630	-	Support VESA mount (100r	nm)		
	Core i7-9700	8/8	3.0G / 4.7G	12 MB	DDR4-2666	UHD 630	-	Dimensions (WxDxH)	Max weight (lb / kg)	Adjustments	
	Core i9-9900	8/16	3.1G / 5.0G	16 MB	DDR4-2666	UHD 630	_		Vithout stand (No camera):		
Memory	32GB max (16GB SC	D-DIMM o	nly available via	special b	id models), DDF	4-2666*,		19.3 X 1.9 X 12.6 (inch) 491 X 49 X 321 (mm)	(Touch) 11.6 / 5.25 (Non-touch) 11.1 / 5.05	N/A	
,	two 260-pin SO-DIMM sockets, dual-channel capable					With Full F	camera):				
	* System clocks down	n for the p	processors with le	ower mei	mory controller					Tilt: 45° back, -5° forward;	
Storage	Some: Hard Drive / S	SATA 6 00	3b/s 2.5" 5400	rom or 7	200 rpm		-	19.3 X 9.9 X 14.8 to 19.1 (inch) 491 X 252 X 377 to 486 (mm)	(Non-touch) 15.8 / 7.18	Lift: 110mm;	
ototago	Some: Hard Drive / SATA 6.0Gb/s, 2.5", 5400 rpm or 7200 rpm Some: Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5"				· · · · ·		Swivel: +/-45°				
	Some: M.2 SSD (2242 / 2280) / PCIe NVMe, PCIe 3.0 x2 or PCIe 3.0 x4 Some: Intel Optane™ Memory (not support Celeron / Pentium Processor), M.2					4		With UltraFlex III stand (No camera):			
Optical	Some: Intel Optane Some: DVD-ROM S				entium Processo	or), M.2		19.3 X 9.9 X 13.2 to 16.4 (inch)	(Touch) 17.3 / 7.85	Tilt: 70° back, -5° forward; Lift: up to 136mm (flat mode) /	
Optical	Some: DVD Burner				lim (9.0mm)			491 X 252 X 335 to 417 (mm)	(Non-touch) 16.9 / 7.65	up to 82mm (vertical mode);	
Media reader	Optional 3-in-1 media	a card rea	der	. 2				,	(,	Swivel: +/-45°	
Graphics	Intel HD Graphics 610/630 in processor, uses main memory, DirectX [®] 12,						-	Note: Ca	mera adds 22mm in height (V	/ertical)	
	external monitor support via DisplayPort™;					,	Power supply	150 watts, autosensing, 90%	PSU		
Max resolution: 4096x2304 (DP)@60Hz, 1920x1080 (Panel)@60H						- !	Limited warranty ³				
Display	21.5 " (546.1mm) Full HD 1080p (1920x1080) TFT color , Borderless design,					sign,	Linned warranty	Some: 1-year or 3-year, lim			
	TFT-LCD, In-Plane Switching technology (In-Plane Switching may refer to IPS, PLS, ADS, AHVA, and AA), wide viewing angle (+/- 89°), LED backlight, 250 nits,					250 nits.	Preload	Preloaded operating system Some: Windows 10 Pro 64-bit			
	16:9 aspect ratio, 100	16:9 aspect ratio, 1000:1 contrast ratio, anti-plare, support Low Blue Light Mode Optional multi-touch, supports 10-point, AIT (Advanced In-cell Touch) technology					1 TOTOLIC				
Multi-touch	Optional multi-touch,	supports	10-point, AIT (A	dvanced	In-cell Touch) teo	chnology		Some: Windows 10 Home 6			
Camera	Optional 1080p came off, supports multi-de							Preloaded applications (onl	y some listed)		
Controls	Physical buttons on s	ide for mi	crophone mute a	and powe	er on/off	20)		 Lenovo Vantage Microsoft Office preloaded: 	nurchase a product key to	activate	
Chipset	Intel B360 Chipset						-	 Microsoft Office preloaded; purchase a product key to activate Cyberlink PowerDVD (only for models with DVD / DVD±RW) 			
•						15)	-	 Cyberlink Power2GO (only for models with DVD±RW) 			
Rear ports*	Four USB 3.1 Gen1 (one supports Smart Power On), one ethernet (RJ-45), one DisplayPort, one optional serial (9-pin).					+5 <i>)</i> ,		• LinkedIn			
Side ports*	one USB 3.1 Gen2 (one is Always On and fast charge), one USB 3.1 Type-C Gen 1,					e-C Gen 1	Environment ENERGY STAR [®] 7.0*, EPEAT™ Silver rating* (*not for non-OS				
	one optional card reader, one headphone / microphone combo jack (3.5mm)					mm)	, 	TCO AIO Computer certified,			
MO cord dat	* Depending on many factors, actual data transfer speed may be lower than theoretical speed Two M.2 Card slots (one for WLAN, one for SSD/Optane)					tical speed		(for Full Function Monitor Stand only), TUV Low Blue Light certified, TUV Ultra Low Noise certified (on some models), RoHS-compliant			
M.2 card slot							MIL-SPEC test		· /·		
Audio support	Audio support High Definition (HD) Audio, Realtek ALC233 / two internal speakers (2W x 2), Dolby [®] Audio™ Premium					MIL-SPEC test MIL-STD-810G military certification (Low Pressure [Altitude], High Temperature, Low Temperature, Temperature Shock, Humidity, Sand and Dust, Vibration, Shock, Fu					
							Accessories	For compatible accessories, please go to http://smartfind.lenovo.com			
							10000001100	1 of companyie accessories, μ	iouse go to mup.//smarti		

ThinkCentre M820z AIO







(intel) inside



(intel)

