ThinkCentre M90a 11JX0005US

Product

ThinkCentre M90a

Region

NA

Country/Region

USA

Machine Type

11JX

TopSeller

TopSeller

Processor

Intel Core i5-10500 (6C / 12T, 3.1 / 4.5GHz, 12MB)

Chipset

Intel Q470 Chipset

Graphics

Integrated Intel UHD Graphics 630

Memory

1x 8GB

Storage

1x 256GB SSD M.2 2280 PCIe x4 NVMe Opal

Optane Memory

None

Optical

DVD±RW

Media Reader

3-in-1 Card Reader

Display

23.8" FHD (1920x1080) In-Plane Switching Technology Anti-glare with PrivacyGaurd

Touchscreen

None

Microphone

2x, Array

Camera

1080p

Speaker

3Wx2 Ethernet

Integrated 100/1000M

WLAN + Bluetooth

Intel AX201 11ax, 2x2 + BT5.1

Optional Rear Ports

None

Chassis Intrusion Switch

None

Chassis E-Lock

None

Kensington Cable Lock

None

Dust Filter

None

VESA Mount

VESA mount

Carry Handle

None

Color

Black

Stand

Full Function Monitor Stand

Keyboard

USB Traditional Keyboard, Black, English

Mouse

USB Calliope Mouse

Power Supply

170W 89% Adapter

TUV Low Noise

None

Monitor Cable None

System Management

Intel vPro

IIILEI VEIO

Operating System

Windows 10 Pro 64, English

Bundled Software

None

Base Warranty

3-year, Onsite

Bundled Service

None

EAN/UPC/JAN

195042542042

End of Support

2027-01-04

Announce Date

2020-05-26

Recommended Services

Good

3Y Premier Support upgrade from 3Y Onsite (5WS0V08537)

Notes:

California Electronic Waste Recycling Fee

In California, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product. For more information, go to: https://www.calrecycle.ca.gov/Electronics/Consumer



WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



https://psref.lenovo.com

Visit psref website for the latest version of Product specifications Reference.

© Lenovo, 2020. All rights reserved.





ThinkCentre M90a Platform Specifications

Processor	Intel® Celeron®, Intel Pentium®, or 10th Gen Intel Core™ i3 / i5 / i7 / i9 Processor						Bluetooth™				
	Processor	Cores / Threads	Frequency Base/Max*(GHz)	Cache	Memory Support (Up to)	Integrated Graphics	Ethernet Manageability	Gigabit ethernet, Intel Ethernet Connection I219-LM (Jacksonville), Wake on LAN® Intel Active Management Technology 14.0 (Intel AMT 14.0);			
	Celeron G5900	2/2	3.4G	2 MB	DDR4-2666	UHD 610]	Intel vPro technology on some models (require choosing a vPro-support Wi-Fi adapter to enable vPro function through wireless connection) Discrete TPM 2.0, TCG Certified		ort Wi-Fi	
	Celeron G5920	2/2	3.5G	2 MB	DDR4-2666	UHD 610]				
	Pentium Gold G6400	2/4	4.0G	4 MB	DDR4-2666	UHD 610	Security chip				
	Pentium Gold G6500	2/4	4.1G	4 MB	DDR4-2666	UHD 630	Security features				
	Pentium Gold G6600	2/4	4.2G	4 MB	DDR4-2666	UHD 630]	 Optional Chassis intrusion switch Self-Healing BIOS Boot without keyboard and mouse Individual USB port disablement 			
	Core i3-10100	4/8	3.6G / 4.3G	6 MB	DDR4-2666	UHD 630	1		vacyGuard screen • Individual USB port disable • Smart USB protection, allow		
	Core i3-10300	4/8	3.7G / 4.4G	8 MB	DDR4-2666	UHD 630	1		dmin, hard disk password mouse only, blocks all stora		
	Core i3-10320	4/8	3.8G / 4.6G	8 MB	DDR4-2666	UHD 630	¬	Some: Lenovo Calliope Keyboard (USB connector), black			
	Core i5-10400	6/12	2.9G / 4.3G	12 MB	DDR4-2666	UHD 630	1	Some: Lenovo Traditional Keyboard (USB connector), black			
	Core i5-10500	6/12	3.1G / 4.5G	12 MB	DDR4-2666	UHD 630	Mouse	Some: Lenovo Calliope Mouse (USB connector), black			
	Core i5-10600	6/12	3.3G / 4.8G	12 MB	DDR4-2666	UHD 630	1	Some: Lenov	o Fingerprint Mouse (USB connector), Windows Hello su	upport, black	
	Core i7-10700	8/16	2.9G / 4.8G	16 MB	DDR4-2933	UHD 630	Mechanical	Business bla	ack color		
	Core i9-10900	10 / 20	2.8G / 5.2G	20 MB	DDR4-2933	UHD 630	1	Toolless back cover, stand removal			
Memory		1		1			1	Support VESA mount (100mm)			
ivieliloi y	64GB max (32GB SO-DIMM only available via special bid models), DDR4-3200*, two 260-pin SO-DIMM sockets, dual-channel capable					•		Privacy Gaurd ODD	Dimensions (WxDxH)	Approx weight (lb / kg)	
	* System automatically clocks down for the processors with lower memory controller					er		Gauld	Without stand (with camera):	(ib / kg)	
Storage	Support up to 2x 2.5" HDD (2nd HDD occupy ODD bay) and 1x M2.SSD)			21.3" x 1.8" x 13.4" / 541 x 46 x 340.5 (mm)	11.6 / 5.25	
	Some: Hard Drive / SATA 6.0Gb/s, 2.5", 5400 rpm or 7200 rpm					4		√	21.3" x 2.3" x 13.4" / 541 x 57.8 x 340.5 (mm)	12.3 / 5.57	
	Some: M.2 SSD (2242 / 2280) / PCIe NVMe, PCIe 3.0 x2 or PCIe 3.0 x4					4		V	21.3" x 1.9" x 13.4" / 541 x 49.5 x 340.5 (mm)	13.5 / 6.13	
	Some: Intel Optane™ Memory M10, M.2 2280, PCIe 3.0 x2 Some: DVD-ROM SATA 1.5Gb/s Drive, slim (9.0mm)							$\sqrt{}$	21.3" x 2.4" x 13.4" / 541 x 61.3 x 340.5 (mm)	14.2 / 6.45	
- γιισαί	Some: DVD-ROM SATA 1.5Gb/s Drive, slim (9.0mm) Some: DVD Burner (DVD±RW), SATA 1.5Gb/s Drive, slim (9.0mm)								With Full Function Monitor stand (with camera):		
Media reader	Optional 3-in-1 media			, ,	. (16.6 / 7.51	
Graphics	Some: Intel HD Graphics 610/630 in processor, uses main memory, DirectX® 12,					DirectX® 12.]	1	21.3" x 7.9" x 16.3" to 19.5" /	17.3 / 7.84	
	Some: AMD Radeon™ 625, 2GB GDDR5, DirectX® 12,							V 1	541 x 200 x 414.2 to 494.2 (mm)	18.5 / 8.39 19.2 / 8.71	
Monitor Cable	external monitor support via DisplayPort™(up to 4096x2304@60Hz)							V V	With UltraFlex IV stand (with camera):	19.2 / 8.71	
WIGHTED CADIE	Optional DP to VGA dongle, DP to DVI-D dongle, DP to 2 DP dongle (MST mode), or DP to HDMI 1.4 dongle								Lowest in flat mode:		
Display	23.8" (604.5mm) Full HD 1080p (1920x1080), In-Plane Switching technology (ma					nology (may	,		21.3" x 12.3" x 9.0" / 541 x 312.8 x 227.4 (mm)	18.2 / 8.26	
, ,	refer to IPS, PLS, ADS, AHVA, AAS), wide viewing angle (H/V 178°), LED back-							V	Highest in vertical mode:	18.9 / 8.58	
	light, 250 nits (350 nit								21.3" x 9.2" x 18.4" / 541 x 232.7 x 467.7 (mm)	10.3 / 0.36	
	contrast ratio, anti-glare, borderless design (88% Screen to Body Ratio), optional PrivacyGaurd							√	Lowest in flat mode: 21.3" x 12.3" x 9.1" / 541 x 312.8 x 230.5 (mm)	20.1 / 9.14	
Multi-touch	Optional multi-touch, supports 10-point, AIT (Advanced In-cell Touch) technology Some: 1080p camera with dual microphone, ThinkShutter (physical switch on/off) Some: RGBIR camera with dual microphone, support 1080p, ThinkShutter (physical switch on/off), support Windows Hello Microphone mute and power on/off buttons on side, PrivacyGaurd on/off botton on						Stand		Highest in vertical mode:		
Camera									21.3" x 9.2" x 18.4" / 541 x 232.7 x 467.7 (mm)	20.9 / 9.46	
								Note: Camera adds 14.5mm in height (Vertical mode)			
Controls								Some: Full Function Monitor stand, Tilt: 30° back, -5° forward; Lift: 80mm			
Controls	bottom (only for the models with PrivacyGaurd)					ווט ווטוו טוו		Some: UltraFlex IV stand, Tilt: 70° back, -5° forward; Lift: up to 115mm (vertical mode) / 164mm (flat mode)			
Chipset	Intel Q470 Chipset						Power supply	Some: 150 w	vatts adapter, autosensing, 89% PSU		
Rear ports*	4x USB 3.2 Gen 1 (one supports Smart Power On), 1x ethernet (RJ-45),						1		vatts adapter, autosensing, 89% PSU		
Side ports*	1x DisplayPort, 1x optional serial (9-pin), 2x USB 3.2 Gen 2, 1x USB 3.2 Type-C Gen 1(5V/3A charging),						Limited warranty³ 1-year or 3-year, limited onsite service / service upgrades available				
·							Preload	Some: Windows® 10 Pro 64-bit Some: Windows 10 Home 64-bit Some: Windows 10 IoT Enterprise (only available via special bid model)			
M.2 card slot											
Audio support	Dolby® Atmos® certified						Environment	ENERGY STAR® 8.0*, EPEAT™ Silver rating*, ErP Lot 3, TCO 8.0, TCO Edge, TUV Eye comfort certified, TUV Low Blue Light certified, TUV Ultra Low Noise certified (on some models), RoHS-compliant * Only available for MT 11CD/11CE			
WLAN	Some: 11ac wireless, M.2 Card, Realtek RTL8822CE (dual band),										
	Wi-Fi + Bluetooth 5.0 combo adapter, 2x2 Some: 11ac wireless, M.2 Card, Intel Wireless-AC 9560 (dual band), Wi-Fi + Bluetooth 5.0 combo adapter, 2x2 Some: 11ax wireless, M.2 Card, Intel Wi-Fi 6 AX201 (dual band),						MIL-SPEC test	MIL-STD-810H military certification (Low Pressure [Altitude], High Temperature, Low Temperature, Temperature Shock, Humidity, Sand and Dust, Vibration, Shock, Fungus, Solar Radiation)			
	Wi-Fi + Bluetooth 5.1 combo adapter, Intel vPro technology support, 2x2						Accessories	,			
Note: The specifications above may not be available in all regions							7.10000001100	. or compatible	71 5	ovo May 2020	













