## ThinkCentre M90a 11JX0010US

Product

ThinkCentre M90a

Region NA

Country/Region

Machine Type

TopSeller TopSeller

**Processor** Intel Core i7-10700 (8C / 16T, 2.9 / 4.8GHz, 16MB)

Chipset Intel Q470 Chipset

Graphics Integrated Intel UHD Graphics 630

Memory 1x 16GB DDR4-2933

Storage 1x 1TB HDD 7200rpm 2.5"

**Optane Memory** None

*Optical* DVD±RW

Media Reader 3-in-1 Card Reader

*Display* 23.8" FHD (1920x1080) IPS Technology Anti-glare with PrivacyGaurd

Touchscreen None

*Microphone* 2x, Array

**Camera** 1080p

Speaker 3Wx2

*Ethernet* Integrated 100/1000M

WLAN + Bluetooth Intel AX201 11ax, 2x2 + BT5.1

**Optional Rear Ports** None

Chassis Intrusion Switch None

Chassis E-Lock None

Kensington Cable Lock None

#### *Dust Filter* None

VESA Mount VESA mount

Carry Handle None

**Color** Black

Stand Full Function Monitor Stand

Keyboard USB Traditional Keyboard, Black, English

Mouse USB Calliope Mouse

Power Supply 170W 89% Adapter

Additional Certificates None

Monitor Cable

System Management

**Operating System** Windows 10 Pro 64, English

**Bundled Software** None

Base Warranty 3-year, Onsite

Bundled Service 3Y Premier Support upgrade from 3Y Onsite (5WS0V08537)

**EAN / UPC / JAN** 195235541463

*End of Support* 2027-01-04

**Announce Date** 2020-07-06

#### Notes:

PSREF

### California Electronic Waste Recycling Fee


In California, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product. For more information, go to: https://www.calrecycle.ca.gov/Electronics/Consumer

## L WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.

### https://psref.lenovo.com





### ThinkCentre M90a Platform Specifications

Product Specifications Reference (PSREF)

Processor	Intel <sup>®</sup> Celeron <sup>®</sup> , Intel Pentium <sup>®</sup> , or 10th Gen Intel Core™ i3 / i5 / i7 / i9 Processor						Bluetooth™	Some: Bluetooth 5.0/5.1 wireless, integrated in Wi-Fi + BT combo adapter				
	Processor Cores / Threads		Frequency Base/Max*(GHz)	Cache Memory Support (Up to)		Integrated Graphics	Ethernet Manageability	Gigabit ethernet, Intel Ethernet Connection I219-LM (Jacksonville), Wake on LAN® Intel Active Management Technology 14.0 (Intel AMT 14.0);				
	Celeron G5900	2/2	3.4G	2 MB	DDR4-2666	UHD 610		Intel vPro technology on some models (require choosing a vPro-support Wi-Fi			ort Wi-Fi	
	Celeron G5920	2/2	3.5G	2 MB	DDR4-2666	UHD 610	1	adapter	adapter to enable vPro function through wireless connection)			
	Pentium Gold G6400	2/4	4.0G	4 MB	DDR4-2666	UHD 610	Security chip			2.0, TCG Certified		
	Pentium Gold G6500	2/4	4.1G	4 MB	DDR4-2666	UHD 630	Security features			• Boot sequence control		
	Pentium Gold G6600	2/4	4.2G	4 MB	DDR4-2666	UHD 630	]	Optional Chassis intrusion switch     Self-Healing BIOS     Boot without keyboard and mouse     Individual USB port disablement				
	Core i3-10100	4/8	3.6G / 4.3G	6 MB	DDR4-2666	UHD 630	]			ivacyGuard screen • Smart USB protection, allow		
	Core i3-10300	4/8	3.7G / 4.4G	8 MB	DDR4-2666	UHD 630	1			admin, hard disk password mouse only, blocks all stora		
	Core i3-10320	4/8	3.8G / 4.6G	8 MB	DDR4-2666	UHD 630	Keyboard	Some:	Lenov	vo Calliope Keyboard (USB connector), black	<u> </u>	
	Core i5-10400	6/12	2.9G / 4.3G	12 MB	DDR4-2666	UHD 630	]	Some: Lenovo Traditional Keyboard (USB connector), black Some: Lenovo Calliope Mouse (USB connector), black				
	Core i5-10500	6/12	3.1G / 4.5G	12 MB	DDR4-2666	UHD 630	Mouse					
	Core i5-10600	6/12	3.3G / 4.8G	12 MB	DDR4-2666	UHD 630		Some:	Lenov	vo Fingerprint Mouse (USB connector), Windows Hello su	upport, black	
	Core i7-10700	8/16	2.9G / 4.8G	16 MB	DDR4-2933	UHD 630	Mechanical			ack color		
	Core i9-10900	10/20	2.8G / 5.2G	20 MB	DDR4-2933	UHD 630	1	Toolless back cover, stand removal				
Memory	64GB max (32GB SC		nly available via	enocial	hid models) DDE	21-3200*	Ĩ	Support VESA mount (100mm)				
Internol y	two 260-pin SO-DIMN	/I sockets	, dual-channel ca	apable	,-			Privacy Gaurd	ODD	Dimensions (WxDxH)	Approx weight (lb / kg)	
	* System automatically clocks down for the processors with lower memory controller								Without stand (with camera):			
Storage	Support up to 2x 2.5"	HDD (2n	d HDD occupy C	DD bay	) and 1x M2.SSI	2				21.3" x 1.8" x 13.4" / 541 x 46 x 340.5 (mm)	11.6 / 5.25	
	Some: Hard Drive / SATA 6.0Gb/s, 2.5", 5400 rpm or 7200 rpm									21.3" x 2.3" x 13.4" / 541 x 57.8 x 340.5 (mm)	12.3 / 5.57	
	Some: M.2 SSD (2242 / 2280) / PCIe NVMe, PCIe 3.0 x2 or PCIe 3.0 x4 Some: Intel Optane™ Memory M10, M.2 2280, PCIe 3.0 x2							V		21.3" x 1.9" x 13.4" / 541 x 49.5 x 340.5 (mm)	13.5 / 6.13	
Optical	Some: DVD-ROM SATA 1.5Gb/s Drive, slim (9.0mm) Some: DVD Burner (DVD±RW), SATA 1.5Gb/s Drive, slim (9.0mm)									21.3" x 2.4" x 13.4" / 541 x 61.3 x 340.5 (mm)	14.2 / 6.45	
·										With Full Function Monitor stand (with camera):	10.0/7.51	
Media reader	Optional 3-in-1 media								V		16.6 / 7.51 17.3 / 7.84	
Graphics	Some: Intel HD Graphics 610/630 in processor, uses main memory, DirectX <sup>®</sup> 12, Some: AMD Radeon™ 625, 2GB GDDR5, DirectX <sup>®</sup> 12, evtored monitor ourport via DirectV <sup>®</sup> 12,							V	N	21.3" x 7.9" x 16.3" to 19.5" / 541 x 200 x 414.2 to 494.2 (mm)	18.5 / 8.39	
								V	7	541 X 200 X 414.2 (0 434.2 (mm)	19.2 / 8.71	
Monitor Cable	external monitor support via DisplayPort™(up to 4096x2304@60Hz) Optional DP to VGA dongle, DP to DVI-D dongle, DP to 2 DP dongle (MST mode),								,	With UltraFlex IV stand (with camera):	1012 / 011 1	
	or DP to HDMI 1.4 do				2 DF dorigie (ivi	ST mode),				Lowest in flat mode:	10.0/0.00	
Display	23.8" (604.5mm) Full	HD 108	0p (1920x1080),	IPS (In	Plane Switching)	technology	/			21.3" x 12.3" x 9.0" / 541 x 312.8 x 227.4 (mm)	18.2 / 8.26	
	(IPS may refer to IPS	, PLS, AE	DS, AHVA, AAS),	wide vi	ewing angle (H/V	(178°),				Highest in vertical mode:	18.9 / 8.58	
	LED backlight, 250 ni ratio, 1000:1 contrast									21.3" x 9.2" x 18.4" / 541 x 232.7 x 467.7 (mm)		
	Ratio), optional Privad		i-giare, bordenes	is uesiy		Douy		$\checkmark$		Lowest in flat mode: 21.3" x 12.3" x 9.1" / 541 x 312.8 x 230.5 (mm)	20.1/9.14	
Multi-touch	Optional multi-touch,	supports	10-point, AIT (Ad	dvanced	I In-cell Touch) te	chnology		V	V	Highest in vertical mode:		
Camera	Some: 1080p camera	a with dua	al microphone, T	hinkShu	itter (physical swi	itch on/off)	Stand	N	γ	21.3" x 9.2" x 18.4" / 541 x 232.7 x 467.7 (mm)	20.9 / 9.46	
	Some: RGBIR camera with dual microphone, support 1080p, ThinkShutter						otana	Note: Camera adds 14.5mm in height (Vertical mode)				
Controls	(physical switch on/off), support Windows Hello Is Microphone mute and power on/off buttons on side, PrivacyGaurd on/off botton on bottom (only for the models with PrivacyGaurd)							Some: Full Function Monitor stand, Tilt: 30° back, -5° forward; Lift: 80mm				
Controlo									Some: UltraFlex IV stand, Tilt: 70° back, -5° forward; Lift: up to 115mm (vertical mode) / 164mm (flat mode)			
Chipset	Intel Q470 Chipset						Power supply	Some: 150 watts adapter, autosensing, 89% PSU				
Rear ports*	4x USB 3.2 Gen 1 (one supports Smart Power On), 1x ethernet (RJ-45),						Some: 170 watts adapter, autosensing, 89% PSU					
Side ports*	1x DisplayPort, 1x optional serial (9-pin), 2x USB 3.2 Gen 2, 1x USB 3.2 Type-C Gen 1(5V/3A charging),						Limited warranty <sup>3</sup> 1-year or 3-year, limited onsite service / service upgrades available					
•	1x optional card reader, 1x headphone / microphone combo jack (3.5mm)					n)	Preload	Some:	Wind	lows® 10 Pro 64-bit		
M.2 card slot	Two M.2 Card slots (one for WLAN, one for SSD/Optane) * Depending on many factors, actual data transfer speed may be lower than theoretical speed							Some: Windows 10 Home 64-bit Some: Windows 10 IoT Enterprise (only available via special bid model)				
Audio support							Environment	ENERGY STAR <sup>®</sup> 8.0*, EPEAT <sup>™</sup> Silver rating*, ErP Lot 3, TCO 8.0, TCO Edge, TUV Eye comfort certified, TUV Low Blue Light certified, TUV Ultra Low Noise certified (on some models), RoHS-compliant				
	Dolby® Atmos® certified											
WLAN		,										
	Some: 11ac wireless, M.2 Card, Realtek RTL8822CE (dual band), Wi-Fi + Bluetooth 5.0 combo adapter, 2x2							* Only available for MT 11ĈD/11CE				
	Some: 11ac wireless, M.2 Card, Intel Wireless-AC 9560 (dual band), Wi-Fi + Bluetooth 5.0 combo adapter, 2x2					MIL-SPEC test	MIL-STD-810H military certification (Low Pressure [Altitude], High Temperature, Low Temperature, Temperature Shock, Humidity, Sand and Dust, Vibration, Shock, Fungus, Solar Radiation) For compatible accessories, please go to http://smartfind.lenovo.com					
	Some: 11ax wireless, M.2 Card, Intel Wi-Fi 6 AX201 (dual band),										Accessories	
	Wi-Fi + Bluetooth 5.1 combo adapter, Intel vPro technology support, 2x2						Accessories	FUI COIT	ipalib	le accessories, please go to http://smartind.lenovo.com		

Note: The specifications above may not be available in all regions.

Lenovo

# ThinkCentre M90a



(intel) inside





