

Overview

Powerfully compact. Extraordinarily efficient.

Transform your workflows with advanced capabilities in a compact footprint. From print speeds to color panels, get flexible configurations to meet your needs today and tomorrow. All while protecting your business against evolving cyber threats.

More than a printer, in a compact footprint

Experience ultra-fast scanning speeds and ultimate productivity with HP Flow technology and up to 120 ipm[1] duplex scan technology.

Customizable and scalable solutions [9]

Get the functionality you need with unprecedented, flexible configurations built to order. Optimize your device to meet your business needs and your budget.

Fast and seamless digitization

Customize your print experience with cloudconnected HP Workpath apps. Access personalized content and integrate paper and digital workflows.[3]

Always on guard with HP Wolf Security

With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.

[1] Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. Measured using standards found at: http://standards.iso.org/ittf/PubliclyAvailableStandards/SC28 Test Pages/

[3] For compatible Workpath apps support, additional memory of 2GB (X500 Series) or 4GB (X600 Series) DIMM is required on single function devices only. Not all MFPs may be compatible with Workpath apps. To enable HP Workpath, some devices may require optional accessories or firmware to be upgraded. Not all apps may be available in all locations. A subscription may be required. Personalized content and integration functions are applicable to supported HP Workpath apps only.

[9] To learn more about configure to order options, contact your HP or Partner Representative.

Specifications

Print Resolution Technologies	HP ImageREt 3600, Enhanced (600x600 dpi), Fine Lines (1200x1200 dpi), Quickview (300x300 dpi), Pantone Calibrated
Print quality black (best)	Up to 1,200 x 1,200 dpi
Print quality color (best)	Up to 1200 x 1200 dpi
Print speed black (ISO, A4)	Up to 43 ppm
Print speed black (ISO, letter)	Up to 45 ppm
Print Speed Color (ISO)	Up to 43 ppm
Print speed color (ISO)	Up to 45 ppm
Print speed	Print speed up to 45 ppm (black) and 45 ppm (color)
Functions	Print, copy, scan, fax
Duplex printing	Automatic
Duty cycle (monthly, A4)	Up to 80,000 pages
Duty cycle (monthly, letter)	Up to 80,000 pages
Printer smart software features	Apple AirPrint™, Mopria-certified, printing, Open Extensibility Platform, FutureSmart Firmware, Instant-on Technology, HP Auto-On/Auto-Off technology, Easy Access USB, Two-Sided Printing, Hardware Integration Pocket, Intuitive 10.1 in (25.6 cm) touchscreen control panel, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, print preview
Copier smart software features	Auto scale; Reduce/enlarge from scanner glass (25 to 400 percent); Collate; Auto color detection; Two-sided copying; Image adjustments (darkness, background cleanup, sharpness); Job build
Scanner advanced features	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets
Fax smart software features	Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology; Instant-on Copy
Replacement cartridges	HP 213A Black Original LaserJet Toner Cartridge (~3,500 pages) W2130A; HP 213A Cyan Original LaserJet Toner Cartridge (~3,000 pages) W2131A; HP 213A Yellow Original LaserJet Toner Cartridge (~3,000 pages) W2132A; HP 213A Magenta Original LaserJet Toner Cartridge (~3,000 pages) W2133A; HP 213X High Yield Black Original LaserJet Toner Cartridge (~9,000 pages) W2130X; HP 213X High Yield Cyan Original LaserJet Toner Cartridge (~6,000 pages) W2131X; HP 213X High Yield Yellow Original LaserJet Toner Cartridge (~6,000 pages) W2132X; HP 213X High Yield Magenta Original LaserJet Toner Cartridge (~6,000 pages) W2133X; HP 213Y Extra High Yield Black Original LaserJet Toner Cartridge, (~18,000 pages) W2130Y; HP 213Y Extra High Yield Cyan Original LaserJet Toner Cartridge (~12,000 pages) W2131Y; HP 213Y Extra High Yield Yellow Original LaserJet Toner Cartridge (~12,000 pages) W2132Y; HP 213Y Extra High Yield Magenta Original LaserJet Toner Cartridge (~12,000 pages) W2133Y ^[2]

Supplies feature	TerraJet Cartridge
Connectivity, standard	1 Fax; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host)
Connectivity, optional	HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A; HP Jetdirect LAN Accessory 8FP31A
Modem	33.6 kbps
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard); 802.11a/b/g/n wireless networking (optional)
Mobile printing capability	Apple AirPrint™; Mopria™ Certified; NFC Touch-to-print (optional)
Network protocols, supported	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, Google Cloud Print; DISCOVERY: SLP, Bonjour, Web Services Discovery; IP CONFIG: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x
Software included	No software solutions are included in the Box only on http://hp.comhttp://123.hp.com;
Compatible Operating Systems	Windows 11; Windows 10; Windows Client OS; Android; iOS; Mobile OS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; SAP; Chrome OS; Linux (Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see)
Technical features	Fax; Automatic document feeder; Automatic 2-sided printing; Bluetooth printing; Cloud-based fleet management; Color touchscreen with apps; ENERGY STAR®; Network printing; Fast first page out; Full ream of paper input; Google Cloud Print; HP Auto-on/Auto-off; TerraJet Toner; Private Print via PIN; Scan-to-cloud; Scan-to-email; Scan-to-folder; Touchscreen; Walk-up USB
Sustainable impact specifications	5% post-consumer recycled plastic; ENERGY STAR® certified; EPEAT® registered
Energy star certified	Yes
Ecolabels	CECP; IT ECO Declaration; Blue Angel; EPEAT® Gold registered; SEPA; KOECO
Blue Angel compliant	Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies
Copy speed (black, normal quality, A4)	Up to 43 cpm
Copy speed (color, normal quality, A4)	Up to 43 cpm
Copy speed black (normal, letter)	Up to 45 cpm
Copy speed color (normal, letter)	Up to 45 cpm
Copy speed black duplex (A4)	Up to 43 ipm
Copy speed black duplex (Letter)	Up to 45 ipm

Digital sending standard features	Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to sFTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten; embedded OCR; optimize text/picture (auto); scan to multi-destination; automatic tone; auto orientation; multi-feed detection; reverse and retry; document editing; auto paper color removal; job separation (blank page, barcode); watermark; stamps
Fax Resolution Black (best)	Up to 300 x 300 dpi
Faxing	Yes
Scan speed (normal, A4)	Up to 56 ppm/112 ipm (b&w), up to 56 ppm/112 ipm (color)
Scan speed (normal, letter)	Up to 60 ppm/120 ipm (b&w), up to 60 ppm/120 ipm (color)
Scan file format	PDF; Hi-Compression PDF; PDFA; TIFF; MTIFF; XPS; JPEG ^[11]
Scan input modes	Front panel applications: Copy; E-mail; Fax; Save to Network Folder; Save to USB; Save to Device Memory; Open Extensibility Platform (OXP) applications
Scan technology	Contact Image Sensor (CIS)
Scanner type	Flatbed ; ADF
Display area (imperial)	8.53 x 5.34 in
Display area (metric)	21.7 x 13.6 cm
Display	10.1 in (25.6 cm) Color Graphic Display (CGD) with touchscreen; rotating (adjustable angle)
Minimum dimensions (W x D x H)	547 x 460 x 583 mm
Minimum dimensions (W \times D \times H)	21.5 x 18.1 x 23.0 in
Weight	~39.1 kg (with supplies)
Weight	~86.02 lb (with supplies)
Power consumption	655 watts (Printing/Copying), 50.1 watts (Ready), 0.9 watts (Sleep), 0.09 watts (Manual Off) (Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.)
Power supply type	Built in 110V or 220 V Power Supply (not dual voltage, power supply varies by part number with option code identifier)
What's in the box	HP Color LaserJet Multifunction Printer; HP Black Original LaserJet Toner Cartridge (~7,000 yield), HP Cyan, Magenta and Yellow Original LaserJet Toner Cartridges (~3,000 yield each) (toner cartridges installed); Documentation (Hardware Install Guide); Power cord ^[1]
Manufacturer Warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://hp.com/support to learn about HP award winning service and support options in your region.

Additional specifications

ADF Capacity	Up to 100 sheets
Acoustic power emissions (active scan)	7.0 Bel(A)
Acoustic power emissions (active, printing)	6.3 B(A)
Acoustic power emissions (ready)	3.5 B(A)
Acoustic power note	Acoustic values are subject to change. For current information see https://www.hp.com/support. Configuration tested: simplex printing, A4 paper at an average of 44 ppm.
Acoustic pressure emissions bystander (active scan)	57 dB(A)
Acoustic pressure emissions bystander (active, printing)	52 dB(A)
Acoustic pressure emissions bystander (ready)	22 dB(A)
Auto fax reduction supported	Yes
Automatic document feeder capacity	Standard, 100 sheets
Automatic paper sensor	Yes
Bit depth	24-bit
Blue Angel footnote	[8] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Blue Angel value typically based on measurement of 230V device.
Bottom margin (A4)	4.3 mm
Business filter	cMPS
Capacity	500 GB
Cartons per layer	2
Certifications and compliances	UL/cUL (US/Canada); RCM (Australia); TUV and GS Mark (Germany); Department of Industrial Standards of Cambodia; Bureau of Standards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Certificate of China Compulsory Product Certification - CCC (China); Bureau of Indian Standards - BIS Registration (India); PSB (Singapore); Eastern European country approvals; CE Marking; Other Safety & EMC Certification approvals as required by individual countries.
Color scanning	Yes
Compatible Network Operating Systems	Windows Server; Novell; UNIX; Citrix; Linux
Component type	Printer

Configurable items	HP Color LaserJet Enterprise Flow MFP 5800zf Printer - Print: Up to 45 ppm black & 45 ppm color (letter); Up to 43 ppm color & 43 ppm black (A4); 60 ppm/120 ipm duplex, single-pass, dual-head scanning Flow enabled ADF; 650-sheets standard/2,300-sheets maximum paper input; Analog Fax; convenience stapler; 10.1 in (25.6 cm) color touch screen control panel; Up to 10,000 pages per month duty cycle; 6GB RAM standard/maximum, 500GB hard disk storage; Gigabit Ethernet with optional Dual-band Wireless, Wifi-Direct and BLE; 7k black/3k CMY starter toner cartridges
Control panel	10.1 in (25.6 cm) touchscreen with color graphics
Copier scaling (ADF)	25 to 200%
Copier settings	Book Copy; Booklet; Build Job; Collation; Content orientation; Copy preview; Darkness control; Default Original Size; Edge Erase; Edge-to-Edge; ID Copy; Image adjustment; Job build; N or Z-ordering; Number of Copies; N-up; Original Size; Original Type; Paper Size; Paper Source; Paper type; Photo; Save Current Settings; Staple; Text; Text/Photo; Tray Selection; Two-sided copy; Watermark; reduce/enlarge; Stamps; Image overlay; Image shift; Image preview; Paper selection; Scan to job storage; Automatically strainghten; Automatically detect color/monochrome
Copies, maximum	Up to 9999 copies
Copy reduce / enlarge settings	25 to 400%
Copy resolution (black text)	Up to 600 x 600 dpi
Copy resolution (color text and graphics)	Up to 600 x 600 dpi
Copy speed color duplex (A4)	Up to 43 ipm
Copy speed color duplex (Letter)	Up to 45 ipm
Copy speed note	First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see https://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application and document complexity.
Count of layers in pallet	3
Country of origin	Made in China; Made in Czech Republic; Made in Mexico; Made in India
Distinctive ring detection supported	No

From http://123.hp.com-HP Easy Start (Guided Software Install for Windows and Mac) From https://hp.com for Windows OS-Full-solution software and drivers; Basic-solution software and drivers; HP PCL6 XPS Discrete Print Driver; Product Documentation and Support; From http://hp.com for Mac OS-; HP Mac OS Print Driver; HP Easy Admin; HP Universal Fax Driver; HP Universal Scan Solution; For Mobile OS-; iOS For more information see http://hp.com/go/businessmobileprinting; Android For more information see https://hp.com/go/businessmobileprinting; From http://hp.com for printer administrators-; Printer Administrator Resource Kit (Driver Configuration; Utility - Driver Deployment Utility -Managed Printing Administrator); HP Universal Print Drivers PCL6 GDI & PS GDI for Windows For more information on the supported operating systems go to https://support.hp.com; SAP Print Drivers for more information see http://support.hp.com/us-en/document/c05051702; HP Web JetAdmin; Printer Driver for more information see https://hplipopensource.com/hplip-web/index.html; Unix Model Script Printer Driver. For more information on the supported operating systems go to https://support.hp.com; Enter your product name and search; Click on User Guides and enter your product name and search for User Guide; Search for your (Product Name) - User Guide; Search for the Supported Operating Systems section; Supported Operating systems; For more information on the supported operating systems also see www.hp.com/go/upd; HP Smart Suite- Basic (Only supported on Windows 10 and above); HP Smart Suite- Advanced (Only supported on Windows 10 and above); HP SmartApp (Only supported on Windows 10 and above); HP SmartDriver; HP PrintScanDr; HP WebJetAdmin + Workpath; HP Command Center; Chrome Extension; Android Plug-in; Current HP printer drivers and software can be obtained from the HP Customer Care Web site: Go to https://www.hp.com/support/ (country/region may need to be selected) Select "Support". Select "Software and Drivers"; Select "Printer"; Enter a product name/number; (The operating system is automatically detected); Select a driver or other software; Select "Download" for the software desired; Yes Dynamic security enabled printer [3] EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country. CISPR 22:2008 (International) Class A, CISPR 32:2015 (International) Class A / EN 55032:2015 Class A + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019, EN 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class A, ICES-003, Issue 7 Class A. Other EMC approvals as required by individual countries. 150000 Up to 600 dpi FCC Class A emissions - for use in commercial environments, not residential environments Yes 0 Yes Yes (poll to receive only) Yes

Downloadable software

Driver updates

Duplex ADF scanning

Dynamic security

Ecolabels footnote

Engine life

Electromagnetic compatibility

Enhanced scanning resolution

FCC Class A emissions

Fax Broadcast Locations

Fax Remote Retrieval

Fax PC Interface Supported

Fax Auto Redial

Fax Polling

Fax Speed Dials, Maximum Number	Up to 1000 numbers
Fax Transmission Speed	Up to 33.6 kbps
Fax Transmission Speed Note	[4] Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.
Fax delayed sending	No
Fax forwarding	Yes
Fax memory	Up to 1000 pages
Fax memory	Up to 1000 pages
Fax phone TAM interface supported	No
Fax resolution black	Up to 203 x 196 dpi
Fax telephone mode supported	No
Fax transmission speed (letter)	3 sec per page ^[4]
File Format Supported	Hi-Compression PDF; MTIFF; PDF; PDF/A; TIFF; JPEG; XPS
Finished output handling	Sheetfed
First copy out black (A4)	As fast as 6.1 sec
First copy out black (A4, sleep)	As fast as 9.9 sec
First copy out black (letter)	As fast as 6.0 sec
First copy out black (letter, sleep)	As fast as 9.6 sec
First copy out color (A4)	As fast as 8.6 sec
First copy out color (A4, sleep)	As fast as 12.5 sec
First copy out color (letter)	As fast as 8.5 sec
First copy out color (letter, sleep)	As fast as 12.4 sec
First page out black (A4, ready)	As fast as 6.8 sec
First page out black (A4, sleep)	As fast as 11.0 sec
First page out black (letter, ready)	As fast as 6.7 sec
First page out black (letter, sleep)	As fast as 10.7 sec
First page out color (A4, ready)	As fast as 7.4 sec
First page out color (A4, sleep)	As fast as 11.0 sec
First page out color (letter, ready)	As fast as 7.3 sec
First page out color (letter, sleep)	As fast as 10.7 sec
First page out footnote	Measured using ISO/IEC 17629. For more information see https://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts
Input capacity	Up to 650 sheets
Internal Storage	Standard, minimum 500 GB HDD; Optional, 256 GB SSD
Junk fax barrier	Yes, up to 30 numbers may be blocked
Left margin (A4)	4.3 mm
Levels of grayscale	256
Mac compatible	Yes
Maximum Input Capacity (envelopes)	Up to 10 envelopes
Maximum Memory	6 GB
Maximum dimensions (W x D x H)	34.8 x 31.9 x 32.6 in
Maximum dimensions (W \times D \times H)	885 x 810 x 828 mm
Maximum input capacity (sheets)	Up to 2300 sheets
Maximum metric depth	810
Maximum metric height	828
Maximum metric width	885
Maximum output capacity (sheets)	Up to 250 sheets
Maximum print area	207.4 x 1191.4 mm
Media size (ADF)	Letter; legal; oficio; executive; statement; 16K; A4; RA4; A5; A6; B5; B6 (JIS); Postcard (JIS); DPostcard (JIS); 4×6 in; 5×7 in; 5×8 in
Media size, tray 1	A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio 216 x 340, 16k, Postcard (JIS), DPostcard (JIS), Envelopes (DL, C5, B5, C6); custom 64 x 127 to 216 x 1200 mm
Media size, tray 2	A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio 216 x 340, 16k, DPostcard (JIS); custom 101 x 148 to 216 x 356 mm
Media size, tray 3	optional 1x550-sheet feeders: A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio 216 x 340, 16k, DPostcard (JIS); custom 101 x 148 to 216 x 356 mm
Media sizes supported	Tray 1: A4, A5, A6, RA4, B5, B6, 16k, 10 x 15 cm, Oficio, postcards (JIS single and double) envelopes (DL, C5, B5, C6); Tray 2, optional 1x550-sheet feeders: A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio, 16k, Dpostcard (JIS)
Media sizes supported	Tray 1: letter, legal, executive, statement, Oficio, 3×5 in, 4×6 in, 5×7 in, 5×8 in, envelopes (No. 9, No. 10, Monarch); Tray 2, optional 1x550-sheet feeders: letter, legal, executive, statement, Oficio, 4×6 in, 5×7 in, 5×8 in
Media sizes supported, key	Letter; Legal
Media sizes supported, key	A4
Media sizes, custom	Tray 1: 2.52 x 5 to 8.5 x 47.24 in; Tray 2, optional 1x550-sheet feeders: 4 x 5.83 to 8.5 x 14 in

Media sizes, custom	Tray 1: 64 x 127 to 216 x 1200 mm; Tray 2, optional 1x550-sheet feeders: 101 x 148 to 216 x 356 mm
Media type and capacity, ADF	Sheets: 100
Media type and capacity, tray 1	Paper: 100 sheets of 75 g/m² media; Envelopes: 10
Media type and capacity, tray 2	Paper: 550 sheets
Media types	Paper (plain, light, intermediate, light bond, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined
Media weight (tray 1)	60 to 220 g/m² (plain), 120 to 220 g/m² (glossy)
Media weight (tray 2)	60 to 220 g/m² (plain); 120 to 220 g/m² (glossy)
Media weight (tray 3)	1x550-sheet feeders: 60 to 220 g/m² (plain); 120 to 220 g/m² (glossy)
Media weight, supported	Tray 1: 16 to 58 lb (plain), 32 to 58 lb (glossy); Tray 2: 16 to 58 lb (plain), 32 to 58 lb (glossy); optional 550-sheet input trays: 16 to 58 lb (plain), 32 to 58 lb (glossy)
Media weight, supported	Tray 1: 60 to 220 g/m² (plain), 120 to 220 g/m² (glossy); Tray 2: 60 to 220 g/m² (plain), 120 to 220 g/m² (glossy); optional 550-sheet input trays: 60 to 220 g/m² (plain), 120 to 220 g/m² (glossy)
Media weights, supported ADF	12 to 53 lb
Media weights, supported ADF	45 to 199 g/m ²
Memory	6 GB
Memory Slots	None
Metric depth	460 mm
Metric height	583
Metric width	547
Minimum System Requirements	2 GB available hard disk space; Internet connection; or USB port; Internet browser. For additional OS hardware requirements see microsoft.com;
Minimum System Requirements for Macintosh	2 GB available hard drive space; Internet connection; or USB port; Internet browser. For additional OS hardware requirements see apple.com;
Native scan file format	JPG; PDF; MTIFF; TIFF
	, ,
Number of print cartridges	4 (1 each black, cyan, magenta, yellow)
Number of print cartridges Number of users	
	4 (1 each black, cyan, magenta, yellow)
Number of users	4 (1 each black, cyan, magenta, yellow) 5-15 Users
Number of users Operating humidity range	4 (1 each black, cyan, magenta, yellow) 5-15 Users 10 to 80% RH
Number of users Operating humidity range Operating temperature range	4 (1 each black, cyan, magenta, yellow) 5-15 Users 10 to 80% RH 50 to 91°F

Package dimensions (W x D x H)	598 x 758 x 652 mm
Package dimensions (W x D x H)	23.54 x 29.84 x 25.67 in
Package weight	~43.99 kg
Package weight	~96.78 lb
Page yield (set-up/inbox cartridges)	~7,000 pages black, ~3,000 pages cyan, magenta, yellow composite yield
Pallet dimensions	31.5 x 47.24 x 82.01 in
Pallet dimensions (W x D x H)	800 x 1200 x 2083 mm
Pallet weight	613.67 lb
Pallet weight	278.94 kg
Paper handling input, optional	optional 550-sheet input trays (up to 3)
Paper handling input, standard	550-sheet input tray, 100-sheet multi-purpose tray
Paper handling output, standard	250-sheet output bin; Convenience Stapler
Paper trays, maximum	5
Paper trays, standard	2
Power	Input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/-3Hz), 12 A; Input voltage: 220 V to 240V nominal, (+/-10%) 50 - 60Hz nominal (+/- 3Hz), 6 A
Print Technology	Laser
Print colors	Yes
Print languages	XPS, HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7)
Print quality black (normal)	Up to 600 x 600 dpi
Print resolution black (fine lines)	Up to 1200 x 1200 dpi
Print resolution color (fine lines)	Up to 1200 x 1200 dpi
Print resolution color (normal)	Up to 600 x 600 dpi
Print speed black (Landscape, A5)	Up to 69 ppm
Print speed black (Portrait, A5)	Up to 20 ppm
Print speed color (Landscape, A5)	Up to 69 ppm
Print speed color (Portrait, A5)	Up to 20 ppm
Print speed duplex (A4)	Up to 43 ipm
Print speed duplex (A4)	Up to 43 ipm
Print speed duplex (letter)	Up to 45 ipm
Print speed duplex (letter)	Up to 45 ipm
Print speed footnote (A5)	Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see https://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Print speed footnote number (A5)	[5]
Print technology	Laser
Printer Management	HP Web JetAdmin; Embedded Web Server; HP Security Manager; HP Insights; HP Advance; HP Command Center
Processor speed	1.2 GHz
Product long name specifications	HP Color LaserJet Enterprise Flow MFP 5800zf Printer - Print: Up to 45 ppm black & 45 ppm color (letter); Up to 43 ppm color & 43 ppm black (A4); 60 ppm/120 ipm duplex, single-pass, dual-head scanning Flow enabled ADF; 650-sheets standard/2,300-sheets maximum paper input; Analog Fax; 10.1 in (25.6 cm) color touch screen control panel; Up to 10,000 pages per month duty cycle; 6 GB RAM standard/maximum, 500GB hard disk storage; Gigabit Ethernet with optional Dual-band Wireless, Wifi-Direct and BLE; 7k black/3k CMY starter toner cartridges
Product short name specifications	HP Color LaserJet Enterprise Flow MFP 5800zf Printer, Print, copy, scan, fax, Automatic document feeder; Optional high-capacity trays; Touchscreen; TerraJet cartridge
Quantity per pallet	6
RMN number	BOISB-2001-03
Recommended media weight (duplex)	16 to 90 lb (plain); 32 to 58 lb (glossy)
Recommended media weight (duplex)	60 to 163 g/m² (plain); 120 to 220 g/m² (glossy)
Recommended monthly page volume	2000 to 10000
Recommended monthly page volume note	HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
Recommended monthly scan volume note	HP recommends that the number of scanned pages per month be within the stated range for optimum device performance
Recommended operating humidity range	30 to 70% RH
Recommended operating temperature range	15 to 27℃
Recommended operating temperature range	59 to 80.6°F
Replacement cartridges footnote	[2] Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see https://www.hp.com/go/toneryield
Resolution	600 dpi
Resolution (black and white, standard mode)	200 x 100 dpi
Resolution (black and white, superfine mode)	Up to 300 x 300 dpi
Resolution (black photo grayscale)	300 x 300 dpi (halftone)

Right margin (A4)	4.3 mm
Safety	IEC 60950-1:2005 +A1:2009 +A2:2013 (International); IEC 62368-1:2014; EN 62368-1:2014(EU); EN 60825-1:2014 +A11:2021/IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010/IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); UL62368-1 2nd Ed. 2014-12-01, CSA C22.2 No. 62368-1-14, 2nd Ed.; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 56, Dated May 8, 2019; Other safety approvals as required by individual countries.
Scan file format footnote	[11] For Scan software (included in the box) we support: Windows [JPG, RAW (BMP), PDF, TIFF, PNG, RTF] and Mac [JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT]
Scan resolution, hardware	Up to 600 x 600 dpi
Scan resolution, optical	Up to 600 dpi
Scan size (ADF), maximum	216 x 864 mm
Scan size (ADF), maximum	8.5 x 34.0 in
Scan size (ADF), minimum	2.7 x 5 in
Scan size (ADF), minimum	68 x 127mm
Scan size, maximum	216 x 356 mm
Scan size, maximum	8.5 x 14 in
Scan speed duplex (normal, A4)	Up to 112 ipm (b&w), up to 112 ipm (color)
Scan speed duplex (normal, letter)	Up to 120 ipm (b&w), up to 120 ipm (color)
Scan speed duplex (normal, letter) Scan speed footnote	Up to 120 ipm (b&w), up to 120 ipm (color) [10] Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
	[10] Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer
Scan speed footnote	[10] Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Hardware-based Memory ShieldTM with Control Flow Integrity (CFI) in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible with Device Security Syslog Messages
Scan speed footnote Security management	[10] Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Hardware-based Memory ShieldTM with Control Flow Integrity (CFI) in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible with Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs For Scan software (included in the box) we support: Windows [JPG, RAW (BMP), PDF, TIFF, PNG, RTF] and Mac [JPG, JPG-2000, TIFF, PNG, PDF,
Security management Software scan file format	[10] Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Hardware-based Memory ShieldTM with Control Flow Integrity (CFI) in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible with Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs For Scan software (included in the box) we support: Windows [JPG, RAW (BMP), PDF, TIFF, PNG, RTF] and Mac [JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT]

Storage temperature range -20 to 40°C Storage temperature range -4 to 104°F Target user and print volume For teams up to 15 users; Prints up to 10,000 pages/month Tariff numbers 8443310000(AM-Base-HTS); 8443310000(EU-Base-HTS); 84433131(AP-Base-HTS) Telecom compliance (fax capability) 71 telecom Wired: ES 203 021-1 v2.1.1; ES 203 021-2 v2.1.2; ES 203 021-3 v2.1.2; EC Rules and Regulations 47 CFR Part 68. Other Telecom approvals as required by individual countries. Telephone handset supported No Top key features Automatic document feeder; Optional high-capacity trays; Touchscreen; Terralet cartridge Top margin (A4) 4.3 mm Tray capacity Up to 650 sheets Twain version Version 2.4 Typical electricity consumption (TEC) footnote electricity consumed by a product during 1 week, measured in kilowatthours (kWh). Typical electricity consumption (TEC) number 0.552 kWh/week (Energy Star 3.0); 0.551 kWh/week (Blue Angel)[9] UNSPSC code 43212110 (201) 196337404649; (AB0) 196786225222; (AB2) 196786225239; (ABJ) 196786225246; (ABT) 196337404775; (ACI) 196337404775; (B19) 196337404773; (AKV) 196337404775; (B19) 196337404779; (BAZ) 196337404786; (BBU) 196786225260; (BGJ) 196337404779; (BAZ) 196337404786; (BBU) 196786225260; (BGJ) 19633740479; (BAZ) 196337404796; (BBU) 196786225260; (BGJ) 196337404796; (BAZ) 196337404796;	Storage device and direct print support	Front-facing USB/Flash drive; USB printing; USB Printing; Walk-up USB printing
Target user and print volume Tariff numbers 8443310000(AM-Base-HTS); 8443310000(EU-Base-HTS); 84433131(AP-Base-HTS) Telecom compliance (fax capability) Telecom Wired: ES 203 021-1 v2.1.1; ES 203 021-2 v2.1.2; ES 203 021-3 v2.1.2; FCC Rules and Regulations 47 CFR Part 68. Other Telecom approvals as required by individual countries. Telephone handset supported No Top key features Automatic document feeder; Optional high-capacity trays; Touchscreen; Terralet cartridge Top margin (A4) 4.3 mm Tray capacity Up to 650 sheets Twain version Version 2.4 Typical electricity consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatthours (kWh). Typical electricity consumption (TEC) number UNSPSC code 43212110 UPC number UPC number UPC number UPC number UPC number In fact and print volume footnote by the product during 1 week (Blue Angel) (19) (201) 196337404649; (AB0) 196786225222; (AB2) 196786225239; (ABJ) 196786225239; (ABJ) 196337404671; (ACJ) 196337404670; (ACJ) 196337404771; (ACJ) 196337404675; (BI) 196337404779; (BGM) 196786225277 [1] For yield information on the cartridge(s) included with your printer, see https://www.hp.com/go/toneryield. Yield values measured in	Storage temperature range	-20 to 40°C
Tariff numbers 8443310000(AM-Base-HTS); 8443310000(EU-Base-HTS); 84433131(AP-Base-HTS) Telecom compliance (fax capability) Telecom Wired: ES 203 021-1 v2.1.1; ES 203 021-2 v2.1.2; ES 203 021-3 v2.1.2; ECC Rules and Regulations 47 CFR Part 68. Other Telecom approvals as required by individual countries. Telephone handset supported No Top key features Automatic document feeder; Optional high-capacity trays; Touchscreen; Terralet cartridge Top margin (A4) 4.3 mm Tray capacity Up to 650 sheets Twain version Version 2.4 [9] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatthours (kWh). Typical electricity consumption (TEC) number UNSPSC code 43212110 (201) 196337404649; (ABO) 196786225222; (AB2) 196786225239; (ABJ) 196786225246; (ABT) 196337404671; (ACJ) 196786225239; (ACJ) 196337404771; (ACJ) 196786225253; (ACJ) 196337404775; (BAZ) 196337404786; (BBU) 196786225253; (BCJ) 196337404795; (BAZ) 196337404795; (BCJ) 196337404795; (BCJ) 196337404796; (BCJ) 196786225277 [1] For yield information on the cartridge(s) included with your printer, see https://www.hp.com/go/toneryield. Yield values measured in	Storage temperature range	-4 to 104°F
Telecom compliance (fax capability) Telecom Wired: ES 203 021-1 v2.1.1; ES 203 021-2 v2.1.2; ES 203 021-3 v2.1.2; FCC Rules and Regulations 47 CFR Part 68. Other Telecom approvals as required by individual countries. Telephone handset supported No Top key features Automatic document feeder; Optional high-capacity trays; Touchscreen; TerraJet cartridge Top margin (A4) 4.3 mm Tray capacity Up to 650 sheets Twain version Version 2.4 [9] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatthours (kWh). Typical electricity consumption (TEC) number UNSPSC code 43212110 (201) 196337404649; (AB0) 196786225222; (AB2) 196786225239; (ABJ) 196786225246; (ABT) 196337404671; (ACJ) 196786225253; (ACQ) 196337404793; (BAU) 196337404786; (BBU) 196786225260; (BGJ) 196337404793; (BGM) 196786225277 [1] For yield information on the cartridge(s) included with your printer, see https://www.hp.com/go/toneryield. Yield values measured in	Target user and print volume	For teams up to 15 users; Prints up to 10,000 pages/month
telectric complaint e (tax capability) v2.1.2; FCC Rules and Regulations 47 CFR Part 68. Other Telecom approvals as required by individual countries. Telephone handset supported No Automatic document feeder; Optional high-capacity trays; Touchscreen; Terralet cartridge Top margin (A4) 4.3 mm Tray capacity Up to 650 sheets Twain version Version 2.4 Typical electricity consumption (TEC) footnote Typical electricity consumption (TEC) nating represents the typical electricity consumed by a product during 1 week, measured in kilowatthours (kWh). Typical electricity consumption (TEC) number UNSPSC code 43212110 UPC number UPC number UPC number UPC number I possible for the possible for yellow the yellow the possible for yellow the yellow the possible for yellow the yellow t	Tariff numbers	
Top key features Automatic document feeder; Optional high-capacity trays; Touchscreen; TerraJet cartridge Top margin (A4) 4.3 mm Tray capacity Up to 650 sheets Version 2.4 Typical electricity consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatthours (kWh). Typical electricity consumption (TEC) number UNSPSC code 43212110 (201) 196337404649; (AB0) 196786225222; (AB2) 196786225239; (ABJ) 196786225246; (ABT) 196337404670; (AC4) 196337404694; (AC8) 196337404717; (ACJ) 196786225253; (ACQ) 196337404731; (AKV) 196337713390; (B13) 196337404755; (B19) 196337404799; (BAZ) 196337404786; (BBU) 196786225260; (BGJ) 196337404793; (BGM) 196786225277 [1] For yield information on the cartridge(s) included with your printer, see https://www.hp.com/go/toneryield. Yield values measured in		v2.1.2; FCC Rules and Regulations 47 CFR Part 68. Other Telecom
Top margin (A4)	Telephone handset supported	No
Tray capacity Up to 650 sheets Twain version Version 2.4 Typical electricity consumption (TEC) footnote [9] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatthours (kWh). Typical electricity consumption (TEC) number 0.552 kWh/week (Energy Star 3.0); 0.551 kWh/week (Blue Angel) [9] UNSPSC code 43212110 UPC number (201) 196337404649; (ABD) 196786225222; (ABZ) 196786225239; (ABJ) 196786225246; (ABT) 196337404663; (ABY) 196337404670; (AC4) 196337404694; (AC8) 19633740471; (ACJ) 196786225253; (ACQ) 19633740479; (BAZ) 196337404786; (BBU) 196786225260; (BGJ) 19633740479; (BAZ) 196337404786; (BBU) 196786225260; (BGJ) 196337404793; (BGM) 196786225277 What is in the hox footnote [1] For yield information on the cartridge(s) included with your printer, see https://www.hp.com/go/toneryield. Yield values measured in	Top key features	
Twain version Version 2.4 Typical electricity consumption (TEC) footnote [9] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatthours (kWh). Typical electricity consumption (TEC) number 0.552 kWh/week (Energy Star 3.0); 0.551 kWh/week (Blue Angel) ^[9] UNSPSC code 43212110 (201) 196337404649; (ABO) 196786225222; (AB2) 196786225239; (ABJ) 196786225246; (ABT) 196337404663; (ABY) 196337404670; (AC4) 196337404694; (AC8) 196337404717; (ACJ) 196786225253; (ACQ) 196337404731; (AKV) 196337713390; (B13) 196337404755; (B19) 196337404779; (BAZ) 196337404786; (BBU) 196786225260; (BGJ) 196337404793; (BGM) 196786225277 [1] For yield information on the cartridge(s) included with your printer, see https://www.hp.com/go/toneryield. Yield values measured in	Top margin (A4)	4.3 mm
Typical electricity consumption (TEC) footnote [9] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh). Typical electricity consumption (TEC) number 0.552 kWh/week (Energy Star 3.0); 0.551 kWh/week (Blue Angel) ^[9] UNSPSC code 43212110 (201) 196337404649; (ABO) 196786225222; (AB2) 196786225239; (ABJ) 196786225246; (ABT) 196337404663; (ABY) 196337404670; (AC4) 196337404694; (AC8) 196337404717; (ACJ) 196786225253; (ACQ) 196337404731; (AKV) 196337713390; (B13) 196337404755; (B19) 196337404799; (BAZ) 196337404786; (BBU) 196786225260; (BGJ) 196337404793; (BGM) 196786225277 [1] For yield information on the cartridge(s) included with your printer, see https://www.hp.com/go/toneryield. Yield values measured in	Tray capacity	Up to 650 sheets
Proceedings	Twain version	Version 2.4
UNSPSC code 43212110 (201) 196337404649; (ABO) 196786225222; (AB2) 196786225239; (ABJ) 196786225246; (ABT) 196337404663; (ABY) 196337404670; (AC4) 196337404694; (AC8) 196337404717; (ACJ) 196786225253; (ACQ) 196337404731; (AKV) 196337713390; (B13) 196337404755; (B19) 196337404779; (BAZ) 196337404786; (BBU) 196786225260; (BGJ) 196337404793; (BGM) 196786225277 [1] For yield information on the cartridge(s) included with your printer, see https://www.hp.com/go/toneryield. Yield values measured in		electricity consumed by a product during 1 week, measured in kilowatt-
(201) 196337404649; (ABO) 196786225222; (AB2) 196786225239; (ABJ) 196786225246; (ABT) 196337404663; (ABY) 196337404670; (AC4) 196337404694; (AC8) 196337404717; (ACJ) 196786225253; (ACQ) 196337404731; (AKV) 196337713390; (B13) 196337404755; (B19) 196337404779; (BAZ) 196337404786; (BBU) 196786225260; (BGJ) 196337404793; (BGM) 196786225277 [1] For yield information on the cartridge(s) included with your printer, see https://www.hp.com/go/toneryield. Yield values measured in	(TEC) TOOLHOLE	hours (kWh).
UPC number 196786225246; (ABT) 196337404663; (ABY) 196337404670; (AC4) 196337404694; (AC8) 196337404717; (ACJ) 196786225253; (ACQ) 196337404731; (AKV) 196337713390; (B13) 196337404755; (B19) 196337404779; (BAZ) 196337404786; (BBU) 196786225260; (BGJ) 196337404793; (BGM) 196786225277 [1] For yield information on the cartridge(s) included with your printer, see https://www.hp.com/go/toneryield. Yield values measured in	Typical electricity consumption	
What is in the hox footnote see https://www.hp.com/go/toneryield. Yield values measured in	Typical electricity consumption (TEC) number	0.552 kWh/week (Energy Star 3.0); 0.551 kWh/week (Blue Angel) ^[9]
vary considerably based on images printed and other factors.	Typical electricity consumption (TEC) number UNSPSC code	0.552 kWh/week (Energy Star 3.0); 0.551 kWh/week (Blue Angel) ^[9] 43212110 (201) 196337404649; (AB0) 196786225222; (AB2) 196786225239; (ABJ) 196786225246; (ABT) 196337404663; (ABY) 196337404670; (AC4) 196337404694; (AC8) 196337404717; (ACJ) 196786225253; (ACQ) 196337404731; (AKV) 196337713390; (B13) 196337404755; (B19) 196337404779; (BAZ) 196337404786; (BBU) 196786225260; (BGJ)

^[1] For yield information on the cartridge(s) included with your printer, see https://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors.

^[2] For yield information on the cartridge(s) included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors.

^[4] Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.

^[9] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

^[11] For Scan software (included in the box) we support: Windows [JPG, RAW (BMP), PDF, TIFF, PNG, RTF] and Mac [JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT]



Ink/Toner/Paper/Printer Supplies

HP Laser Toner Cartridges and Kits

HP Color Laser Toner Printer Cartridges

HP 213A Black Original LaserJet Toner Cartridge	W2130A
HP 213A Cyan Original LaserJet Toner Cartridge	W2131A
HP 213A Magenta Original LaserJet Toner Cartridge	W2133A
HP 213A Yellow Original LaserJet Toner Cartridge	W2132A
HP 213X High Yield Black Original LaserJet Toner Cartridge	W2130X
HP 213X High Yield Cyan Original LaserJet Toner Cartridge	W2131X
HP 213X High Yield Magenta Original LaserJet Toner Cartridge	W2133X
HP 213X High Yield Yellow Original LaserJet Toner Cartridge	W2132X
HP 213Y Extra High Yield Black Original LaserJet Toner Cartridge	W2130Y
HP 213Y Extra High Yield Cyan Original LaserJet Toner Cartridge	W2131Y
HP 213Y Extra High Yield Magenta Original LaserJet Toner Cartridge	W2133Y
HP 213Y Extra High Yield Yellow Original LaserJet Toner Cartridge	W2132Y

★ : Recommended

HP Laser Printer Supply Kits

HP LaserJet 110V Fuser Kit	527G0A
HP LaserJet 220V Fuser Kit	527G1A
HP LaserJet ADF Maintenance Kit	6H121A
HP LaserJet Image Transfer Belt	527G8A
HP LaserJet Image Transfer Belt	527G9A
HP LaserJet MP Tray Roller Kit	527H3A
HP LaserJet Toner Collection Unit	527F9A
HP LaserJet Tray 2 Roller Kit	527H2A

Accessories

Printer Accessories

LaserJet Options

HP 500GB CCC, FIPS Hard Disk Drive	9EQ11A
HP Color LaserJet Aurora Purple Storage Stand	65A40A
HP Color LaserJet Comet Red Storage Stand	65A41A
HP Color LaserJet Constellation Yellow Storage Stand	65A38A
HP Color LaserJet Cosmic Green Storage Stand	65A39A
HP Color LaserJet Lunar Gray Storage Stand	65A42A
HP Color LaserJet Storage Stand	6QN55A
HP LaserJet Workflow Accelerator Card	1M0Q5A
HP LaserJet Workflow Keyboard	1M0Q2A
HP LaserJet Workflow UK Keyboard	616H2A

★ : Recommended

Accessory Bundles

Printer Accessibility Accessories

HP Accessibility Kit	2TD64A
HP Printing Voice Assistant	478C2A
Data Security Accessories	

Paper Handling

Input Trays

HP Color LaserJet 550-sheet Media Tray	6QN57A
HP Color LaserJet Aurora Purple 550 sheet Paper Tray	65A30A
HP Color LaserJet Comet Red 550 sheet Paper Tray	65A31A
HP Color LaserJet Constellation Yellow 550 sheet Paper Tray	65A28A
HP Color LaserJet Cosmic Green 550 sheet Paper Tray	65A29A
HP Color LaserJet Lunar Gray 550 sheet Paper Tray	65A32A

Staple Cartridges

HP Staple Cartridge Pack	Q7432A

Cabinets and Stands

Printer Cabinets and Stands

HP Color LaserJet Stand	6QN54A

Cables/Cable Kits/Cable Adapters

Printer Cables

HP Foreign Interface Harness	B5L31A
------------------------------	--------

Security and Protection

Smart Cards and SmartCard Readers

HP HIP2 Keystroke Reader	Y7C05A
HP Legic Secure USB Reader	4QL32A
HP SmartCard NIPRNet Solution for US Government	CC543B
HP SmartCard SIPRNet Solution for US Government	F8B30A
HP USB Universal Card Reader	X3D03A

Network Print Servers

External Print Servers

HP Jetdirect 3100w BLE/NFC/Wireless Accessory	3JN69A
Internal Print Servers	
HP Jetdirect LAN Accessory	8FP31A

Keyboards/Mice and Input Devices

Keyboards

HP LaserJet Keyboard Overlay Kit for Simplified Chinese & Traditional Chinese	A7W12A
HP LaserJet Keyboard Overlay Kit-Danish/French-Switzerland/German-Switzerland	A7W13A
HP LaserJet Swedish Overlay Keyboard	A7W14A

Fax Accessories

Fax Accessories and Options

HP MFP Analog Fax 702 Accessory	1M0Q0A
HP MFP Analog Fax 703 Accessory	1MOQ1A

Expansion Solution and Controller Cards

Expansion Packs and Solutions

Internal USB Expansion Kit

4XN67A

Solutions

Imaging and Printing Solutions

Printing SW Solution Licenses

HP HID Mobile Access Mifare DES Fire Keystroking Reader

35H11A

★: Recommended

Disclaimer — Copyright

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Jul 25, 2023 9:12 AM UTC+0000