Overview

Ready, headset, go

Unleash your call center productivity with the EncorePro 500 Series headsets. Connecting your headset to your PC, from home or the office, is easy with multiple options. And with the lightweight and comfy design, your agents will stay engaged.

Incredible call clarity

Experience enhanced call clarity with visual and tactile cues for optimal mic boom positioning. Enjoy superior sound quality and clear conversations with our voice-optimized frequency response.

Durable and comfortable

Equip your contact center employees with durable headsets designed for all-day use. Minimize breakages and downtime, saving time and money. And ensure employee comfort and satisfaction with our premium, lightweight design.

Features

Noise-canceling microphone

Next-generation flexible microphone, with positioning guides, reduces background noise and interference, ensuring fewer missed words and a better caller experience.

Easy management via Poly Lens

Take control of your deployment from anywhere via remote management with Poly Lens cloud-based device management software.

Connection flexibility

Easily answer calls from your PC, regardless of the type of USB port you have, thanks to the convenient built-in USB-A and USB Type-C® connectors on the same cable.

Optimized for communications platforms

An IT manager's dream, this headset was created for communication and is optimized and certified to work with top virtual meeting providers.^[1]

Acoustic hearing protection

SoundGuard DIGITAL uses sophisticated algorithms to provide additional acoustic protection, above and beyond the impulse and long duration protection provided by SoundGuard while maintaining natural sounding speech.

[1] Visit https://www.poly.com/us/en/products/headsets/encorepro/encorepro-500-series for more detail.

Additional specifications

| Acoustic protection technology | SoundGuard Digital ^[1,2] |
|--|---|
| Audio | Noise and echo reduction |
| Boom mic length (ft) | 0.44 ft |
| Boom mic length (mm) | 135 mm |
| Boom mic rotation | 290° |
| Button user controls | Mute; Call answer/end; Volume +/- |
| Cable length | 2180 mm |
| Cable length (imperial) | 85.8 in |
| Cartons per layer | 12 |
| Cartons per pallet | 96 |
| Color | Black |
| Compatible Operating Systems | Windows; macOS |
| Connection type | USB Type-A |
| Connects to | PC |
| Country of origin | Made in Mexico |
| ECCN | EAR99 |
| Ear cushions | Artificial leather (surface material) |
| HTS code | 8518302000 |
| Headphone type | On-ear (convertible) |
| Indicator light | On call; On muted call |
| Manufacturer Warranty | Poly standard two-year limited warranty |
| Microphone bandwidth | 35 Hz to 21 kHz |
| Microphone type | Omnidirectional |
| Minimum System Requirements | USB Type-A port; USB Type-C® port |
| Minimum dimensions (W \times D \times H) | 4.3 x 5.8 x 2.6 in |
| Minimum dimensions (W \times D \times H) | 11.1 x 14.9 x 6.7 cm |
| Multiple order quantity | 10 |
| Package dimensions (W x D x H) | 190 x 175 x 55 mm |
| Package dimensions (W x D x H) | 7.48 x 6.88 x 2.16 in |
| Package weight | 172.5 g |
| Package weight | 0.38 lb |
| Pallet (layers) | 8 |
| Pallet dimensions | 40 x 48 x 77.51 in |
| | |

| Pallet dimensions (W \times D \times H) | 101.6 x 121.9 x 196.9 cm |
|---|--------------------------|
| Pallet weight | 165.6 kg |
| Pallet weight | 365 lb |
| Products per pallet | 960 |
| Products per pallet layer | 120 |
| Sensitivity (microphone) | -40 +/-3 dB |
| Signal-to-noise ratio | >53 dB |
| Speaker size | 5.6 mm |
| Special features | UC certified |
| UNSPSC code | 43191638 |
| Weight | 0.07 lb |
| Weight | 32 g |
| What's in the box | Headset |

[1] SoundGuard Digital Plantronics owns sophisticated algorithms including: Protects against Acoustic Shock by limiting sounds to below 118 dBA; G616 anti-startle protection that limits the noise level to below 102 dB SPL and is therefore compliant to the Australian Communications Industry Forum (ACIF) G616 recommendation; Average daily noise exposure measures and controls sound to prevent the average daily sounds exposure from exceeding 80 dBA or 85 dBA time-weighted average (TWA).

[2] Requires Poly Lens Desktop App to enable SoundGuard Digital features.

Services

Poly Services ★: Recommended

Poly Support Services

| 3 year Partner Poly+ EncorePro Service | PENCORP362 |
|--|------------|
| 3 year Poly+ EncorePro Service | PENCORP312 |

Hybrid Work Solutions

Audio ★: Recommended

Audio Accessories

| Poly 2.5mm to QD Cable (0.45M) | 85Q30AA |
|--|---------|
| Poly 2.5mm to QD Cable (3M) | 85Q32AA |
| Poly 2.5mm to QD Cable with Hookswitch (0.18M) | 85Q35AA |
| Poly 2.5mm to QD Gold Cable (0.45M) | 85S11AA |
| Poly 3.5mm to QD Cable (0.15M) | 85Q37AA |
| Poly 3.5mm to QD Cable (3M) | 85Q40AA |
| Poly 3.5mm to QD Cable for IP Touch (3M) | 85Q43AA |
| Poly 4 Pin QD to 6 Pin QD Cable | 85Q45AA |
| Poly 4 Pin QD to 6 Pin QD Cable (0.13M) | 85Q47AA |
| Poly A10-11 Adapter | 85Q14AA |
| Poly A10-11 QD to QD Adapter | 85S27AA |
| Poly A10-12 Adapter (S1 Plug) | 85S26AA |
| Poly A10-16 Adapter | 85T17AA |
| Poly A10-16 Adapter (Bagged) | 85T18AA |
| Poly AL10 Inline Audio Limiter | 85S25AA |
| Poly Blackwire 5200 Y Training Cable | 85S08AA |
| Poly Blackwire C510/520 Case | 85Q71AA |
| Poly CA22CD-DC Dual Channel Remote with Battery | 85Q91AA |
| Poly CA22CD-SC Single Channel Remote with Battery | 85Q92AA |
| Poly DA75 USB to QD Black Adapter TAA | 786C6AA |
| Poly DA85 USB to QD Black Adapter TAA | 786C7AA |
| Poly DA85-M USB to QD Black Adapter TAA | 786C8AA |
| Poly DA90 USB to QD Adapter | 85T19AA |
| Poly DM15 to 6 Pin QD Cable (3M) | 85R13AA |
| Poly EncorePro HW510/520 Foam Ear Cushions (2 Pieces) | 85Q31AA |
| Poly EncorePro HW510/520 Foam Ear Cushions (25 Pieces) | 85Q34AA |
| Poly EncorePro HW510/520 Leatherette Ear Cushions (2 Pieces) | 85Q36AA |
| Poly EncorePro HW510V/520V Voice Tube | 85Q39AA |
| Poly EncorePro HW510V/520V Voice Tubes (10 Pieces) | 85Q41AA |
| Poly EncorePro HW530/540 Foam Ear Cushion (1 Piece) | 85R18AA |

| Poly EncorePro HW530/540 Large Leatherette Ear Cushion (1 Piece) | 85R21AA |
|---|---------|
| Poly EncorePro HW530/540 Large and Small Earloops | 85R19AA |
| Poly EncorePro HW530/540 Small Leatherette Ear Cushion (1 Piece) | 85R23AA |
| Poly EncorePro HW700 Foam Ear Cushions and Mounting Plates (2 Pieces) | 85R24AA |
| Poly EncorePro HW700 Foam Ear Cushions and Mounting Plates (25 Pieces) | 85R26AA |
| Poly EncorePro HW700 Leatherette Ear Cushions and Mounting Plates (2 Pieces) | 85R27AA |
| Poly EncorePro HW700 Leatherette Ear Cushions and Mounting Plates (25 Pieces) | 85R28AA |
| Poly HIC-1 Cable | 85R30AA |
| Poly HIC-10 Cable | 783S2AA |
| Poly HIS Cable TAA | 783S3AA |
| Poly HW540 Behind The Neckband | 85R16AA |
| Poly HW540 Over The Headband | 85R20AA |
| Poly M15D Adapter | 85Q54AA |
| Poly M15D Cable (3M) | 85R22AA |
| Poly M22 Adapter | 85T20AA |
| Poly M22 Adapter (Bilingual) | 85Q15AA |
| Poly M22 High Gain Adapter | 85Q17AA |
| Poly M22 High Gain Adapter (Bilingual) | 85Q19AA |
| Poly M22 Narrowband Adapter | 85T21AA |
| Poly M22 Phone Cable (0.15M) | 85R25AA |
| Poly M22 Phone Cable (1M) | 85R33AA |
| Poly M22 to 2.5mm Cable (0.5M) | 85R36AA |
| Poly M22 to QD Cable | 85R38AA |
| Poly M22 to QD Lightweight Cable | 85R40AA |
| Poly MDA100 QD USB-A Analog Switch | 8A7E1AA |
| Poly MDA100 RJ9 Cable | 85R42AA |
| Poly MDA105 QD USB-A Analog Switch | 8A7E2AA |
| Poly MDA500 Cable | 85R46AA |
| Poly MDA500 USB-C to USB-A Cable | 85R48AA |
| Poly MDA500 USB-C to USB-C Cable | 85R50AA |
| Poly MDA524 QD USB-A | 8L544AA |
| Poly MDA524 USB-C | 85Q24AA |
| Poly MDA526 QD USB-A | 8L547AA |
| Poly Poly to GN QD Converter | 85R64AA |

| Poly QD to QD Extension Cable (3M) | 85R66AA |
|--|---------|
| Poly QD to QD Lightweight Extension Cable (10ft) | 920P2AA |
| Poly QD to QD Lightweight Extension Cable with QD Lock | 85R69AA |
| Poly Quick Disconnect IN-LINE MUTE Control KIT | 920P8AA |
| Poly RJ11 to QD Cable (3M) | 85R76AA |
| Poly Savi 740/745 Neckband | 85R32AA |
| Poly U10 Lightweight Cable with QD Lock | 85R85AA |
| Poly U10P Lightweight Cable | 784S1AA |
| Poly U10P Long End Cable | 784R9AA |
| Poly U10P Short End Cable | 784Q5AA |
| Poly U10P-S Cable | 784S0AA |
| Poly U10P-S19 Cable | 784S2AA |
| Poly Y Training Cable | 85S07AA |
| Poly Y Training Cable with QD Lock-Digital Headsets | 85S09AA |
| Wired Headset | |
| Poly Supraplus Clothing Clip Mirage | 8K6N5AA |
| | |

Disclaimer — Copyright

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Jul 02, 2024 10:38 AM UTC+0000