Poly Savi D400 UC DECT 1920-1930 MHz Dongle (85T33AA)



Specifications

| Package dimensions (W x D x H) | 190 x 210 x 55 mm |
|--------------------------------|--|
| Package weight | 300 g |
| UPC number | (A2K) 197497580129; (ABA) 197497580136; (ABB) 197497580143; (ABJ) 197497580594; (AC4) 197497580150; (UUF) 197497580167 |

Additional specifications

| Cartons per layer | 12 |
|---|------------------------|
| Cartons per pallet | 12 |
| Country of origin | Made in China |
| ECCN | EAR99 |
| HTS code | 8517620090 |
| Multiple order quantity | 40 |
| Package dimensions (W x D x H) | 7.48 x 8.26 x 2.16 in |
| Package weight | 0.66 lb |
| Pallet (layers) | 6 |
| Pallet dimensions | 40 x 48 x 58.66 in |
| Pallet dimensions (W \times D \times H) | 101.6 x 121.9 x 149 cm |
| Pallet weight | 357 kg |
| Pallet weight | 787.05 lb |
| Products per pallet | 2880 |
| Products per pallet layer | 480 |
| UNSPSC code | 26121630 |

Disclaimer — Copyright

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Aug 08, 2024 7:38 AM UTC+0000