Product data sheet

APC 19" Rack LCD Console

AP5719

Overview

Presentation	1U rack-mountable keyboard, mouse, and LCD console with US English keyboard layout.
Lead time	Usually in Stock

Main

Main Input Voltage	100 V 240 V
Number of rack unit	1U
Provided equipment	C13-C14 power cord Documentation CD Firmware upgrade cable Installation guide NEMA 5-15 power cord PS2 KVM cable Rack mounting hardware Single user rack mount kit USB cable USB KVM cable

Physical

Color	Black
Height	1.73 in (4.4 cm)
Width	18.98 in (48.2 cm)
Depth	26.18 in (66.5 cm)
Net Weight	38.4 lb(US) (17.4 kg)
Mounting Location	Front Rear
Mounting preference	No preference
Mounting Mode	Rack-mounted
Maximum Mounting Depth	41.33 in (104.98 cm)
minimum mounting depth	26.77 in (68 cm)

Input

Input Frequency	50/60 Hz

Conformance

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Product Certifications	C-tick
	CE
	Industry Canada
	KCC
	NOM
	UL Listed
	VCCI Class A
	VDE
	TAA compliance

Standards	EN 55022 Class A
	EN 55024
	EN 60950
	FCC Part 15 class A
	IEC 60950

Environmental

Ambient air temperature for operation	32…104 °F (0…40 °C)

Supported Hardware

Display size	19 inch
Trackball Type	PS/2 Touchpad
	USB mouse
Display Type	LCD display
LCD Power Consumption	19 W
Pixel size	0.26

Ordering and shipping details

GTIN	731304283294

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.98 in (15.2 cm)
Package 1 Width	32.52 in (82.6 cm)
Package 1 Length	26.50 in (67.3 cm)
Package 1 Weight	46.28 lb(US) (20.99 kg)

Contractual warranty

Warranty	2 years repair or replace

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained ›

How we assess product sustainability ›

Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle)	**64**

Use Better

Materials and Substances

EU RoHS Directive	**Compliant with Exemptions**
REACh Regulation	**REACh Declaration**

Use Again

Repack and remanufacture

Circularity Profile	**End of Life Information**
WEEE	**The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.**
Take-back	**Yes**