



# DIY Wall 2 Series

## Indoor/Outdoor Portable Roll-down Projection Screen







### User's Guide

The DIY Wall 2 Projection Screen was designed to provide a simple portable solution to hang on an indoor/outside wall, patio, tree or just about any surface you want to project on. When using outdoors, please keep away from direct sunlight or rain to ensure longevity. The screen material can be cleaned with mild soap and water.

*For more a video demonstration on how to assemble and install the DIY Wall 2, please visit [www.elitescreens.com/videos/diyw2](http://www.elitescreens.com/videos/diyw2)*

#### Hardware and Parts List:


Please make sure all parts listed below are included before installation.

A. Top & Bottom support bar x 2pcs	B. Plastic end cap x 4pcs	C. Buttons x 37-53pcs
		
E. Material Strip x 4pcs	D. Hollow wall anchor x 4pcs	E. M5*60mm screws x 4pcs
		

#### Material Installation:


1. Lay the screen material completely flat with the back facing down on a clean surface in a horizontal position.
2. Take out the **weight bars (A)** and **buttons(C)** from the packaging.
3. Align the **material strip (E)** with the first two (2) holes of each corner, and attach them to the screen material by inserting and fastening the button clips as shown in **Fig. 1**.

*\*Please be sure the button is inserted through the front side of the screen material and secured with the clasp on the backside of the material.*




**Fig.1**

4. After all the buttons have been inserted and fastened along the top and bottom of the screen, slide the weight bar across the material as shown in **Fig. 2** and **3**.




**Fig.2**



**Fig. 3**

5. Once the weight bars are fully inserted, pull both sides of the material (**Fig. 4**) outward which should remove and prevent the material from wrinkling.
6. Make sure the material is not wavy or wrinkling by pulling on the material strip on all sides. Then fold back the excess and then insert the end caps.(**Fig.5**)



Fig. 4



Front side



Back side

Fig. 5




**Installation:**

1) Measure the distance between the two hooks (**Fig. 6**) which are located on the top support bar and install two screws or nails in the area where the screen will be installed. Once the nails or screws are in place, hang the screen by the wall hooks and carefully roll the screen down.



2) Next, measure distance of the top hook and bottom hook (**Fig. 7**) to determine the height required for the bottom nail or screw installation. Once the bottom nails/screw supports are in place hang the bottom hooks to secure the DIY Wall 2 screen.

**Tip:** Pull the hooks on the bottom weight bar as far as they allow prior to installing the screw. This will allow the screen material to properly stretch out for a flat and taut installation.



## On-Line User Guide or Download

线上说明书或下载 / 線上說明書或下載  
オンラインユーザーマニュアル / ダウンロード

on-line Manual del usuario o descargar

On-Line-BenutzerhandbuchoderHerunterladen

Manuel de l'utilisateur en ligneoutélécharger

On-Line manualed'uso o download

ออนไลน์ใช้คู่มือหรือดาวน์โหลด

On-Line Руководствопользователяилиискать

On-line Manual de utilizare sau de descărcare

Hướngdẫn sử dụngtrực tuyến hay tảixuống

على الخط دليلًا لمستخدمًا وتحميل

ऑनलाइनउपयोगकर्ताकेमैनुअलयाडाउनलोड

온라인사용자설명서또는다운로드

On-Line Instrukcjaobsługilubpobierania

On-Line Manual do Usuárioou Download

BukuPanduan Online atauunduh

**[www.elitescreens.com/UG](http://www.elitescreens.com/UG)**

