Version 2.7	Revision Date 06/06/2022	Print Date 06/14/2023
SECTION 1. PRODUCT AN	ID COMPANY IDENTIFICATION	

Material name	:	ZEP ZEPVUE R.T.U. GLASS CLEANER
Material number	:	00000000000101001
Manufacturer or supplier's o	deta	ils
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	404-352-1680

Emergency telephone numbers				
For SDS Information	:	Compliance Services 1-877-428-9937		
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded		
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.		
Emergency		In the District of Columbia 202-483-7616		

Recommended use of the chemical and restrictions on use

## SECTION 2. HAZARDS IDENTIFICATION

## Emergency Overview

Appearance	liquid
Colour	light blue
Odour	pleasant

# **GHS** Classification

Flammable liquids	: Category 4
GHS label elements	
Signal word	: Warning
Hazard statements	: H227 Combustible liquid.
Precautionary statements	<ul> <li>Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P280 Wear protective gloves/ eye protection/ face protection. <b>Response:</b> P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. <b>Storage:</b> P403 + P235 Store in a well-ventilated place. Keep cool. <b>Disposal:</b> P501 Dispose of contents/container in accordance with local regulation.</li> </ul>

Version 2.7

Revision Date 06/06/2022

Print Date 06/14/2023

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration [%]
2-butoxyethanol	111-76-2	>= 1 - < 3

The exact percentages of disclosed substances are withheld as trade secrets.

### **SECTION 4. FIRST AID MEASURES**

General advice	:	Do not leave the victim unattended. Get medical attention. Move out of dangerous area. Show this safety data sheet to the doctor in attendance.		
lf inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.		
In case of skin contact	:	If skin irritation persists, call a physician. Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse.		
In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.		
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center.		
Most important symptoms and effects, both acute and delayed	:	Effects may be delayed, symptoms may include minor eye or skin irritation. Overexposure may cause mild eye or skin irritation.		
Notes to physician	:	Treat symptomatically. Symptoms may be delayed.		

## SECTION 5. FIREFIGHTING MEASURES

Version 2.7	Revision Date 06/06/2022 Print Date 06/14/2		
Suitable extinguishing media	: Use water spray, alcohol-resistant carbon dioxide.	foam, dry chemical or	
Unsuitable extinguishing media	: High volume water jet		
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke		
Specific extinguishing methods	: Use extinguishing measures that a circumstances and the surrounding		
Further information	: For safety reasons in case of fire, separately in closed containments Use a water spray to cool fully closed		
Special protective equipment for firefighters	: Wear self-contained breathing app necessary.	paratus for firefighting if	

# SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment.	
Environmental precautions	<ul> <li>Prevent further leakage or spillage if safe to do so.</li> <li>Prevent product from entering drains.</li> <li>If the product contaminates rivers and lakes or drains, inforr respective authorities.</li> </ul>	m
Methods and materials for containment and cleaning up	: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.	D

# SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Avoid formation of aerosol. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.</li> </ul>
Conditions for safe storage	<ul> <li>No smoking.</li> <li>Keep in a well-ventilated place.</li> <li>Observe label precautions.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>
Materials to avoid	: Oxidizing agents Do not store near acids.

Version 2.7

Revision Date 06/06/2022

Print Date 06/14/2023

Do not freeze.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m3	NIOSH REL
		TWA	50 ppm 240 mg/m3	OSHA Z-1
		TWA	25 ppm 120 mg/m3	OSHA P0
		PEL	20 ppm 97 mg/m3	CAL PEL

### **Biological occupational exposure limits**

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
2-BUTOXYE THA NOL	111-76-2	Butoxyacetic	Urine	End of	200.mg/g	ACGIH BEI
		acid (BAA)		shift (As	Creatinine	
				soon as		
				possible		
				after		
				exposure		
				ceases)		

Engineering measures : effective ventilation in all processing areas

### Personal protective equipment

i electrici pretective equipilie		
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection Material Remarks		Protective gloves The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Safety glasses Ensure that eyewash stations and safety showers are close to the workstation location.
Skin and body protection		Impervious clothing

 Skin and body protection
 : Impervious clothing<br/>Choose body protection according to the amount and<br/>concentration of the dangerous substance at the work place.

 Hygiene measures
 : When using do not eat or drink.<br/>When using do not smoke.<br/>Wash hands before breaks and at the end of workday.

Version 2.7

Revision Date 06/06/2022

Print Date 06/14/2023

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: light blue
Odour	: pleasant
Odour Threshold	: No data available
рН	: 10.5 - 11.5
Melting point/freezing point	: No data available
Boiling point	: 100 °C
Flash point	: 61.4 °C Method: closed cup
Evaporation rate	: 1
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 0.996 g/cm3
Bulk density	: No data available
Solubility(ies)	
Water solubility	: soluble in cold water, soluble in hot water
Solubility in other solvents	: soluble
Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: 3.6 mm2/s (20 °C)

# SECTION 10. STABILITY AND REACTIVITY

Version 2.7	Revision Date 06/06/2022	Print Date 06/14/2023
Chemical stability	: Stable under normal conditions.	
Possibility of hazardous reactions	: No decomposition if stored and app	lied as directed.
reactions	Vapours may form explosive mixtur	e with air.
Conditions to avoid	: Heat, flames and sparks.	
Incompatible materials	: Strong oxidizing agents Acids	
Hazardous decomposition products	: Carbon monoxide, carbon dioxide a hydrocarbons (smoke).	and unburned

## SECTION 11. TOXICOLOGICAL INFORMATION

## **Potential Health Effects**

Aggravated Medical Condition	: None known.
Symptoms of Overexposure	<ul> <li>Effects may be delayed, symptoms may include minor eye or skin irritation.</li> <li>Overexposure may cause mild eye or skin irritation.</li> <li>Treat symptomatically. Symptoms may be delayed.</li> </ul>
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	Confirmed animal carcinogen with unknown relevance to humans 2-butoxyethanol 111-76-2
OSHA	No component of this product present at levels greater than or
NTP	equal to 0.1% is on OSHA's list of regulated carcinogens. No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Acute toxicity	
Product:	
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate : > 200 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method

ZEP ZEPVUE R.T.U. G	<b>JLASS CLEANER</b>	
Version 2.7	Revision Date 06/06/2022	Print Date 06/14/2023
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/l Method: Calculation method	kg
Components:		
<b>2-butoxyethanol:</b> Acute oral toxicity	: LD50 Oral Rat: 880 mg/kg	
Acute dermal toxicity	: LD50 Dermal Rabbit: 1,060 mg/kg	
Skin corrosion/irritation		
Product:		
Remarks: May cause skin i	ritation and/or dermatitis.	
Serious eye damage/eye irrita	tion	
Product:		
Remarks: Vapours may cau	se irritation to the eyes, respiratory system	and the skin.
Respiratory or skin sensitisation	on	
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
No data available		
Aspiration toxicity		
No data available		
Further information		
Product:		
Remarks: No data availa	ble	

Version 2.7	Revision Date 06/06/2022	Print Date 06/14/2023
Ecotoxicity		
No data available		
Persistence and degradability		
No data available Bioaccumulative potential		
Product:		
Partition coefficient: n- octanol/water	: Remarks: No data available	
Mobility in soil		
No data available		
Other adverse effects		
No data available <u>Product:</u>		
Regulation	40 CFR Protection of Environmer Stratospheric Ozone - CAA Secti Substances	
Remarks	This product neither contains, nor with a Class I or Class II ODS as Clean Air Act Section 602 (40 CF + B).	defined by the U.S.
Additional ecological information	: No data available	

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Do not dispose of waste into sewer.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

## SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel):

Version 2.7

Revision Date 06/06/2022

Print Date 06/14/2023

NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

## SECTION 15. REGULATORY INFORMATION

TSCA list

: No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

## EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA** Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
ammonia, aqueous solution	1336-21-6	1000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Flammable (gases, aerosols, liquids	, or solids)	
SARA 302	:	No chemicals in this material are sul requirements of SARA Title III, Section	•	ting
SARA 313	:	The following components are subje established by SARA Title III, Sectio 2-butoxyethanol		vels 1.9992 %
California Prop. 65		-		

Version 2.7

Revision Date 06/06/2022

Print Date 06/14/2023

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### The components of this product are reported in the following inventories:

DSLAll components of this product are on the Canadian DSLTSCAOn TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

## Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

**SECTION 16. OTHER INFORMATION** 

Version 2.7

Revision Date 06/06/2022

Print Date 06/14/2023

### **Further information**

### NFPA:



0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme

#### HMIS III:

HEALTH	0
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,

- 2 = Moderate, 3 = High
- 4 = Extreme, \* = Chronic

#### **OSHA - GHS Label Information:**

Signal w ord Hazard statements Precautionary statements	: <b>Warning:</b> : Combustible liquid. :
	<b>Prevention:</b> Keep aw ay from heat/sparks/open flames/hot surfaces. No smoking. Wear protective gloves/ eye protection/ face protection. <b>Response:</b> In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
	<b>Storage:</b> Store in a w ell-ventilated place. Keep cool.

**Disposal:** Dispose of contents/container in accordance with local regulation.

Version:	2.7
Revision Date:	06/06/2022
Print Date:	06/14/2023

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations

Version 2.7

Revision Date 06/06/2022

Print Date 06/14/2023

to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.