

20ft (6.1m) Cat6 Snagless Shielded (STP) Ethernet Network Patch Cable - Blue Part No. CG-00804



Protect a high speed network from noise and electromagnetic interference when connecting with our Snagless Shielded Cat6 patch cable. For voice/data/video distribution, this cable will handle bandwidth-intensive applications and drastically reduces both impedance and structural return loss (SRL). Each patch cable is fully tested to meet ANSI/TIA 568 C.2 Cat6 component requirements.

Each of the individual pairs is bonded together to help maintain the twist-spacing throughout the line right up to the termination point. Constructed from high quality cable and plugs, this design minimizes Near-End Crosstalk (NEXT) levels. Available in a variety of colors to easily color-code a network installation. Individual length label on each cable for ease of use.

Features & Benefits

- Designed for network adapters, hubs, switches, routers, HDBaseT applications and more
- supporting a wide variety of applications
- Snagless connector design for high density lock
- Supports 10 Gigabit networks up to 180ft for fast data transmission and maximum performance and supports 1 Gigabit up to 328ft
- Meets the ANSI/TIA-568-C.2 Cat6 requirements for Constructed with shielded twisted pair (STP) wires, designed to protect a high speed network from noise and electromagnetic interference

Cancer and

Reproductive Harm

environments and protecting the RJ-45 connector's • Available in a variety of colors to color-code a network

Prop 65 Warning Language

Specifications

General Info			
Product Line	C2G	Color	Blue
UPC Number	757120008040	Country Of Origin	VietNam
Application Sector	Residential, Commercial, Industrial	Warranty Type	Lifetime
Туре	Cable		
Dimensions			
Cable Length	20 ft		
Additional Information			

Prop 65 Warning Required Yes

Jacket Material	PVC (Polyvinyl Chloride)	Wire Gauge	26 AWG
Cable Type	Snagless, Shielded (STP), Ethernet Patch Cable	Jacket Rating	Standard Non-Rated
Adapter Rear	RJ-45 Male	Adapter Front	RJ-45 Male