

## USB C to DVI Adapter with Power Delivery - 1080p USB Type-C to DVI-D Single Link Video Display Converter w/ Charging - 60W PD Pass-Through - Thunderbolt 3 Compatible - White

**Product ID:** CDP2DVIUCPW



This USB-C to DVI adapter lets you connect a USB-C laptop, such as an Ultrabook or MacBook Pro, to a DVI display. The video adapter features USB Power Delivery, which enables you to power and charge your laptop while you're outputting video to a DVI display. To match the aesthetics of your device, this adapter is colored white.

USB Type-C is a universal connectivity standard that combines all of your essential functions into one dynamic port. This adapter works with USB-C devices that pass a DisplayPort video signal, such as the latest MacBook or Windows laptops. It's also compatible with Thunderbolt 3 ports.

Unlike some video adapters that use up one of your laptop's USB-C ports to output video, this video adapter offers an additional USB-C charge port that supports USB Power Delivery up to 60 watts. This means you can charge your laptop and output video using the same laptop port, by simply connecting the laptop's power adapter to the additional USB-C port on the adapter. It's the perfect solution for laptops that have only a limited number of USB-C ports.

This USB Type-C video adapter maximizes portability with a lightweight, small-footprint design. It's the perfect accessory to carry with your device, fitting easily into your laptop bag or carrying case. Its ultra-portable design makes this adapter perfect for BYOD (Bring Your Own Device) applications at the office.

This adapter lets you utilize the versatile USB Type-C port on your portable device. USB Type-C is a reversible connector, so no matter how you plug it in, the adapter will always connect. This saves you the hassle and embarrassment of struggling with your device when you're trying to deliver a presentation or sharing information.

The CDP2DVIUCPW is backed by a 3-year StarTech.com warranty and free lifetime technical support.

## Certifications, Reports and Compatibility

## Applications

- Charge your USB Type-C laptop and output video using the same USB-C port
- Carry the adapter with you when you travel, and connect to any DVI monitor or projector
- Connect to BYOD (Bring Your Own Device) and CYOD (Choose Your Own Device) workstations at your office

## Features

- **PERFORMANCE:** The USB-C (DP 1.2 Alt Mode HBR2) adapter with PD lets you connect a single DVI (DVI-Digital/single link) display supporting 1920x1200 or 1080p at 60Hz; equipped w/ EDID & DDC pass-through
- **60W PD PASS THROUGH CHARGING:** This white USB-C video converter allows up to 60W Power Delivery to power & charge your laptop while displaying video on a DVI monitor/projector using a single USB-C port
- **COMPATIBILITY:** Works w/ DisplayPort over USB Type-C (TB3 compatible) laptops like Lenovo ThinkPad X1 Carbon, Dell XPS 13, HP EliteBook, TB3 MacBook Pro 13 / Air, Surface Book 3/Laptop 3, Chromebook
- **DISPLAY COMPATIBILITY:** Tested w/ monitors/projectors incl Dell, LG, Asus, Acer, BenQ, HP, Samsung, NEC & Phillips; lightweight design allows you to easily carry in your laptop bag during travel
- **EASY TO USE:** USB C to DVI adapter supports a driverless plug & play setup & works w/ macOS, iPadOS, Windows, Chrome OS & Linux Compatible w/ Thunderbolt 3 & previous versions of DisplayPort

---

### Hardware

Warranty	3 Years
AV Input	USB-C
Ports	1
AV Output	DVI-I (Digital Only) - Single-Link
Audio	No
Chipset ID	Parade - PS171 VIA/VLI - VL100

---

### Performance

Maximum Digital Resolutions	1920x1200
Supported Resolutions	1920x1200 @ 60Hz 1920x1080 1280x720 1024x768

Wide Screen Supported	Yes
Audio Specifications	DVI - No Audio Support

#### Connector(s)

Connector Type(s)	USB-C (24 pin) USB Power Delivery only
Connector A	USB-C (24 pin) DisplayPort Alt Mode
Connector B	DVI-I (29 pin)

#### Special Notes / Requirements

Note	This adapter is not compatible with the Apple Cinema Display
------	--

#### Power

Power Delivery	60W
----------------	-----

#### Environmental

Operating Temperature	0C to 45C (32F to 113F)
Storage Temperature	-10C to 70C (-14F to 158F)
Humidity	0~90% RH

#### Physical Characteristics

Color	White
Material	Plastic
Cable Length	3.9 in [100 mm]
Product Length	2.4 in [60 mm]
Product Width	1.6 in [40 mm]
Product Height	0.5 in [13 mm]
Weight of Product	1.1 oz [32 g]

#### Packaging Information

Package Length	6.8 in [17.2 cm]
Package Width	5.7 in [14.5 cm]
Package Height	1.2 in [30 mm]



Shipping (Package) Weight	3.5 oz [100 g]
------------------------------	----------------

---

**What's in the  
Box**

Included in Package	USB-C to DVI adapter
---------------------	----------------------

---

***\*Product appearance and specifications are subject to change without notice.***

