# Product data sheet

Specifications





## APC Replacement Battery Cartridge #160 with 2 Year Warranty

APCRBC160

Product availability: Stock - Normally stocked in distribution facility

#### Overview

Lead time Usually in Stock

### Main

Product or Component Type	Replacement battery cartridge
Battery Type	Lead-Acid battery
Provided Equipment	Reusable packaging Installation guide

### **Batteries & Runtime**

Battery Slots Empty	0		
Included Battery Modules	0		

## **Physical**

Height	11.9 in (30.2 cm)
Width	2.6 in (6.6 cm)
Depth	4.3 in (10.9 cm)
Net Weight	9.81 lb(US) (4.45 kg)
Mounting Mode	Not rack-mountable

## Ordering and shipping details

Category	80230-IG SEBA TO SEUSA	
Discount Schedule	BMS1	
GTIN	731304338673	
Returnability	No	
Country of origin	PH	

### **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	16.4 in (41.7 cm)
Package 1 Width	7.09 in (18 cm)
Package 1 Length	7.3 in (18.5 cm)
Package 1 Weight	10.8 lb(US) (4.9 kg)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

# **Contractual warranty**

Warranty

2 years repair or replace



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Take-back Transparency RoHS/REACh

### Resource performance



Take-Back Program Available

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information