### **Overview**



#### Be in the room from any room

Al-enhanced audio, cinematic 4K video, and engaging controls make virtual meetings more personal. HP Presence with Zoom Rooms[3] interacts intuitively with users providing an intelligent meeting experience and delivers useful real-time analytics back to IT.[5,6]

### **Empower small spaces**

Remove barriers to conferencing and connect your workforce with the HP Presence Control with Audio, HP Presence See 4K AI Camera, HP Presence Mini Conferencing PC, and HP Smart Set Up for huddle and small rooms.

#### Bring people together

The intelligent HP Presence See 4K AI Camera wakes on room entry and automatically adjusts the framing of the video with speaker tracking and picture-in-picture modes. The HP Presence Control provides natural room-filling sound.

### **Quickly report issues**

Report a room issue in two seconds. Remove the friction of reporting room issues like missing chairs, dry markers, trash, temperature issues, and more to IT, facilities, or the café admin with HP Presence Room Assistant.[9]

### **Features**

### **Protected by HP Wolf Security**

HP Wolf Security for Business protects the BIOS with a hardware-enforced, always-on, resilient defense. [19]

### Wake your system on entry

Your HP Presence conferencing system utilizes HP Meeting Ready detection when you enter the room to wake your system so you can quickly start your meeting.

#### Lifelike video

The camera follows you or multiple presenters as they move within the camera's frame with HP Auto Frame. HP Speaker Frame uses picture-in-picture to show the speakers expressions to build a connection with the audience.

### Clear videoconferencing, even in low light

How you're seen over video calls is as important as how you sound. Get vibrant clarity and make sure viewers never miss a visual cue, even in low lighting conditions with HP Lowlight Adjustment.

### Stand up and be heard

HP Dynamic Voice Leveling automatically enhances microphone gain to optimize voice clarity within 3-meters of the microphone. HP AI Noise Reduction uses noise-filtering technology to enhance audio and video conferencing experience even while wearing a mask.

### **HP Rapid Echo Cancellation**

Remove echo for participants not in the room with HP Presence microphones equipped with HP Rapid Echo Cancellation.

[3] Zoom Rooms software preinstalled. Subscription to Zoom Rooms required and sold separately.

[5] HP Presence Manager requires HP Presence Meeting Space Solutions and uses HP Cloud Endpoint Manager and HP TechPulse, a telemetry and analytics platform that provides critical data around devices and applications. HP Cloud Endpoint Manager and HP TechPulse follow stringent GDPR privacy regulations. HP TechPulse is ISO27001, ISO27701, ISO27017 and SOC2 Type2 certified for Information Security. Internet access with connection to TechPulse portal is required. For full system requirements, please visit http://www.hpdaas.com/requirements. HP Presence Manager and HP Presence Insights are licensed by the terms of the HP Presence Insights Terms of Service www.hp.com/hp-presence-insights-tos.

[6] HP Presence Insights is included through December 31, 2022 with the purchase of HP Presence Meeting Space solutions. Functionality will then revert to HP Presence Manager. Purchase of 1–5-year license is required thereafter. HP Presence Manager and HP Presence Insights are licensed by the terms of the HP Presence Insights Terms of Service www.hp.com/hp-presence-insights-tos. HP Presence Manager and HP Presence Insights use HP Cloud Endpoint Manager and HP TechPulse, a telemetry and analytics platform that provides critical data around devices and applications HP Cloud Endpoint Manager and HP TechPulse follow stringent GDPR privacy regulations. HP TechPulse is ISO27001, ISO27701, ISO27017 and SOC2 Type2 certified for Information Security. Internet access with connection to TechPulse portal is required. For full system requirements, please visit http://www.hpdaas.com/requirements. HP Presence Manager and HP Presence Insights are licensed by the terms of the HP Presence Terms of Service www.hp.com/hp-presence-insights-tos.

[9] HP Presence Room Assistant is included with HP Presence Insights. HP Presence Insights is included through December 31, 2022 and functionality will then revert to HP Presence Manager. Purchase of 1–5-year license is required thereafter. HP Presence Manager and HP Presence Insights uses HP Cloud Endpoint Manager and HP TechPulse, a telemetry and analytics platform that provides critical data around devices and applications. HP Cloud Endpoint Manager and HP TechPulse follow stringent GDPR privacy regulations. HP TechPulse is ISO27001, ISO27701, ISO27017 and SOC2 Type2 certified for Information Security. Internet access with connection to TechPulse portal is required. For full system requirements, please visit http://www.hpdaas.com/requirements. HP Presence Manager and HP Presence Insights are licensed by the terms of the HP Presence Insights Terms of Service www.hp.com/hp-presence-insights-tos.

[19] HP Wolf Security for Business on HP Presence Room Solutions includes HP Sure Start and HP Secure Erase.

# Specifications

Operating system	Windows 10 IoT Enterprise SAC <sup>[1]</sup>
Processor family	10th Generation Intel® Core™ i5 processor
Processor	Intel® Core™ i5-10500T (2.3 GHz base frequency, up to 3.8 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 6 cores) <sup>[6,7]</sup>
Processor technology	Intel® Core™ i5 with vPro® Technology <sup>[2]</sup>
Chipset	Intel® Q470 (vPro®)
Memory	8 GB DDR4-2666 MHz RAM (2 x 4 GB) <sup>[4,8]</sup>
Memory Slots	2 SODIMM
Internal Storage	256 GB PCIe <sup>®</sup> NVMe™ M.2 SSD <sup>[9]</sup>
Graphics	Integrated
Graphics (integrated)	Intel® UHD Graphics 630
Display	20.3 cm (8") diagonal, HD (1280 x 800), WLED-backlit touch screen, antiglare (Control Center)
Display	8" diagonal, HD (1280 x 800), WLED-backlit touch screen, anti-glare (Control Center)
Audio	2 x 2.52 in stereo speakers, 4-corner (360°) integrated microphones, 4 m pickup range (included in HP Presence Control Center)
Dimensions (W x D x H)	17.7 $\times$ 17.5 $\times$ 3.4 cm (Mini Conferencing PC); 6.52 $\times$ 22.66 $\times$ 19.33 cm (Control Center); 10 $\times$ 10 $\times$ 19.6 cm (table stand camera); 8.1 $\times$ 9.8 $\times$ 8.1 cm (wall mount camera)
Dimensions (W x D x H)	$6.97 \times 6.89 \times 1.35$ in (Mini Conferencing PC); $2.56 \times 8.92 \times 7.61$ in (Control Center); $3.52 \times 3.52 \times 6.89$ in (table stand camera); $3.18 \times 3.85 \times 3.18$ in (wall mount camera)
Weight	1.42 kg (Mini Conferencing PC); 1.65 kg (Control Center); 0.44 kg (table stand camera); 0.26 kg (wall mount camera)
Weight	3.13 lb (Mini Conferencing PC); 3.64 lb (Control Center); 0.96 lb (table stand camera); 0.57 lb (wall mount camera)
Camera	12 MP 2160p 4K UHD up-down rotational AI camera
Ports	1 power connector; 1 RJ-45; 2 SuperSpeed USB Type-A 10Gbps signaling rate; 2 SuperSpeed USB Type-A 5Gbps signaling rate; 2 DisplayPort™ 1.4; 2 HP Presence Control Ports; 1 SuperSpeed USB Type-C® 5Gbps signaling rate (recommended for 4K AI camera or Audio Video Bar); 1 HDMI 2.0a (recommended as primary output port) <sup>[11]</sup>
Expansion slots	1 M.2 2230; 2 M.2 2242/2280 (1 M.2 slot for WLAN and 2 M.2 2242/2280 slot for storage.)
Ports	1 SuperSpeed USB Type-C® 10Gbps signaling rate; 1 SuperSpeed USB Type-A 10Gbps signaling rate; 1 SuperSpeed USB Type-A 5Gbps signaling rate; 1 3.5 mm audio Jack
Package dimensions (W x D x H)	57.9 x 28.8 x 36.5 cm

Package weight	9.8 kg
Wireless	Intel® Wi-Fi 6 AX201 (2x2) and Bluetooth® 5.2 wireless card, vPro®
Power	65 W external power adapter, up to 89% efficiency (Control Center); 90 W external power adapter, up to 89% efficiency (Mini Conferencing PC)
Ecolabels	EPEAT® registered
Energy star certified	ENERGY STAR® certified
Management features	HP Client Catalog (download); HP Driver Packs (download); HP Image Assistant Gen 5 (download); HP Client Management Script Library (download); HP Manageability Integration Kit (download); HP Presence Manager; HP Presence Insights <sup>[12,13,14]</sup>
Sustainable impact specifications	Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; Outside box and corrugated cushions are 100% sustainably sourced and recyclable; Ocean-bound plastic in speaker enclosure, I/O strip and bezel frame; Recycled Plastic cushions
Security management	HP Wolf Security for Business includes: HP Sure Start Gen7, HP Secure Erase <sup>[18,19]</sup>
Software included	HP Privacy Settings; Zoom Rooms; HP Desktop Support Utilities; HP TechPulse; HP Presence Smart Setup; HP Cloud Endpoint Manager; HP Presence App <sup>[15,16,17]</sup>
UPC number	(A2K) 196548108190; (A2N) 196548108374; (A2Q) 196548108343; (ABO) 196548108206; (AB1) 196548108213; (AB2) 196548108220; (AB4) 196548108237; (AB5) 196548108244; (AB6) 196548108398; (AB7) 196548108381; (AB8) 196548108404; (AB9) 196548108428; (ABA) 196548058235; (ABB) 196548108435; (ABC) 196548108350; (ABD) 196548108442; (ABE) 196548108466; (ABJ) 4573595770123; (ABM) 19654810836; (ABN) 196548108473; (ABT) 196548108480; (ABU) 196548108497; (ABV) 196548108473; (ACB) 196548108510; (ABZ) 196548108367; (ACF) 4573595770130; (ACH) 196548108329; (ACB) 196548108367; (ACF) 4573595770130; (ACH) 196548108534; (AKC) 196548108572; (AKD) 196548108503; (AK8) 196548108534; (AKC) 196548108572; (AKD) 196548108541; (AKE) 196548108558; (AKH) 196548108589; (ARG) 196548108299; (ARC) 196548108589; (ARG) 196548108299; (ARC) 196548108596; (BED) 196548108619; (UUF) 196548108312; (UUG) 196548108671; (UUW) 196548108640; (UUZ) 196548916146
What's in the box	HP Presence Port Cover; HP Mini Security Dual VESA Sleeve v3 with Power Supply Holder; HP Presence Control Center; HP Presence Multi-Port Adapter; HP DisplayPort to HDMI True 4k Adapter; HP Presence Mini Conferencing PC with preloaded Win IoT Enterprise and Zoom Rooms; HP 90 W Power Supply; HP 65 W USB-C Power Supply; HP Presence 5 m USB-C Cable (with clips); HP See Presence 4K AI Camera (includes camera, wall mount, table mount, 5 m right angle cable, and clips); T10/T4 Torx wrench

# Additional specifications

Playbook TS icon graphics https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08169202.png Playbook TS icon memory https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08267700.png Playbook TS icon processor https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png Playbook TS icon storage http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192819.png Playbook TS icon weight imperial http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c05790117.png		
Datasheet photo 2         AHID/246f28d02a9c558194339771047b1fd98b5d93d5           Datasheet photo 3         AHID/f8ee8afa5e2b2527392ddd3e932baf44c16636ed           Datasheet photo 4         AHID/f6ee8afa5e2b2527392ddd3e932baf44c16636ed           Datasheet photo 4         AHID/dce90635b6f16a79f4d69b19a62a79a56b9af154           ECC memory         non-ECC           I/O Port location         Rear           Memory and storage         8 GB memory; 256 GB SSD storage           Memory layout (slots & size)         2 x 4 GB           Memory module type         SODIMM           Memory size uom         GB           Memory speed         266           Memory speed uom         MHz           Memory type         DDR4           Number of memory slots         2           Operating hunidity range         10 to 90% RH           Operating system         Windows 10 loT Enterprise           Operating temperature range         50 to 95°T           Operating temperature range         10 to 35°C           Package weight         21.6 lb           Playbook TS icon Connectivity         http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201987.png           Playbook TS icon dimensions tweer         https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c0820197.png           Playbook TS icon m	Bluetooth version	Bluetooth® 5.1
Datasheet photo 3 AHID/f8ee8afa5e2b2527392ddd3e932baf44c16636ed  Datasheet photo 4 AHID/dce90635b6f16a79f4d69b19a62a79a56b9af154  ECC memory non-ECC  I/O Port location Front  I/O Port location Rear  Memory and storage 8 6B memory; 256 6B SSD storage  Memory layout (slots & size) 2 x 4 GB  Memory size 8  Memory size 8  Memory size won GB  Memory speed 2666  Memory type DDR4  Number of memory slots 2  Operating humidity range 10 to 90% RH  Operating temperature range 50 to 95°F  Operating temperature range 10 to 35°C  Package dimensions (W x D x H) 22.8 x 11.3 x 14.4 in  Package weight 21.6 lb  Playbook TS icon connectivity https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201997.png  Playbook TS icon graphics https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201997.png  Playbook TS icon memory https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201997.png  Playbook TS icon storage https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png  Playbook TS icon weight https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png  Playbook TS icon storage https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png  Playbook TS icon weight http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192819.png	Datasheet photo 1	AHID/7031561af5fac149c63e50d1fccef423be256670
Datasheet photo 4 AHID/dce90635b6f16a79f4d69b19a62a79a56b9af154  ECC memory non-ECC  I/O Port location Front  I/O Port location Rear  Memory and storage 8 GB memory; 256 GB SSD storage  Memory layout (slots & size) 2 x 4 GB  Memory module type SODIMM  Memory size 8  Memory size 0 GB  Memory speed 2666  Memory speed 10 DDR4  Number of memory slots 2  Operating humidity range 10 to 90% RH  Operating temperature range 50 to 95°F  Operating temperature range 10 to 35°C  Package dimensions (W x D x H) 22.8 x 11.3 x 14.4 in  Package weight 21.6 lb  Playbook TS icon CS http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201997.png  Playbook TS icon graphics https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201997.png  Playbook TS icon memory https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png  Playbook TS icon storage https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png  Playbook TS icon weight https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192819.png  Playbook TS icon weight http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192819.png  Playbook TS icon weight http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192819.png  Playbook TS icon weight http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192819.png	Datasheet photo 2	AHID/246f28d02a9c558194339771047b1fd98b5d93d5
ECC memory non-ECC  I/O Port location Front  I/O Port location Rear  Memory and storage 8 GB memory; 256 GB SSD storage  Memory layout (slots & size) 2 x 4 GB  Memory module type SODIMM  Memory size 8  Memory size 06  Memory speed 2666  Memory speed uom MHz  Memory type DDR4  Number of memory slots 2  Operating humidity range 10 to 90% RH  Operating system Windows 10 IoT Enterprise  Operating temperature range 50 to 95°F  Operating temperature range 10 to 35°C  Package dimensions (W x D x H) 22.8 x 11.3 x 14.4 in  Package weight 21.6 lb  Playbook TS icon Connectivity http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201997.png  Playbook TS icon graphics https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201997.png  Playbook TS icon graphics https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c0820197.png  Playbook TS icon processor https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c0820197.png  Playbook TS icon storage https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c0820197.png  Playbook TS icon storage https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c0820197.png  Playbook TS icon storage https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c0820197.png  Playbook TS icon weight http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c0820197.png  Playbook TS icon weight http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c0820197.png  Playbook TS icon weight http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c0820197.png  Playbook TS icon weight http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192819.png	Datasheet photo 3	AHID/f8ee8afa5e2b2527392ddd3e932baf44c16636ed
I/O Port location  Rear  Memory and storage  Memory layout (slots & size)  2 × 4 GB  Memory module type  SODIMM  Memory size  8  Memory size  8  Memory speed  C666  Memory speed  Memory speed  DDR4  Number of memory slots  Cperating humidity range  Doperating temperature range  Operating temperature range  To to 35°C  Package dimensions (W x D x H)  Package weight  Playbook TS icon connectivity  https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201997.png  Playbook TS icon graphics  https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201997.png  Playbook TS icon processor  https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201997.png  Playbook TS icon or processor  https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c0820197.png  Playbook TS icon or processor  https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png  Playbook TS icon storage  http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png  Playbook TS icon storage  http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png  Playbook TS icon storage  http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png  Playbook TS icon storage  http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192819.png  Playbook TS icon weight  imperial	Datasheet photo 4	AHID/dce90635b6f16a79f4d69b19a62a79a56b9af154
Memory and storage 8 GB memory; 256 GB SSD storage  Memory layout (slots & size) 2 x 4 GB  Memory module type SODIMM  Memory size 8  Memory size 0 GB  Memory speed 2666  Memory speed uom MHz  Memory type DDR4  Number of memory slots 2  Operating humidity range 10 to 90% RH  Operating system Windows 10 IoT Enterprise  Operating temperature range 50 to 95°F  Operating temperature range 10 to 35°C  Package dimensions (W x D x H) 22.8 x 11.3 x 14.4 in  Package weight 21.6 Ib  Playbook TS icon OS https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201997.png  Playbook TS icon dimensions https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201997.png  Playbook TS icon graphics https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png  Playbook TS icon processor https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png  Playbook TS icon processor https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png  Playbook TS icon storage https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png  Playbook TS icon storage https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png  Playbook TS icon storage http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png  Playbook TS icon storage http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png  Playbook TS icon weight http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png  Playbook TS icon storage http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192819.png	ECC memory	non-ECC
Memory and storage       8 GB memory; 256 GB SSD storage         Memory layout (slots & size)       2 x 4 GB         Memory module type       SODIMM         Memory size       8         Memory speed       2666         Memory speed uom       MHz         Memory type       DDR4         Number of memory slots       2         Operating humidity range       10 to 90% RH         Operating system       Windows 10 loT Enterprise         Operating temperature range       50 to 95°F         Operating temperature range       10 to 35°C         Package dimensions (W x D x H)       22.8 x 11.3 x 14.4 in         Package weight       21.6 lb         Playbook TS icon OS       http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c03905482.png         Playbook TS icon dimensions tower       https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201997.png         Playbook TS icon graphics       https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08169202.png         Playbook TS icon processor       https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192819.png         Playbook TS icon storage       http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192819.png         Playbook TS icon storage       http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192819.png         Playbook TS icon storage <th>I/O Port location</th> <th>Front</th>	I/O Port location	Front
Memory layout (slots & size)       2 x 4 GB         Memory module type       SODIMM         Memory size       8         Memory speed       2666         Memory speed uom       MHz         Memory type       DDR4         Number of memory slots       2         Operating humidity range       10 to 90% RH         Operating system       Windows 10 loT Enterprise         Operating temperature range       50 to 95°F         Operating temperature range       10 to 35°C         Package dimensions (W x D x H)       22.8 x 11.3 x 14.4 in         Package weight       21.6 lb         Playbook TS icon OS       https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201987.png         Playbook TS icon dimensions tower       https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201997.png         Playbook TS icon processor       https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08267700.png         Playbook TS icon storage       https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c0821987.png         Playbook TS icon weight imperial       http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08198219.png	I/O Port location	Rear
Memory module type       SODIMM         Memory size       8         Memory speed       2666         Memory speed uom       MHz         Memory type       DDR4         Number of memory slots       2         Operating humidity range       10 to 90% RH         Operating system       Windows 10 loT Enterprise         Operating temperature range       50 to 95°F         Operating temperature range       10 to 35°C         Package dimensions (W x D x H)       22.8 x 11.3 x 14.4 in         Package weight       21.6 lb         Playbook TS icon OS       https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c03905482.png         Playbook TS icon dimensions tower       https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201997.png         Playbook TS icon graphics       https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08169202.png         Playbook TS icon memory       https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08267700.png         Playbook TS icon storage       https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c0821932.png         Playbook TS icon weight imperial       http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c05790117.png	Memory and storage	8 GB memory; 256 GB SSD storage
Memory size       8         Memory speed       2666         Memory speed uom       MHz         Memory type       DDR4         Number of memory slots       2         Operating humidity range       10 to 90% RH         Operating system       Windows 10 loT Enterprise         Operating temperature range       50 to 95°F         Operating temperature range       10 to 35°C         Package dimensions (W x D x H)       22.8 x 11.3 x 14.4 in         Package weight       21.6 lb         Playbook TS icon OS       https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c03905482.png         Playbook TS icon dimensions tower       https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201987.png         Playbook TS icon graphics       https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png         Playbook TS icon memory       https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png         Playbook TS icon storage       https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png         Playbook TS icon weight imperial       http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08790117.png	Memory layout (slots & size)	2 x 4 GB
Memory size uomGBMemory speed2666Memory speed uomMHzMemory typeDDR4Number of memory slots2Operating humidity range10 to 90% RHOperating systemWindows 10 loT EnterpriseOperating temperature range50 to 95°FOperating temperature range10 to 35°CPackage dimensions (W x D x H)22.8 x 11.3 x 14.4 inPackage weight21.6 lbPlaybook TS icon OShttp://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201987.pngPlaybook TS icon dimensions towerhttps://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201997.pngPlaybook TS icon graphicshttps://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.pngPlaybook TS icon memoryhttps://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.pngPlaybook TS icon processorhttps://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.pngPlaybook TS icon storagehttps://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.pngPlaybook TS icon weight imperialhttp://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192819.png	Memory module type	SODIMM
Memory speed uomMHzMemory typeDDR4Number of memory slots2Operating humidity range10 to 90% RHOperating temperature range50 to 95°FOperating temperature range10 to 35°CPackage dimensions (W x D x H)22.8 x 11.3 x 14.4 inPackage weight21.6 lbPlaybook TS icon OShttp://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201987.pngPlaybook TS icon dimensions towerhttps://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201997.pngPlaybook TS icon graphicshttps://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201997.pngPlaybook TS icon processorhttps://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.pngPlaybook TS icon storagehttps://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.pngPlaybook TS icon storagehttps://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.pngPlaybook TS icon weight imperialhttp://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png	Memory size	8
Memory speed uom       MHz         Memory type       DDR4         Number of memory slots       2         Operating humidity range       10 to 90% RH         Operating system       Windows 10 loT Enterprise         Operating temperature range       50 to 95°F         Operating temperature range       10 to 35°C         Package dimensions (W x D x H)       22.8 x 11.3 x 14.4 in         Package weight       21.6 lb         Playbook TS icon OS       http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201987.png         Playbook TS icon dimensions tweer       https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201997.png         Playbook TS icon graphics       https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08169202.png         Playbook TS icon memory       https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png         Playbook TS icon storage       https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192819.png         Playbook TS icon weight imperial       http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08790117.png	Memory size uom	GB
Memory type       DDR4         Number of memory slots       2         Operating humidity range       10 to 90% RH         Operating system       Windows 10 loT Enterprise         Operating temperature range       50 to 95°F         Operating temperature range       10 to 35°C         Package dimensions (W x D x H)       22.8 x 11.3 x 14.4 in         Package weight       21.6 lb         Playbook TS icon OS       http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c03905482.png         Playbook TS icon dimensions tower       https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201987.png         Playbook TS icon dimensions tower       https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201997.png         Playbook TS icon memory       https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c082067700.png         Playbook TS icon processor       https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png         Playbook TS icon storage       http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png         Playbook TS icon weight imperial       http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c05790117.png	Memory speed	2666
Number of memory slots2Operating humidity range10 to 90% RHOperating systemWindows 10 loT EnterpriseOperating temperature range50 to 95°FOperating temperature range10 to 35°CPackage dimensions (W x D x H)22.8 x 11.3 x 14.4 inPackage weight21.6 lbPlaybook TS icon OShttp://h10003.www1.hp.com/digmedialib/prodimg/lowres/c03905482.pngPlaybook TS icon dimensions towerhttp://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201987.pngPlaybook TS icon dimensions towerhttps://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201997.pngPlaybook TS icon graphicshttps://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08267700.pngPlaybook TS icon processorhttps://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.pngPlaybook TS icon storagehttp://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192819.pngPlaybook TS icon weight imperialhttp://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08790117.png	Memory speed uom	MHz
Operating humidity range  Operating system  Windows 10 IoT Enterprise  Operating temperature range  50 to 95°F  Operating temperature range  10 to 35°C  Package dimensions (W x D x H)  Package weight  21.6 Ib  Playbook TS icon OS  http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201987.png  Playbook TS icon dimensions tower  Playbook TS icon graphics  https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201997.png  Playbook TS icon graphics  https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201997.png  Playbook TS icon memory  https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png  Playbook TS icon processor  https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png  Playbook TS icon storage  https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png  Playbook TS icon storage  http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192819.png  Playbook TS icon weight imperial	Memory type	DDR4
Operating temperature range Operating temperature range Operating temperature range 10 to 35°C  Package dimensions (W x D x H) Package weight Playbook TS icon Connectivity Playbook TS icon dimensions tower  Playbook TS icon graphics Playbook TS icon memory Playbook TS icon memory Playbook TS icon processor Playbook TS icon processor Playbook TS icon storage Playbook TS icon weight imperial	Number of memory slots	2
Operating temperature range Operating temperature range 10 to 35°C  Package dimensions (W x D x H)  Package weight  Playbook TS icon OS  http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201987.png  Playbook TS icon dimensions tower  Playbook TS icon graphics  https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201997.png  Playbook TS icon graphics  https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201997.png  Playbook TS icon memory  https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08267700.png  Playbook TS icon processor  https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png  Playbook TS icon storage  https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png  Playbook TS icon storage  http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192819.png  Playbook TS icon weight imperial	Operating humidity range	10 to 90% RH
Operating temperature range Package dimensions (W x D x H) Package weight 21.6 lb Playbook TS icon OS Playbook TS icon connectivity Playbook TS icon dimensions tower Playbook TS icon graphics Playbook TS icon graphics Playbook TS icon memory Playbook TS icon memory Playbook TS icon memory Playbook TS icon processor Playbook TS icon processor Playbook TS icon storage Playbook TS icon storage Playbook TS icon storage Playbook TS icon storage Playbook TS icon weight imperial  http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png/playbook TS icon weight imperial	Operating system	Windows 10 IoT Enterprise
Package dimensions (W x D x H)  Package weight  21.6 lb  Playbook TS icon OS  http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c03905482.png  Playbook TS icon connectivity  http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201987.png  Playbook TS icon dimensions tower  Playbook TS icon graphics  https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201997.png  Playbook TS icon memory  https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08169202.png  Playbook TS icon processor  https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png  Playbook TS icon storage  http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192819.png  Playbook TS icon weight http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08790117.png  imperial	Operating temperature range	50 to 95°F
Playbook TS icon connectivity Playbook TS icon dimensions tower  Playbook TS icon graphics Playbook TS icon memory Playbook TS icon memory Playbook TS icon processor Playbook TS icon storage Playbook TS icon storage Playbook TS icon storage Playbook TS icon weight imperial  21.6 lb  http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c03905482.png https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201997.png https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08169202.png https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192819.png Playbook TS icon weight imperial	Operating temperature range	10 to 35℃
Playbook TS icon Connectivity Playbook TS icon connectivity Playbook TS icon dimensions tower Playbook TS icon graphics Playbook TS icon memory Playbook TS icon memory Playbook TS icon processor Playbook TS icon processor Playbook TS icon storage Playbook TS icon weight imperial  https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201997.png/digmedialib/prodimg/lowres/c08201997.png/digmedialib/prodimg/lowres/c08201997.png/digmedialib/prodimg/lowres/c08267700.png/digmedialib/prodimg/lowres/c08201972.png/digmedialib/prodimg/lowres/c08201972.png/digmedialib/prodimg/lowres/c08192819.png/digmedialib/prodimg/lowres/c08192819.png/digmedialib/prodimg/lowres/c05790117.png/digmedialib/prod	Package dimensions (W x D x H)	22.8 x 11.3 x 14.4 in
Playbook TS icon connectivity Playbook TS icon dimensions tower  Playbook TS icon graphics https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201997.png Playbook TS icon graphics https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08169202.png Playbook TS icon memory Playbook TS icon processor https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08267700.png Playbook TS icon storage http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png Playbook TS icon storage http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192819.png http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c05790117.png http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c05790117.png	Package weight	21.6 lb
Playbook TS icon dimensions tower  https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201997.png Playbook TS icon graphics  https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08169202.png Playbook TS icon memory  https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08267700.png Playbook TS icon processor  https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png Playbook TS icon storage  http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192819.png  Playbook TS icon weight imperial	Playbook TS icon OS	http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c03905482.png
Playbook TS icon graphics  Playbook TS icon memory  Playbook TS icon processor  Playbook TS icon processor  Playbook TS icon storage  Playbook TS icon storage  Playbook TS icon weight imperial  https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08267700.png  https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png  https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192819.png	Playbook TS icon connectivity	http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201987.png
Playbook TS icon memory  https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08267700.png  https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png  http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192819.png  Playbook TS icon weight imperial  http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c05790117.png	•	https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201997.png
Playbook TS icon processorhttps://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.pngPlaybook TS icon storagehttp://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192819.pngPlaybook TS icon weight imperialhttp://h10003.www1.hp.com/digmedialib/prodimg/lowres/c05790117.png	Playbook TS icon graphics	https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08169202.png
Playbook TS icon storage  http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192819.png  Playbook TS icon weight imperial  http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c05790117.png	Playbook TS icon memory	https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08267700.png
Playbook TS icon weight http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c05790117.png imperial	Playbook TS icon processor	https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png
imperial http://n10003.www1.np.com/digmedialib/prodimg/towres/c05790117.png	Playbook TS icon storage	http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192819.png
Playbook TS icon weight metric https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08267650.png		http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c05790117.png
	Playbook TS icon weight metric	https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08267650.png

Processor Brand	Intel®
Processor base frequency	2.3
Processor cache	12 MB L3
Processor core	6
Processor family	Core™ i5
Processor frequency UOM	GHz
Processor frequency technology	Intel® Turbo Boost Technology
Processor generation	10th Generation
Processor maximum frequency	3.8
Processor maximum frequency uom	GHz
Processor model	10500T
Processor threads	12
Product brand name	HP
Product long name specifications	HP Presence Small Space Solution Plus AI Camera with Zoom Rooms, Windows 10 IoT Enterprise SAC, Intel® Core™ i5, 8GB RAM, 256GB SSD
Product short name specifications	HP Presence Small Space Solution Plus AI Camera with Zoom Rooms, Intel® Core™ i5, 8GB RAM, 256GB SSD
Services	HP Presence Exchange <sup>[25]</sup>
Standard memory note	Transfer rates up to 2666 MT/s.
Storage capacity	256
Storage capacity uom 01	GB
Storage form factor 01	M.2
Storage interface 01	PCIe <sup>®</sup>
Storage interface protocol 01	NVMe™
Storage type 01	SSD
UNSPSC code	43211507
Wireless Model	Wi-Fi CERTIFIED 6™ AX201
Wireless antenna	2x2
Wireless standard	Wi-Fi CERTIFIED 6™
Wireless supplier	Intel®
Wireless transfer speeds	Supporting Gigabit data rate
vPro enabled	vPro®

<sup>[1]</sup> Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows is automatically updated and enabled. High speed

internet and Microsoft account required. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com.

- [2] Intel vPro® on this product requires a vPro supported processor, vPro enabled chipset, vPro enabled wired LAN and/or Wi-Fi 6E WLAN and TPM 2.0. Some functionality requires additional 3rd party software in order to run. Features of vPro® Essentials and Enterprise vary. See http://intel.com/vpro.
- [4] For systems configured with more than 3 GB of memory and a 32-bit operating system, all memory may not be available due to system resource requirements. Addressing memory above 4 GB requires a 64-bit operating system. Memory modules support data transfer rates up to 2666 MT/s; actual data rate is determined by the system's configured processor. See processor specifications for supported memory data rate. All memory slots are customer accessible/upgradeable.
- [6] Multi-core is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.
- [7] Intel® Turbo Boost performance varies depending on hardware, software and overall system configuration. See http://www.intel.com/technology/turboboost/ for more information.
- [8] All memory slots are customer accessible/upgradeable.
- [9] For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 30 GB (for Windows) of disk is reserved for system recovery software.
- [11] Guest mode will not be available using the front USB-C® port or using the rear DisplayPort  $^{m}$  port on the HP Mini.
- [12] HP Manageability Integration Kit can be downloaded from http://www.hp.com/go/clientmanagement.
- [13] HP Presence Manager requires HP Presence Meeting Space Solutions and uses HP Cloud Endpoint Manager and HP TechPulse, a telemetry and analytics platform that provides critical data around devices and applications. HP Cloud Endpoint Manager and HP TechPulse follow stringent GDPR privacy regulations. HP TechPulse is ISO27001, ISO27701, ISO27017 and SOC2 Type2 certified for Information Security. Internet access with connection to TechPulse portal is required. For full system requirements, please visit http://www.hpdaas.com/requirements. HP Presence Manager and HP Presence Insights are licensed by the terms of the HP Presence Insights Terms of Service www.hp.com/hp-presence-insights-tos.
- [14] HP Presence Insights is included through December 31, 2022 with the purchase of HP Presence Meeting Space solutions. Functionality will then revert to HP Presence Manager. Purchase of 1–5-year license is required thereafter. HP Presence Manager and HP Presence Insights are licensed by the terms of the HP Presence Insights Terms of Service www.hp.com/hp-presence-insights-tos. HP Presence Manager and HP Presence Insights use HP Cloud Endpoint Manager and HP TechPulse, a telemetry and analytics platform that provides critical data around devices and applications HP Cloud Endpoint Manager and HP TechPulse follow stringent GDPR privacy regulations. HP TechPulse is ISO27001, ISO27701, ISO27017 and SOC2 Type2 certified for Information Security. Internet access with connection to TechPulse portal is required. For full system requirements, please visit http://www.hpdaas.com/requirements. HP Presence Manager and HP Presence Insights are licensed by the terms of the HP Presence Terms of Service www.hp.com/hp-presence-insights-tos.
- [15] Zoom Rooms software preinstalled. Subscription to Zoom Rooms required and sold separately.
- [16] HP TechPulse is a telemetry and analytics platform that provides critical data around devices and applications and is not sold as a standalone service. HP TechPulse follows stringent GDPR privacy regulations and is ISO27001, ISO27701, ISO27017 and SOC2 Type2 certified for Information Security. Internet access with connection to TechPulse portal is required. For full system requirements, please visit http://www.hpdaas.com/requirements.
- [17] HP Cloud Endpoint Manager is licensed by the terms of the HP Presence Insights Terms of Service www.hp.com/hp-presence-insights-tos.
- [18] HP Secure Erase for the methods outlined in the National Institute of Standards and Technology Special Publication 800-88 "Clear" sanitation method.

[19] HP Sure Start Gen7 is available on select HP PCs.

[25] HP Presence Exchange is a separately purchased service.

# **Monitors**

# **Business Monitors**

## **P-Series**

HP P24v G5 FHD Monitor	64W18AA	obsolete
HP P24v G5 FHD Monitor	64W18AS	obsolete
HP P22a G5 FHD Monitor - P22a	8D5J1AA	
HP P22b G5 FHD Monitor - P22b	8D5K4AA	
HP P22h G5 FHD Monitor	64W30A7	
HP P22h G5 FHD Monitor	64W30AA	
HP P22h G5 FHD Monitor	64W30AS	
HP P22v G5 FHD Monitor	64V81AS	obsolete
HP P22v G5 FHD Value Monitor	7N909AT	obsolete
HP P24a G5 FHD Monitor - P24a	8D5J5AA	
HP P24h G4 FHD Monitor	7VH44AA	
HP P24h G4 FHD Monitor	9UJ13A8	
HP P24h G4 FHD Monitor	9UJ13AA	
HP P24h G5 FHD Monitor	64W34A7	
HP P24h G5 FHD Monitor	64W34AA	
HP P24h G5 FHD Monitor	64W34AF	
HP P24h G5 FHD Monitor	64W34AS	
HP P24v G4 Monitor	9TT78AA	obsolete
HP P24v G5 FHD Value Monitor	7N914AT	obsolete
HP P27 G5 FHD Monitor	64X69A7	
HP P27 G5 FHD Monitor	64X69AA	
HP P27 G5 FHD Monitor	64X69AS	
HP P27h G5 FHD Monitor	64W41A7	
HP P27h G5 FHD Monitor	64W41AA	
HP P27h G5 FHD Monitor	64W41AF	
HP P27h G5 FHD Monitor	64W41AS	
HP P34hc G4 WQHD USB-C Curved Monitor	21Y56A7	
HP P34hc G4 WQHD USB-C Curved Monitor	21Y56AA	
HP P34hc G4 WQHD USB-C Curved Monitor	21Y56AS	

★: Recommended

## **E-Series**

HP E22 G5 FHD Monitor	6N4E8AA	
HP E22 G5 FHD Monitor	6N4E8AS	
HP E22 G5 FHD Monitor	6N4E8E9	
HP E24 G4 FHD Monitor	9VF99AA	obsolete
HP E24 G4 FHD Monitor	9VF99AS	obsolete
HP E24 G4 FHD Monitor	9VF99AT	obsolete
HP E24i G4 WUXGA Monitor	9VJ40AA	
HP E24m G4 FHD USB-C Conferencing Monitor	40Z32A7	
HP E24m G4 FHD USB-C Conferencing Monitor	40Z32AA	
HP E24m G4 FHD USB-C Conferencing Monitor	40Z32AS	
HP E24m G4 FHD USB-C Conferencing Monitor	40Z32E9	
HP E24mv G4 FHD Conferencing Monitor	169L0AA	
HP E24mv G4 FHD Conferencing Monitor	169L0AS	
HP E24mv G4 FHD Conferencing Monitor	169L0E9	
HP E24q G5 QHD Monitor	6N4F1AA	obsolete
HP E24q G5 QHD Monitor	6N4F1AS	obsolete
HP E24q G5 QHD Monitor	6N4F1E9	obsolete
HP E24q G5 QHD PVC Free Monitor	6N4F1A5	obsolete
HP E24t G5 FHD Touch Monitor	6N6E6AA	
HP E24t G5 FHD Touch Monitor	6N6E6AS	
HP E24t G5 FHD Touch Monitor	6N6E6E9	
HP E24u G5 FHD USB-C Monitor	6N4D0AA	
HP E24u G5 FHD USB-C Monitor	6N4D0AS	
HP E24u G5 FHD USB-C Monitor	6N4D0E9	
HP E24u G5 FHD USB-C PVC Free Monitor	6N4D0A5	
HP E27 G5 FHD Monitor	6N4E2AA	
HP E27 G5 FHD Monitor	6N4E2AL	
HP E27 G5 FHD Monitor	6N4E2AS	
HP E27 G5 FHD Monitor	6N4E2E9	
HP E27 G5 FHD PVC Free Monitor	6N4E2A5	
HP E27k G5 4K USB-C Monitor	6N4C4AA	
HP E27k G5 4K USB-C Monitor	6N4C4AS	
HP E27k G5 4K USB-C Monitor	6N4C4E9	
HP E27m G4 QHD USB-C Conferencing Monitor	40Z29A7	
HP E27m G4 QHD USB-C Conferencing Monitor	40Z29AA	
HP E27m G4 QHD USB-C Conferencing Monitor	40Z29AS	

HP E27m G4 QHD USB-C Conferencing Monitor	40Z29E9	
HP E27m G4 QHD USB-C Conferencing Monitor	B20C6AS	
HP E27q G4 QHD Monitor	9VG82AA	obsolete
HP E27u G5 QHD USB-C Monitor	6N4D3AA	
HP E27u G5 QHD USB-C Monitor	6N4D3AS	
HP E27u G5 QHD USB-C Monitor	6N4D3E9	
HP E27u G5 QHD USB-C PVC Free Monitor	6N4D3A5	
HP E32k G5 4K USB-C Monitor	6N4D6AA	
HP E32k G5 4K USB-C Monitor	6N4D6AS	
HP E32k G5 4K USB-C Monitor	6N4D6E9	
HP E32k G5 4K USB-C PVC Free Monitor	6N4D6A5	
HP E34m G4 WQHD Curved USB-C Conferencing Monitor	40Z26A7	
HP E34m G4 WQHD Curved USB-C Conferencing Monitor	40Z26AA	
HP E34m G4 WQHD Curved USB-C Conferencing Monitor	40Z26AS	
HP E34m G4 WQHD Curved USB-C Conferencing Monitor	40Z26E9	
HP E34m G4 WQHD Curved USB-C Conferencing Monitor	B20C5AS	
HP E45c G5 DQHD Curved Monitor	6N4C1AA	
HP E45c G5 DQHD Curved Monitor	6N4C1AS	
HP E45c G5 DQHD Curved Monitor	6N4C1E9	

## **Business LCD Monitors**

HP P204v 19.5-inch Monitor	5RD66A7
HP P204v 19.5-inch Monitor	5RD66AA

## **Series 3 Pro**

HP Series 3 Pro 23.8 inch FHD Monitor - 324pe	B1GM5AA
HP Series 3 Pro 23.8 inch FHD Monitor - 324pe	B1GM5AF
HP Series 3 Pro 23.8 inch FHD Monitor - 324pe	B1GM5AS
HP Series 3 Pro 23.8 inch FHD Monitor - 324pf	9U5J5AF
HP Series 3 Pro 23.8 inch FHD Monitor - 324pf	9U5J5AS
HP Series 3 Pro 23.8 inch FHD Monitor - 324pf	9U5J5UT
HP Series 3 Pro 23.8 inch FHD Monitor - 324ph	B0BU9AF
HP Series 3 Pro 23.8 inch FHD Monitor - 324ph	B0BU9AS
HP Series 3 Pro 23.8 inch FHD Monitor - 324ph	B0BU9UT
HP Series 3 Pro 23.8 inch FHD Monitor - 324pv	9U5C1A6
HP Series 3 Pro 23.8 inch FHD Monitor - 324pv	9U5C1AA
HP Series 3 Pro 23.8 inch FHD Monitor - 324pv	9U5C1AS
HP Series 3 Pro 23.8 inch FHD Monitor - 324pb	B22BDAA
HP Series 3 Pro 27 inch FHD Monitor - 327pe	B1GM6AA
HP Series 3 Pro 27 inch FHD Monitor - 327pe	B1GM6AF
HP Series 3 Pro 27 inch FHD Monitor - 327pe	B1GM6AS
HP Series 3 Pro 27 inch FHD Monitor - 327pf	B0CG3AF
HP Series 3 Pro 27 inch FHD Monitor - 327pf	BOCG3AS
HP Series 3 Pro 27 inch FHD Monitor - 327pf	B0CG3UT
HP Series 3 Pro 27 inch FHD Monitor - 327ph	BOCG8AF
HP Series 3 Pro 27 inch FHD Monitor - 327ph	BOCG8AS
HP Series 3 Pro 27 inch FHD Monitor - 327ph	BOCG8UT

# Series 5 Pro

HP Series 5 23.8 inch FHD Monitor - 524da	B11W5AT
HP Series 5 27 inch FHD Monitor - 527da	B11W6AT
HP Series 5 Pro 23.8 inch FHD Monitor - 524pf	9D9L6AL
HP Series 5 Pro 23.8 inch FHD Monitor - 524pf	9D9L6AS
HP Series 5 Pro 23.8 inch FHD Monitor - 524pf	9D9L6E9
HP Series 5 Pro 23.8 inch FHD Monitor - 524pf	9D9L6UT
HP Series 5 Pro 23.8 inch FHD Monitor (Made in VN) - 524pf	B46LQAA
HP Series 5 Pro 23.8 inch FHD Monitor - 524pf PVC Free	9D9L6A5
HP Series 5 Pro 23.8 inch FHD No Stand Monitor - 524pf	9D9L6A9
HP Series 5 Pro 23.8 inch FHD No Stand Monitor - 524pf	9D9L6U9
HP Series 5 Pro 23.8 inch FHD USB-C Conferencing Monitor - 524pm	9E0G9UT
HP Series 5 Pro 23.8 inch FHD USB-C Conferencing Monitor - 524pm PVC Free	9E0G9A5

HP Series 5 Pro 23.8 inch FHD USB-C Monitor - 524pu	9D9V7AA
HP Series 5 Pro 23.8 inch FHD USB-C Monitor - 524pu	9D9V7AS
HP Series 5 Pro 23.8 inch FHD USB-C Monitor - 524pu	9D9V7E9
HP Series 5 Pro 23.8 inch FHD USB-C Monitor - 524pu PVC Free	9D9V7A5
HP Series 5 Pro 24 inch WUXGA Monitor - 524pn	9D9A7AA
HP Series 5 Pro 24 inch WUXGA Monitor - 524pn	9D9A7E9
HP Series 5 Pro 24 inch WUXGA Monitor (Made in VN) - 524pn	B41HLAA
HP Series 5 Pro 24 inch WUXGA Monitor - 524pn PVC Free	9D9A7A5
HP Series 5 Pro 27 inch QHD Monitor - 527pq	9D9S0E9
HP Series 5 Pro 27 inch QHD Monitor - 527pq	9D9S0UT
HP Series 5 Pro 27 inch QHD Monitor - 527pq	ВЗРВ7АА
HP Series 5 Pro 27 inch QHD Monitor - 527pq PVC Free	9D9S0A5
HP Series 5 Pro 27 inch QHD No Stand Monitor - 527pq	9D9S0A9
HP Series 5 Pro 27 inch QHD No Stand Monitor - 527pq	9D9S0U9
HP Series 5 Pro 27 inch QHD USB-C Conferencing Monitor - 527pm	9E0Y9UT
HP Series 5 Pro 27 inch QHD USB-C Conferencing Monitor - 527pm PVC Free	9E0Y9A5
HP Series 5 Pro 27 inch QHD USB-C Monitor - 527pu	9E0G5AA
HP Series 5 Pro 27 inch QHD USB-C Monitor - 527pu	9E0G5AS
HP Series 5 Pro 27 inch QHD USB-C Monitor - 527pu	9E0G5E9
HP Series 5 Pro 27 inch QHD USB-C Monitor - 527pu PVC Free	9E0G5A5
HP Series 5 Pro 34 inch WQHD USB-C Conferencing Monitor - 534pm	9E0Z2UT
HP Series 5 Pro 34 inch WQHD USB-C Conferencing Monitor - 534pm PVC Free	9E0Z2A5
Series 7 Pro	
HP Series 7 Pro 23.8 inch FHD Monitor - 724pf	8X530AA
HP Series 7 Pro 23.8 inch FHD Monitor - 724pf	8X530E9
HP Series 7 Pro 23.8 inch FHD Monitor - 724pf PVC Free	8X530A5
HP Series 7 Pro 24 inch WUXGA Monitor - 724pn	8X534AA
HP Series 7 Pro 24 inch WUXGA Monitor - 724pn	8X534E9

HP Series 7 Pro 23.8 inch FHD Monitor - 724pf
HP Series 7 Pro 23.8 inch FHD Monitor - 724pf PVC Free
8X530A5
HP Series 7 Pro 24 inch WUXGA Monitor - 724pn
8X534AA
HP Series 7 Pro 24 inch WUXGA Monitor - 724pn
8X534E9
HP Series 7 Pro 24 inch WUXGA Monitor - 724pn PVC Free
8X534A5
HP Series 7 Pro 24 inch WUXGA USB-C Monitor - 724pu
8Y2F7AA
HP Series 7 Pro 24 inch WUXGA USB-C Monitor - 724pu
8Y2F7E9
HP Series 7 Pro 24 inch WUXGA USB-C Monitor - 724pu PVC Free
8Y2F7A5
HP Series 7 Pro 27 inch 4K Conferencing Monitor - 727pm
8K135AA
HP Series 7 Pro 27 inch 4K Conferencing Monitor - 727pm PVC Free
8K135A5

HP Series 7 Pro 27 inch 4K Thunderbolt 4 Monitor - 727pk	8J9G2AA
HP Series 7 Pro 27 inch 4K Thunderbolt 4 Monitor - 727pk	8J9G2E9
HP Series 7 Pro 27 inch 4K Thunderbolt 4 Monitor - 727pk PVC Free	8J9G2A5
HP Series 7 Pro 27 inch QHD Monitor - 727pq	8J4D8AA
HP Series 7 Pro 27 inch QHD Monitor - 727pq	8J4D8E9
HP Series 7 Pro 27 inch QHD Monitor - 727pq	8J4D8UT
HP Series 7 Pro 27 inch QHD Monitor - 727pq PVC Free	8J4D8A5
HP Series 7 Pro 27 inch QHD Thunderbolt 4 Monitor - 727pu	8J9E6E9
HP Series 7 Pro 27 inch QHD Thunderbolt 4 Monitor - 727pu	8J9E6UT
HP Series 7 Pro 27 inch QHD Thunderbolt 4 Monitor - 727pu PVC Free	8J9E6A5
HP Series 7 Pro 31.5 inch 4K Thunderbolt 4 Monitor - 732pk	8Y2K9AA
HP Series 7 Pro 31.5 inch 4K Thunderbolt 4 Monitor - 732pk	8Y2K9E9
HP Series 7 Pro 31.5 inch 4K Thunderbolt 4 Monitor - 732pk PVC Free	8Y2K9A5
HP Series 7 Pro 34 inch WQHD Conferencing Monitor - 734pm	8K157E9
HP Series 7 Pro 34 inch WQHD Conferencing Monitor - 734pm	8K157UT
HP Series 7 Pro 34 inch WQHD Conferencing Monitor - 734pm PVC Free	8K157A5
HP Series 7 Pro 37.5 inch WQHD+ Thunderbolt 4 Monitor - 738pu	8K167AA
HP Series 7 Pro 37.5 inch WQHD+ Thunderbolt 4 Monitor - 738pu	8K167E9
HP Series 7 Pro 37.5 inch WQHD+ Thunderbolt 4 Monitor - 738pu PVC Free	8K167A5
HP Series 7 Pro 39.7 inch 5K2K Conferencing Monitor - 740pm PVC Free	8Y2R2A5
HP Series 7 Pro 39.7 inch 5K2K Conferencing Monitor-740pm	8Y2R2AA
HP Series 7 Pro 39.7 inch 5K2K Conferencing Monitor-740pm	8Y2R2E9
Z Displays	
20130433	
HP Z24m G3 QHD Conferencing Display	4Q8N9A7
HP Z24m G3 QHD Conferencing Display	4Q8N9AA
HP Z24m G3 QHD Conferencing Display	4Q8N9AT
HP Z24m G3 QHD Conferencing Display	4Q8N9E9
HP Z24q G3 QHD Display	4Q8N4E9
OMEN by HP Monitors	
or and the finance	

AK2B3AA

AK2B3E9

# **HP Home Monitors**

OMEN 27 inch QHD 165Hz Gaming Monitor - OMEN 27qz

OMEN 27 inch QHD 165Hz Gaming Monitor - OMEN 27qz

## **HP Value Displays**

HP 27mq 27-inch Display	1F2J9AA
HP M22f FHD Monitor	2E2Y3AA
Series 5	
HP Series 5 23.8 inch FHD Height Adjust Monitor - 524sh	94C19AA
HP Series 5 23.8 inch FHD Height Adjust Monitor - 524sh	94C19E9
HP Series 5 23.8 inch FHD Height Adjust Monitor - 524sh	94C20A6
HP Series 5 27 inch FHD Height Adjust Monitor - 527sh	94C50AA
HP Series 5 27 inch FHD Monitor - 527sf	94F44AA
HP Series 5 27 inch FHD Monitor - 527sf	94F44E9
HP Series 5 27 inch FHD White Monitor - 527sw	94F47A6
HP Series 5 31.5 inch FHD Monitor - 532sf	94F50AA
HP Series 5 31.5 inch FHD Monitor - 532sf	94F50E9
HP Home Monitors	
HP V22v G5 FHD Monitor	65P56E9
HP V22v G5 FHD Monitor	65P57AA
HP V24i G5 FHD Monitor	65P58E9
HP V24i G5 FHD Monitor	65P59A6
OMEN by HP Displays	
OMEN Transcend 31.5 inch UHD 240Hz OLED Gaming Monitor - OMEN Transcend 32	9R181AA
OMEN by HP 27 inch FHD 165Hz Gaming Monitor - OMEN 27	780F9AS
OMEN by HP 27 inch FHD 165Hz Gaming Monitor - OMEN 27	780F9E9
OMEN by HP 27 inch QHD 165Hz Gaming Monitor - OMEN 27q	780H4E9
OMEN by HP 27 inch QHD 240Hz Gaming Monitor - OMEN 27qs	780J4AA
OMEN by HP 27 inch UHD 144Hz Gaming Monitor - OMEN 27k	780G8AA
OMEN by HP 31.5 inch QHD 165Hz Gaming Monitor - OMEN 32q	780KOAS
OMEN by HP 34 inch WQHD 165Hz Curved Gaming Monitor - OMEN 34c	780K8E9

## **Accessories for PC**

# **Keyboards/Other Input Devices**

★: Recommended

## **Wired Keyboards**

HP 125 Wired Kevboard	266C9AA

### **Wired Combo**

HP Wired Desktop 320MK Mouse and Keyboard	9SR36AA
HP Wired Desktop 320MK Mouse and Keyboard	9SR36UT

# **Mice/Pens/Other Pointing Devices**

### **Wired Mice**

HP 125 Wired Mouse	265A9AT
HP Wired Desktop 320M Mouse	9VA80AA

### **Power**

### **Power Adapters**

HP 65W USB-C LC Power Adapter	1P3K6AA
HP 65W USB-C LC Power Adapter	944V0AA
HP Desktop Mini 90w Power Supply Kit	L4R65AA

# **Components/Upgrades**

### Memory

HP 8GB DDR4-3200 SODIMM	13L77AA
111 000 00111 3200 30011 111	13277741

# Security

## **Security Cables**

HP Desktop Mini LockBox V2	3EJ57AA

# Port Replicators/Dongles/Docking

## Cables/Cable Adapters/Dongles

HP DisplayPort Cable Kit	VN567AA
HP HDMI Standard Cable	T6F94AA

# **Stands/Mounting Brackets**

### **Mounting Brackets**

HP Quick Release Bracket 2

6KD15AA

# Disclaimer — Copyright

© Copyright 2025 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – May 13, 2025 4:56 AM UTC+0000