## Lasting durability meets streamlined design

Deliver exceptional experiences to customers and value to your business with the sleek, functional HP Engage One Essential. This elegant system offers rugged durability with the performance you need, and a range of deployment and accessory options so you can tailor it for your specific operations.

## Resiliently crafted, defined by design

Conduct business confidently with a fanless, fully sealed design to protect from dust and liquid intrusion (IP54 certified<sup>1</sup>) and a 3-year onsite warranty<sup>2</sup>. And with its sleek look, this device complements any environment.

## Design your ideal system

Configure a system for your unique business with integrated accessory options<sup>3</sup> that help keep counters clutter free—magnetic stripe reader, barcode scanner, fingerprint reader—and a choice of stands, VESA® mounts and customer facing displays.<sup>4</sup>

## Essential everyday performance

Get all the performance you need, without unnecessary frills. Blaze through shifts with an Intel® Celeron® or Pentium® processor<sup>5</sup>, a range of ports to connect everyday devices, and fast, reliable network connectivity through wired ethernet or Wi-Fi 5<sup>6</sup>.



\*Product image may differ from actual product



## **Featuring**

#### Resiliently crafted, defined by design

Conduct business confidently with a fanless, fully sealed design to protect from dust and liquid intrusion (IP54 certified<sup>1</sup>) and a 3-year onsite warranty<sup>2</sup>. And with its sleek look, this device complements any environment.

#### Design your ideal system

Configure a system for your unique business with integrated accessory options<sup>3</sup> that help keep counters clutter free—magnetic stripe reader, barcode scanner, fingerprint reader—and a choice of stands, VESA® mounts and customer facing displays.<sup>4</sup>

#### Essential everyday performance

Get all the performance you need, without unnecessary frills. Blaze through shifts with an Intel® Celeron® or Pentium® processor<sup>5</sup>, a range of ports to connect everyday devices, and fast, reliable network connectivity through wired ethernet or Wi-Fi 5<sup>6</sup>.

#### Flexible deployment

Tailor your installation to fit your needs with various mounting options including VESA® wall and pole mounts<sup>4,7</sup>, or even self-service set-ups<sup>7</sup>.

#### Intel® Celeron® or Pentium® processor

The perfect combination of performance, power consumption, and value, Intel® Celeron® or Pentium® processors<sup>5</sup> help your device run smoothly.

#### Streamlined cable management

Thoughtful cable management keeps check-out areas organized and clean by neatly channeling cords through the side or back of the base.

#### Easy serviceability

Easily service memory and storage with quick access to interior through the back panel.

#### Sustainably focused

Built with sustainability in mind with ocean-bound and recycled plastics, ENERGY STAR® 8.0 certification, and recycle-friendly metals.8

#### Supported by HP

Rest easy that your IT investment is supported by a three-year onsite standard limited warranty.<sup>2</sup>



## **Technical specifications**

Available Operating Systems

Windows 10 IoT Enterprise 2021 LTSC1 Windows 10 IoT Enterprise 2019 LTSC1

Android™ 11 GMS<sup>17,18,19</sup> Android<sup>™</sup> 11 AOSP<sup>17,18,19</sup> FreeDOS 3.0

Intel® Pentium® processor **Processor family** 

Intel® Celeron® processor

Intel® Celeron® N6211 with Intel® UHD Graphics (1.2 GHz base frequency, up to 3.0 GHz with Intel® Turbo Boost Technology, 1.5 MB L2 cache, 2 cores 2 threads) Available Processors<sup>2,15</sup>

Intel® Pentium® N6415 with Intel® UHD Graphics (1.2 GHz base frequency, up to 3.0 GHz with Intel® Turbo Boost Technology, 1.5 MB L2 cache, 4 cores, 4 threads)

Product colour Ebony black or ceramic white

Form factor All-in-one

Maximum memory 8 GB DDR4-3200 SDRAM; 4 GB DDR4-3200 SDRAM 11

Memory slots 1SODIMM

up to 256 GB PCle® NVMe™ SSD3 Internal storage

32 GB eMMC19

35.6 cm (14") diagonal, FHD (1920 x 1080), touch, IPS, anti-glare, 250 nits, 45% NTSC  $^{12}$ Display

Audio Integrated HD audio with Realtek ALC3247 codec with standards internal speakers, digital mic and 1W mono speaker

**Expansion slots** 1M.22280

Ports and connectors

Display head: 1 RJ-45; 2 SuperSpeed USB Type-A 5Gbps signaling rate; 2 USB 2.0 Type-A;

Optional Ports: Choose one of the following stands or VESA hubs: Essential Stand: [1 SuperSpeed USB Type-C\* 5Gbps signaling rate (27W USB Power Delivery, Alt-mode DisplayPort™); 1 SuperSpeed USB Type-C® 5Gbps signaling rate (27W USB Power Delivery); 2 USB Type-A 480Mbps signaling rate; 1 RJ-45]. Advanced Stand: [1 cash drawer connector; 4 USB Type-A 480Mbps signaling rate; 1 SuperSpeed USB Type-C® 5Gbps signaling rate (27W USB Power Delivery, Alt Mode DisplayPort™); 2 power serial; 1 DC connector; 1 RJ-45; 1 Powered 24 Volt USB]. Advanced Swivel Stand: [1 SuperSpeed USB Type-C® 5Gbps signaling rate (27W USB Power Delivery, Alt-mode DisplayPort™); 4 USB Type-A 480Mbps signaling rate; 2 power serial; 1 cash drawer connector; 1 Powered 24 Volt USB; 1 DC connector; 1 RJ-45]. Essential VESA Hub: [1 SuperSpeed USB Type-C\* 5Gbps signaling rate (27W USB Power Delivery, Alt-mode DisplayPort™); 1 SuperSpeed USB Type-C® 5Gbps signaling rate (27W USB Power Delivery); 2 USB Type-A 480Mbps signaling rate; 1

RJ-45]. Pro VESA Hub: [1 SuperSpeed USB Type-C\* 5Gbps signaling rate (27W USB Power Delivery, Alt Mode DisplayPort™); 3 SuperSpeed USB Type-A 5Gbps signaling rate; 1 Powered 12 Volt USB; 1 Powered 24 Volt USB; 1 DC connector; 1 RJ-45].

LAN: Intel® Gigabit Ethernet Controller; WLAN: Realtek RTL8821CE 802.11a/b/g/n/ac (1x1) Wi-Fi® and Bluetooth® 4.2 wireless card 5; Communications NFC Mirage WNC XRAV-1<sup>10</sup>

**Environmental** Operating temperature: 0 to 35°C; Operating humidity: 10 to 90% RH

Software

Power-on password (via BIOS); Trusted Platform Module TPM 2.0 Embedded Security Chip; USB enable/disable (via BIOS); Security Security management lock slot; Device security; Secure Boot; Administrator password (via BIOS); AMI BIOS

Fingerprint reader Fingerprint reader (select models)



Technical specifications	
Power	65 W USB Type-C* adapter (essential stand and essential VESA hub); 150 W external Smart AC power adapter, up to 89% efficiency, active PFC (advanced stand and advanced with swivel stand and pro VESA hub)
Dimensions	$13.94 \times 8.66 \times 10.5$ in (head unit and essential stand); $13.94 \times 8.66 \times 11.17$ in (head unit and advanced stand); $13.94 \times 8.66 \times 11.17$ in (head unit and advanced stand); $13.94 \times 8.66 \times 11.17$ in (head unit and advanced swivel stand); $13.94 \times 2.19 \times 8.47$ in (head unit and essential VESA hub); $13.94 \times 1.9 \times 8.47$ in (head unit and pro VESA hub) $13.94 \times 2.00 \times 26.67$ cm (head unit and essential stand); $13.94 \times 2.00 \times 26.67$ cm (head unit and advanced swivel stand); $13.94 \times 2.00 \times 26.67$ cm (head unit and pro VESA hub); $13.94 \times 2.00 \times 26.67$ cm (head unit and essential VESA hub); $13.94 \times 8.66 \times 11.17$ in (head unit and pro VESA hub); $13.94 \times 8.66 \times 11.17$ in (head unit and essential VESA hub); $13.94 \times 8.66 \times 11.17$ in (head unit and essential VESA hub); $13.94 \times 8.66 \times 11.17$ in (head unit and essential VESA hub); $13.94 \times 8.66 \times 11.17$ in (head unit and essential VESA hub); $13.94 \times 8.66 \times 11.17$ in (head unit and essential VESA hub); $13.94 \times 8.66 \times 11.17$ in (head unit and essential VESA hub); $13.94 \times 8.66 \times 11.17$ in (head unit and essential VESA hub); $13.94 \times 8.66 \times 11.17$ in (head unit and essential VESA hub); $13.94 \times 8.66 \times 11.17$ in (head unit and essential VESA hub); $13.94 \times 8.66 \times 11.17$ in (head unit and essential VESA hub); $13.94 \times 8.66 \times 11.17$ in (head unit and essential VESA hub); $13.94 \times 8.66 \times 11.17$ in (head unit and essential VESA hub); $13.94 \times 8.66 \times 11.17$ in (head unit and essential VESA hub); $13.94 \times 8.66 \times 11.17$ in (head unit and essential VESA hub); $13.94 \times 8.66 \times 11.17$ in (head unit and essential VESA hub); $13.94 \times 8.66 \times 11.17$ in (head unit and essential VESA hub); $13.94 \times 8.66 \times 11.17$ in (head unit and essential VESA hub); $13.94 \times 1.94 \times 11.17$ in (head unit and essential VESA hub); $13.94 \times 1.94 \times 11.17$ in (head unit and essential VESA hub); $13.94 \times 11.17$ in (head unit and essential VESA hub); $13.94 \times 11.17$ in (head unit and essential VESA hub); $13.94 \times 11.17$ in (head unit and essential VESA hub); $13.94 \times 11.17$ in (head unit and essential VESA hu
Weight	9.59 lb (head unit and essential stand); 10.58 lb (head unit and advanced stand); 11.91 lb (head unit and advanced swivel stand); 6.17 lb (head unit and essential VESA hub); 6.61 lb (head unit and pro VESA hub) 4.35 kg (head unit and essential stand); 4.80 kg (head unit and advanced stand); 5.40 kg (head unit and advanced swivel stand); 3.00 kg (head unit and pro VESA hub); 2.8 kg (head unit and essential VESA hub)
Ecolabels	CECP; EPEAT® registered configurations available <sup>7</sup>
Energy star certified (series fixed)	ENERGY STAR* certified
Certification and compliance	CEL
Sustainable impact specifications	Ocean-bound plastic in speaker enclosure; 30% post-consumer recycled plastic; Low Halogen; Outside box and corrugated cushions are 100% sustainably sourced and recyclable 8,9,13
Barcode reader	Optional HP Engage One Pro Integrated Barcode Scanner
Magnetic stripe reader	Optional integrated magnetic stripe reader; Single-head, bi-directional, and encryption capable 6

3 year (3/3/3) limited warranty includes 3 years of parts, labor and on-site repair. Terms and conditions vary by country. Certain



Warranty

restrictions and exclusions apply.

### Accessories and services (not included)

HP Engage One Prime Barcode Scanner



Deliver an efficient customer experience with the breathtaking HP Engage One Prime Barcode Scanner, an ultra-small, ultra-slim barcode scanner designed to complement the HP Engage One Prime. It reads mobile wallets, digital coupons, and printed barcodes and can be used by hand or in presentation mode.

Product number: 638L9AA

HP Engage One Prime White Barcode Scanner



Deliver an efficient customer experience with the breathtaking HP Engage One Prime Barcode Scanner, an ultra-small, ultra-slim barcode scanner designed to complement the HP Engage One Prime. It reads mobile wallets, digital coupons, and printed barcodes and can be used by hand or in presentation mode.

Product number: 638M0AA

HP Engage One Prime Cash Drawer



Expand your HP Engage One Prime with the HP Engage One Prime Cash Drawer, a 13" x 13" compact drawer with a single media slot that fits neatly under the stand or the counter. It has two cash drawer till configurations, variable by region, either 4-bill and 4-coin or 5-bill and 8-coin.

Product number: 638M5AA

HP Engage One Prime White Cash Drawer



Expand your HP Engage One Prime with the HP Engage One Prime Cash Drawer, a 13" x 13" compact drawer with a single media slot that fits neatly under the stand or the counter. It has two cash drawer till configurations, variable by region, either 4-bill and 4-coin or 5-bill and 8-coin

Product number: 638M6AA



#### **Footnotes**

### Key Selling Points Footnotes

- 1 HP Engage One Essential All-in-One System is IP54 Certified. Test results are not a guarantee of future performance under these test conditions. Accidental damage requires an optional HP Accidental Damage Protection Care Pack. If configured with Pro VESA Hub or Slim VESA, unit is IP44.

  Onsite and other terms and conditions may vary by country. Service levels and response times may vary depending on your geographic location. Restrictions and limitations apply.
- $^{3}$  Embedded peripherals excluding the barcode scanner and 6.6 inch customer facing display must be configured at purchase.
- <sup>4</sup> Stands and VESA® Hubs must be configured at purchase.
- 5 Multi-core is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.
- <sup>6</sup> Wireless access point and internet service required and sold separately. Availability of public wireless access points limited. Wi-Fi 5 (802.11 ac) is backwards compatible with prior 802.11 specs.
- 85% ocean bound plastics in speaker enclosure. 100% outer box/corrugate cushion packaging made from sustainably sourced certified and recycled fiber. Fiber cushions made from 100% recycled wood fiber and organic material. Any plastic cushions are made from >90% recycled plastic

### Technical Specifications Footnotes

- 2 Multi-Core is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on
- application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.

  3 For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 30 GB (for Windows 10) is reserved for system recovery software
- <sup>4</sup> Stands and VESA® Hubs must be configured at purchase
- <sup>5</sup> Wireless access point and internet service required and sold separately. Availability of public wireless access points limited. Wi-Fi 5 (802.11 ac) is backwards compatible with prior 802.11 specs.
- $^6$  Embedded peripherals excluding the barcode scanner and 6.6 inch customer facing display must be configured at purchase
- <sup>7</sup> EPEAT\* registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country. Search keyword generator on HPs 3rd party option store for solar generator accessories at www.hp.com/go/options.
- 85% ocean bound plastics in speaker enclosure.
- $^{9}$  Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard.
- $^{\rm 10}$  NFC driver required and available at the HP Support website at launch.
- $^{11}$  Due to the non-industry standard nature of some third-party memory modules, we recommend HP branded memory to ensure compatibility.
- <sup>12</sup> Actual brightness will be lower with touch screen.
- 18 External power supplies, power cords, cables and peripherals are not low halogen. Service parts obtained after purchase may not be low halogen. Standard configurations meet the low halogen specifications however, some custom feature components may not meet the same Low Halogen standard. A standard configuration includes display head, Engage Pro stand, stability plate and I/O Connectivity Base.

  14 Security Lock Slot available only for Advanced or Advanced Swivel Stands.
- 15 Intel® Turbo Boost performance varies depending on hardware, software and overall system configuration. See www.intel.com/technology/turboboost for more information.
- <sup>16</sup> Android is a trademark of Google LLC.
- <sup>17</sup> Select Android Configurations Available.
- <sup>18</sup> Android 11 AOSP and Android 11 with GMS only available with 4GB memory.
- $^{\rm 19}$  32GB eMMC only available with Android 11 AOSP and Android 11 with GMS.

