

Overview

Original HP high-yield ink bottles print thousands of pages, at an extremely low cost per page.[1]

Print thousands of pages with one simple purchase of a set of Original HP high-yield ink bottles—at an extremely low cost per page.[1] Get high-volume printing, an easy and convenient way to replenish ink, and HP print quality and reliability.

Extremely low cost per page[1]

Print all you want without worrying about the cost of ink using high-yield Original HP ink bottles.[1]

Outstanding quality and durability from HP

Prints on plain papers using HP black pigment inks for HP ink tank printers remain legible for many years.[4]

Conveniently manage ink

Be confident when refilling the ink tank. Ink bottle caps are color-coded to make it easy to match ink to the right ink tank.

[1] HP ink bottles compared to HP ink cartridges. Cost per page based on expected black and composite (cyan/magenta/yellow) page yield results based on HP methodology and continuous printing of ISO/IEC 24712 test pages. Not based on ISO/IEC 24711 test process. Actual yield varies based on content of printed pages and other factors. Some ink from included bottles is used to start up the printer. For more information about fill and yield, see http://www.hp.com/go/learnaboutsupplies.

[4] Based on HP internal testing and Wilhelm Imaging Research Dark Storage Statement. See http://hp.com/go/printpermanence.

Specifications

Ink types Dye-based Print Technology Ink Supply type Cartridges Print cartridge volume delivered 70 ml Operating temperature range 15 to 35°C Operating humidity range 20 to 80% RH Non-Operating Humidity Range 20 to 80% RH Print Resolution Technologies TJ 2.x Printing Material Shelf Life 18 months Compatibility 18 months Compatibility 1 c Product count per unit 1 Case or master carton quantity 24 Minimum dimensions (W x D x H) 47 x 47 x 150 mm Minimum dimensions (W x D x H) 1.85 x 1.85 x 5.91 in Package dimensions (W x D x H) 1.85 x 1.85 x 5.91 in Package dimensions (W x D x H) 1.85 x 1.85 x 5.91 in Case or master carton dimensions 2.32 x 8.54 x 6.89 in Case of master carton dimensions 2.89 kg Case dimensions (case or master 2.89 kg Case weight (case or master -0.11 kg Package weight -0.25 lb Page Yield 8000 <th></th> <th></th>		
Supply type Cartridges Print cartridge volume delivered 70 ml Operating temperature range 15 to 35°C Storage temperature range 20 to 80% RH Non-Operating humidity Range 20 to 80% RH Print Resolution Technologies 71JJ 2.x Printing Material Shelf Life 18 months Compatibility 19 10 10 10 10 10 10 10 10 10 10 10 10 10	Ink types	Dye-based
Print cartridge volume delivered 70 ml Operating temperature range 15 to 35°C Storage temperature range 15 to 35°C Operating humidity range 20 to 80% RH Non-Operating Humidity Range 20 to 80% RH Print Resolution Technologies TJJ 2.x Printing Material Shelf Life 18 months Compatibility 19 Desklet GT 5800 series, HP Ink Tank 100, 300, 400 series, HP Smart Tank 400, 500, 600, 700, 6000, 7000 series Product count per unit 1 Case or master carton quantity 24 Minimum dimensions (W x D x H) 47 x 47 x 150 mm Minimum dimensions (W x D x H) 1.85 x 1.85 x 5.91 in Package dimensions (W x D x H) 1.85 x 1.85 x 5.91 in Package dimensions (W x D x H) 1.85 x 1.85 x 5.91 in Case or master carton dimensions (W x D x H) 1.85 x 1.85 x 5.91 in Case dimensions (case or master) 2.23 x 8.54 x 6.89 in Case weight (case or master) 2.89 kg Package weight -0.25 lb Package weight -0.25 lb	Print Technology	Ink
Operating temperature range15 to 35°CStorage temperature range15 to 35°COperating humidity range20 to 80% RHNon-Operating Humidity Range20 to 80% RHPrint Resolution TechnologiesTIJ 2.xPrinting Material Shelf Life18 monthsCompatibilityHP DeskJet GT 5800 series, HP Ink Tank 100, 300, 400 series, HP Smart Tank 400, 500, 600, 700, 6000, 7000 seriesProduct count per unit1Case or master carton quantity24Minimum dimensions (W x D x H)47 x 47 x 150 mmPackage dimensions (W x D x H)47 x 47 x 150 mmPackage dimensions (W x D x H)47 x 47 x 150 mmPackage dimensions (W x D x H)1.85 x 1.85 x 5.91 inCase or master carton dimensions (W x D x H)1.85 x 1.85 x 5.91 inCase or master carton dimensions (W x D x H)1.85 x 1.85 x 5.91 inCase dimensions (case or master carton)1.2.32 x 8.54 x 6.89 inCase dimensions (case or master carton)2.89 kgPackage weight (case or master carton)2.89 kgPackage weight~0.25 lbPackage weight~0.25 lbPackage Yield8000	Supply type	Cartridges
Storage temperature range15 to 35°COperating humidity range20 to 80% RHNon-Operating Humidity Range20 to 80% RHPrint Resolution TechnologiesTIJ 2.xPrinting Material Shelf Life18 monthsCompatibilityHP DeskJet GT 5800 series, HP Ink Tank 100, 300, 400 series, HP Smart Tank 400, 500, 600, 700, 6000, 7000 seriesProduct count per unit1Case or master carton quantity24Minimum dimensions (W x D x H)47 x 47 x 150 mmPackage dimensions (W x D x H)1.85 x 1.85 x 5.91 inPackage dimensions (W x D x H)1.85 x 1.85 x 5.91 inCase or master carton dimensions (W x D x H)1.85 x 1.85 x 5.91 inCase or master carton dimensions (W x D x H)1.85 x 1.85 x 5.91 inCase dimensions (case or master carton dimensions)2.32 x 8.54 x 6.89 inCase dimensions (case or master carton)2.89 kgPackage weight (case or master carton)2.89 kgPackage weight~0.25 lbPackage weight8000	Print cartridge volume delivered	70 ml
Operating humidity range20 to 80% RHNon-Operating Humidity Range20 to 80% RHPrint Resolution TechnologiesTJJ 2.xPrinting Material Shelf Life18 monthsCompatibilityHP DeskJet GT 5800 series, HP Ink Tank 100, 300, 400 series, HP Smart Tank 400, 500, 600, 700, 6000, 7000 seriesProduct count per unit1Case or master carton quantity24Minimum dimensions (W x D x H)47 x 47 x 150 mmPackage dimensions (W x D x H)1.85 x 1.85 x 5.91 inPackage dimensions (W x D x H)1.85 x 1.85 x 5.91 inCase or master carton dimensions (W x D x H)1.85 x 1.85 x 5.91 inCase or master carton dimensions (W x D x H)1.85 x 1.85 x 5.91 inCase dimensions (case or master carton dimensions (W x D x H)1.85 x 1.85 x 5.91 inCase dimensions (case or master carton)2.32 x 8.54 x 6.89 inCase weight (case or master carton)2.89 kgPackage weight~0.25 lbPackage weight8000	Operating temperature range	15 to 35℃
Non-Operating Humidity Range20 to 80% RHPrint Resolution TechnologiesTIJ 2.xPrinting Material Shelf Life18 monthsCompatibilityHP DeskJet GT 5800 series, HP Ink Tank 100, 300, 400 series, HP Smart Tank 400, 500, 600, 700, 6000, 7000 seriesProduct count per unit1Case or master carton quantity24Minimum dimensions (W x D x H)47 x 47 x 150 mmMinimum dimensions (W x D x H)1.85 x 1.85 x 5.91 inPackage dimensions (W x D x H)1.85 x 1.85 x 5.91 inCase or master carton dimensions (W x D x H)1.85 x 1.85 x 5.91 inCase or master carton dimensions (W x D x H)1.85 x 1.85 x 5.91 inCase dimensions (Case or master carton dimensions)21.32 x 8.54 x 6.89 inCase dimensions (case or master carton)2.89 kgPackage weight (case or master carton)2.99 kgPackage weight~0.25 lbPage Yield8000	Storage temperature range	15 to 35℃
Print Resolution TechnologiesTIJ 2.xPrinting Material Shelf Life18 monthsCompatibilityHP DeskJet GT 5800 series, HP Ink Tank 100, 300, 400 series, HP Smart Tank 400, 500, 600, 700, 6000, 7000 seriesProduct count per unit1Case or master carton quantity24Minimum dimensions (W x D x H)47 x 47 x 150 mmMinimum dimensions (W x D x H)1.85 x 1.85 x 5.91 inPackage dimensions (W x D x H)1.85 x 1.85 x 5.91 inPackage dimensions (W x D x H)1.85 x 1.85 x 5.91 inCase or master carton dimensions (W x D x H)1.85 x 1.85 x 5.91 inCase dimensions (Case or master) Carton)1.232 x 8.54 x 6.89 inCase weight (case or master carton)2.89 kgPackage weight~0.11 kgPackage weight~0.25 lbPage Yield8000	Operating humidity range	20 to 80% RH
Printing Material Shelf Life18 monthsCompatibilityHP DeskJet GT 5800 series, HP Ink Tank 100, 300, 400 series, HP Smart Tank 400, 500, 600, 700, 6000, 7000 seriesProduct count per unit1Case or master carton quantity24Minimum dimensions (W x D x H)47 x 47 x 150 mmMinimum dimensions (W x D x H)1.85 x 1.85 x 5.91 inPackage dimensions (W x D x H)47 x 47 x 150 mmPackage dimensions (W x D x H)1.85 x 1.85 x 5.91 inCase or master carton dimensions (W x D x H)1.85 x 1.85 x 5.91 inCase dimensions (case or master carton dimensions)12.32 x 8.54 x 6.89 inCase weight (case or master carton)2.89 kgPackage weight~0.11 kgPackage weight~0.25 lbPage Yield8000	Non-Operating Humidity Range	20 to 80% RH
Compatibility HP DeskJet GT 5800 series, HP Ink Tank 100, 300, 400 series, HP Smart Tank 400, 500, 600, 700, 6000, 7000 series Product count per unit Case or master carton quantity Minimum dimensions (W x D x H) Minimum dimensions (W x D x H) Package dimensions (W x D x H) Package dimensions (W x D x H) A7 x 47 x 150 mm 47 x 47 x 150 mm Package dimensions (W x D x H) 1.85 x 1.85 x 5.91 in Case or master carton dimensions (W x D x H) 1.85 x 1.85 x 5.91 in Case or master carton dimensions (W x D x H) 2.32 x 8.54 x 6.89 in Case weight (case or master carton) Package weight -0.11 kg Package weight -0.25 lb Page Yield 8000	Print Resolution Technologies	TIJ 2.x
Tank 400, 500, 600, 700, 6000, 7000 series Product count per unit 1 Case or master carton quantity 24 Minimum dimensions (W x D x H) 47 x 47 x 150 mm Minimum dimensions (W x D x H) 1.85 x 1.85 x 5.91 in Package dimensions (W x D x H) 47 x 47 x 150 mm Package dimensions (W x D x H) 1.85 x 1.85 x 5.91 in Case or master carton dimensions (W x D x H) 1.85 x 1.85 x 5.91 in Case or master carton dimensions (W x D x H) 1.85 x 1.85 x 5.91 in Case dimensions (case or master carton dimensions (W x D x H) 2.32 x 8.54 x 6.89 in Case weight (case or master carton) 2.89 kg Package weight 70.25 lb Page Yield 8000	Printing Material Shelf Life	18 months
Case or master carton quantity24Minimum dimensions (W x D x H)47 x 47 x 150 mmMinimum dimensions (W x D x H)1.85 x 1.85 x 5.91 inPackage dimensions (W x D x H)47 x 47 x 150 mmPackage dimensions (W x D x H)1.85 x 1.85 x 5.91 inCase or master carton dimensions (W x D x H)313 x 217 x 175 mmCase dimensions (case or master carton)12.32 x 8.54 x 6.89 inCase weight (case or master carton)2.89 kgPackage weight~0.11 kgPackage weight~0.25 lbPage Yield8000	Compatibility	
Minimum dimensions (W x D x H) Minimum dimensions (W x D x H) Package dimensions (W x D x H) Package dimensions (W x D x H) Package dimensions (W x D x H) 1.85 x 1.85 x 5.91 in Case or master carton dimensions (W x D x H) Case or master carton dimensions (W x D x H) Case dimensions (case or master carton) Case weight (case or master carton) Case weight (case or master carton) Package weight ~0.11 kg Package weight Package weight 8000	Product count per unit	1
Minimum dimensions (W x D x H)1.85 x 1.85 x 5.91 inPackage dimensions (W x D x H)47 x 47 x 150 mmPackage dimensions (W x D x H)1.85 x 1.85 x 5.91 inCase or master carton dimensions (W x D x H)313 x 217 x 175 mmCase dimensions (case or master carton)12.32 x 8.54 x 6.89 inCase weight (case or master carton)2.89 kgPackage weight~0.11 kgPackage weight~0.25 lbPage Yield8000	Case or master carton quantity	24
Package dimensions (W x D x H)47 x 47 x 150 mmPackage dimensions (W x D x H)1.85 x 1.85 x 5.91 inCase or master carton dimensions (W x D x H)313 x 217 x 175 mmCase dimensions (case or master carton)12.32 x 8.54 x 6.89 inCase weight (case or master carton)2.89 kgPackage weight~0.11 kgPackage weight~0.25 lbPage Yield8000	Minimum dimensions (W x D x H)	47 x 47 x 150 mm
Package dimensions (W x D x H)1.85 x 1.85 x 5.91 inCase or master carton dimensions (W x D x H)313 x 217 x 175 mmCase dimensions (case or master carton)12.32 x 8.54 x 6.89 inCase weight (case or master carton)2.89 kgPackage weight~0.11 kgPackage weight~0.25 lbPage Yield8000	Minimum dimensions (W x D x H)	1.85 x 1.85 x 5.91 in
Case or master carton dimensions (WxDxH) 12.32 x 8.54 x 6.89 in Case weight (case or master carton) 2.89 kg Package weight ~0.11 kg Package weight ~0.25 lb Page Yield 8000	Package dimensions (W x D x H)	47 x 47 x 150 mm
Case dimensions (case or master carton) Case weight (case or master carton) Package weight	Package dimensions (W x D x H)	1.85 x 1.85 x 5.91 in
Case weight (case or master carton) Package weight Package weight Package weight Package weight Package weight Package weight Page Yield 8000		313 x 217 x 175 mm
Package weight ~0.11 kg Package weight ~0.25 lb Page Yield 8000		12.32 x 8.54 x 6.89 in
Package weight ~0.25 lb Page Yield 8000	-	2.89 kg
Page Yield 8000	Package weight	~0.11 kg
	Package weight	~0.25 lb
What's in the box 1 Ink bottle	Page Yield	8000
	What's in the box	1 Ink bottle

Additional specifications

Case weight (case or master carton, imperial)	6.37 lb
Compatibility headline	HP 31 ink bottles work with:
Count of layers in pallet	7
Country of origin	Made in Malaysia
Operating temperature range	59 to 95°F
Package count	1
Page yield footnote	Black and composite color average per bottle (cyan/magenta/yellow) results based on HP methodology from the simulation of continuous printing of ISO/IEC 24712 test pages. Not based on ISO/IEC 24711 test process. An additional black ink bottle is required to print 8,000 color test pages. Actual yield varies based on content of printed pages and other factors. Some ink from included bottles is used to start up the printer. For more information about fill and yield, see http://www.hp.com/go/learnaboutsupplies.
Print technology	HP Thermal Inkjet
Product subgroup	Ink Bottles
Segment (filter)	GT/Smart Tank
Selectability	HP31
Storage temperature range	59 to 95°F
Subgroup	Ink Bottles
UNSPSC code	121717033
Weight	~0.22 lb
Weight	~0.1 kg

Disclaimer — Copyright

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Aug 12, 2024 5:23 AM UTC+0000