Poly TC8 Touch Controller GSA/TAA (875J2AA)



Easily control your meetings

Launch, join, and share in an instant. The Poly TC8 touch control panel provides easy access to Poly video conferencing solutions. The 8-inch high-resolution touch display makes control options clear and accessible.



Personalize your productivity

The intuitive interface makes it easy to personalize your experience for more productive meetings. And the home screen has an integrated calendar, so it's easy to find your meetings and connect with others.

Pair for success

Poly TC8 is compatible with Poly video solutions, including Poly Studio X video bars and Poly G7500 [1].

Featuring

Touch display

Intuitive controls are easy to find and use via clear, high-resolution 8-inch touch display.

Single cable

Tidy, professional-looking setup, thanks to sleek design and a single Power over Ethernet cable that carries both power and data.

Simple setup

Easy setup as its pre-paired out of the box when purchased as part of a full Poly video solution.

Integrated calendar

The integrated calendar makes it simple to find your meeting and connect.

Rich controls

Customizable, based on the way you work. Easily share content, adjust the camera, and change participant layouts.

ProductSheet | Poly TC8 Touch Controller GSA/TAA (875J2AA)

Specifications

No Technical Specifications

Top Recommended Displays, Accessories and Services

Poly Support Services	
3 Year Poly+ TC8	P30760312

ProductSheet Poly TC8 Touch Controller GSA/TAA (875J2AA)
Messaging Footnotes
[1] Poly Studio X and Poly G7500 sold separately.
Technical Specifications Footnotes
No Technical Specifications Footnotes

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

