2025 Lexmark Federal Government TAA Compliant Product Line-up

Color and monochrome multifunction printers TAA compliant part numbers

Color

CAC/PIV Printers



CS632dwe

- Up to 42 ppm
- 4.3 inch touch screen

50MT061 (110V)	N/A (220V)



CS730de

- Up to 42 ppm
- 4.3 inch touch screen

47CT001 (110V)	47CT021 (220V)



CS735de

- Up to 52 ppm
- 4.3 inch touch screen

47CT101 (110V)	47CT121 (220V)



A3

CS963g

- Up to 55 ppm
- 4.3 inch touch screen

20LT200 (110V)	20LT300 (220V)

CAC/PIV MFPs



CX532adwe

- Up to 35 ppm
- 4.3 inch touch screen
- Includes HDD and OCR

50MT741 (110V)	50MT751 (220V)



CX635adwe

- Up to 42 ppm
- 7 inch touch screen
- Includes HDD and OCR

50MT781 (110V)	50MT791 (220V)



CX730de

- Up to 42 ppm
- 7 inch touch screen

47CT501 (110V)	47CT521 (220V)



CX735adse

- Up to 52 ppm
- 10 inch touch screen

47CT601 (110V)	47CT621 (220V)



CX825de

- Up to 55 ppm
- 10 inch touch screen

42KT140 (110V)	42KT250 (220V)



CX825dte

- Up to 55 ppm
- 10 inch touch screen

42KT141 (110V)	42KT251 (220V)



CX825dtfe

- Up to 55 ppm
- 10 inch touch screen

42KT142 (110V)	N/A (220V)



CX833g

- Up to 55 ppm
- 10 inch touch screen
- Includes HDD and OCR

20LT207 (110V)	20LT307 (220V)



CX833xg

- Up to 55 ppm
- 10 inch touch screen
- Includes HDD and OCR

20LT211 (110V)	20LT311 (220V)



CX860de

- Up to 60 ppm
- 10 inch touch screen

42KT170 (110V)	42KT280 (220V)



CX860dte

- Up to 60 ppm
- 10 inch touch screen

42KT171 (110V)	N/A (220V)

Color

Solutions-Enabled

A3 Tabloid / 11x17 media support

ppm: Pages per minute

N/A: Not Available (Part number)

For all TAA models, wireless is not present or is removable.

a = analog fax
d = duplex
t = additional tray included
x = high capacity feeder tray included
e = embedded solutions framework
f = finisher
g = Government
h or s = hard disk

25AM13360

2025 Lexmark Federal Government TAA Compliant Product Line-up

Color and monochrome multifunction printers TAA compliant part numbers

Color

CAC/PIV MFPs



A3

CX860dtfe

- Up to 60 ppm
- 10 inch touch screen

42KT172 (110V)	N/A (220V)



A3

CX942adse

- Up to 45 ppm
- 10 inch touch screen

32DT025 (110V)	32DT035 (220V)



A3

CX943adtse

- Up to 55 ppm
- 10 inch touch screen

32DT026 (110V)	32DT036 (220V)



A3

CX943adxse

- Up to 55 ppm
- 10 inch touch screen

32DT027 (110V)	32DT037 (220V)



A3

CX944adtse

- Up to 65 ppm
- 10 inch touch screen

32DT028 (110V)	32DT038 (220V)



A3

CX944adxse

- Up to 65 ppm
- 10 inch touch screen

32DT029 (110V)	32DT039 (220V)



A3

CX950g

- Up to 25 ppm
- 10 inch touch screen
- Includes HDD and OCR

20LT201 (110V)	20LT301 (220V)



A3

CX951g

- Up to 35 ppm
- 10 inch touch screen
- Includes HDD and OCR

20LT202 (110V)	20LT302 (220V)



A3

CX961g

- Up to 35 ppm
- 10 inch touch screen
- Includes HDD and OCR

20LT203 (110V)	20LT303 (220V)



A3

CX961tg

- Up to 35 ppm
- 10 inch touch screen
- Includes HDD and OCR

20LT208 (110V)	20LT308 (220V)



A3

CX962g

- Up to 45 ppm
- 10 inch touch screen
- Includes HDD and OCR

20LT204 (110V)	20LT304 (220V)



A3

CX962tg

- Up to 45 ppm
- 10 inch touch screen
- Includes HDD and OCR

20LT209 (110V)	20LT309 (220V)



A3

CX963g

- Up to 55 ppm
- 10 inch touch screen
- Includes HDD and OCR

20LT205 (110V)	20LT305 (220V)



A3

CX963xg

- Up to 55 ppm
- 10 inch touch screen
- Includes HDD and OCR

20LT210 (110V)	20LT310 (220V)

Color

Solutions-Enabled

A3 Tabloid / 11x17 media support

For all TAA models, wireless is not present or is removable.

ppm: Pages per minute
N/A: Not Available (Part number)
a = analog fax
d = duplex
t = additional tray included
x = high capacity feeder tray included

e = embedded solutions framework
f = finisher
g = Government

25AM13360

2025 Lexmark Federal Government TAA Compliant Product Line-up

Color and monochrome multifunction printers TAA compliant part numbers

Color

Non-CAC Printers



CS531dw

- Up to 35 ppm
- 2.8 inch touch screen

50MT020 (110V)	50MT030 (220V)



CS632dwe

- Up to 42 ppm
- 4.3 inch touch screen

50MT060 (110V)	N/A (220V)



CS730de

- Up to 42 ppm
- 4.3 inch touch screen

47CT000 (110V)	47CT020 (220V)



CS735de

- Up to 52 ppm
- 4.3 inch touch screen

47CT100 (110V)	47CT120 (220V)



CS963g

- Up to 55 ppm
- 4.3 inch touch screen

20LT000 (110V)	20LT100 (220V)

Non-CAC MFPs



CX532adwe

- Up to 35 ppm
- 4.3 inch touch screen
- Includes HDD and OCR

50MT740 (110V)	50MT750 (220V)



CX730de

- Up to 42 ppm
- 7 inch touch screen

47CT500 (110V)	47CT520 (220V)



CX735adse

- Up to 52 ppm
- 10 inch touch screen

47CT600 (110V)	47CT620 (220V)



CX825de

- Up to 55 ppm
- 10 inch touch screen

42KT040 (110V)	42KT150 (220V)



CX825dte

- Up to 55 ppm
- 10 inch touch screen

42KT041 (110V)	42KT151 (220V)



CX825dtfe

- Up to 55 ppm
- 10 inch touch screen

42KT042 (110V)	42KT152 (220V)



CX833g

- Up to 55 ppm
- 10 inch touch screen
- Includes HDD and OCR

20LT007 (110V)	20LT107 (220V)



CX833xg

- Up to 55 ppm
- 10 inch touch screen
- Includes HDD and OCR

20LT011 (110V)	20LT111 (220V)



CX860de

- Up to 60 ppm
- 10 inch touch screen

42KT070 (110V)	42KT180 (220V)



CX860dte

- Up to 60 ppm
- 10 inch touch screen

42KT071 (110V)	42KT181 (220V)



CX860dtfe

- Up to 60 ppm
- 10 inch touch screen

42KT072 (110V)	42KT182 (220V)



CX942adse

- Up to 45 ppm
- 10 inch touch screen

32DT005 (110V)	32DT015 (220V)

Color

Solutions-Enabled

A3 Tabloid / 11x17 media support

ppm: Pages per minute

N/A: Not Available (Part number)

For all TAA models, wireless is not present or is removable.

a = analog fax
d = duplex
n = network
t = additional tray included
e = embedded solutions framework
f = finisher
g = Government
h or s = hard disk

25AM13360

2025 Lexmark Federal Government TAA Compliant Product Line-up

Color and monochrome multifunction printers TAA compliant part numbers

Color

Non-CAC MFPs



A3

CX943adtse

- Up to 55 ppm
- 10 inch touch screen

32DT006 (110V)	32DT016 (220V)



A3

CX943adxse

- Up to 55 ppm
- 10 inch touch screen

32DT007 (110V)	32DT017 (220V)



A3

CX944adtse

- Up to 65 ppm
- 10 inch touch screen

32DT008 (110V)	32DT018 (220V)



A3

CX944adxse

- Up to 65 ppm
- 10 inch touch screen

32DT009 (110V)	32DT019 (220V)



A3

CX950g

- Up to 25 ppm
- 10 inch touch screen
- Includes HDD and OCR

20LT001 (110V)	20LT101 (220V)



A3

CX951g

- Up to 35 ppm
- 10 inch touch screen
- Includes HDD and OCR

20LT002 (110V)	20LT102 (220V)



A3

CX961g

- Up to 35 ppm
- 10 inch touch screen
- Includes HDD and OCR

20LT003 (110V)	20LT103 (220V)



A3

CX961tg

- Up to 35 ppm
- 10 inch touch screen
- Includes HDD and OCR

20LT008 (110V)	20LT108 (220V)



A3

CX962g

- Up to 45 ppm
- 10 inch touch screen
- Includes HDD and OCR

20LT004 (110V)	20LT104 (220V)



A3

CX962tg

- Up to 45 ppm
- 10 inch touch screen
- Includes HDD and OCR

20LT009 (110V)	20LT109 (220V)



A3

CX963g

- Up to 55 ppm
- 10 inch touch screen
- Includes HDD and OCR

20LT005 (110V)	20LT105 (220V)



A3

CX963xg

- Up to 55 ppm
- 10 inch touch screen
- Includes HDD and OCR

20LT010 (110V)	20LT110 (220V)

Color

Solutions-Enabled

A3 Tabloid / 11x17 media support

ppm: Pages per minute

N/A: Not Available (Part number)

For all TAA models, wireless is not present or is removable.

a = analog fax
d = duplex
t = additional tray included
x = high capacity feeder tray included
e = embedded solutions framework
f = finisher
g = Government

2025 Lexmark Federal Government TAA Compliant Product Line-up

Color and monochrome multifunction printers TAA compliant part numbers

Mono

CAC/PIV Printers



MS632dwe

- Up to 50 ppm
- 4.3 in touch screen

38ST505 (110V)	N/A (220V)



MS822de

- Up to 55 ppm
- 4.3 inch touch screen

50GT155 (110V)	50GT165 (220V)



MS826de

- Up to 70 ppm
- 4.3 inch touch screen

50GT355 (110V)	50GT365 (220V)

CAC/PIF MFPs



MX432adwe

- Up to 42 ppm
- 4.3 inch touch screen

29ST022 (110V)	29ST023 (220V)



MX532adwe

- Up to 46 ppm
- 4.3 in touch screen
- Includes HDD and OCR

38ST825 (110V)	38ST835 (220V)



MX632adwe

- Up to 50 ppm
- 7 in touch screen
- Includes HDD and OCR

38ST905 (110V)	38ST915 (220V)



MX721adhe

- Up to 65 ppm
- 7 inch touch screen

25BT016 (110V)	25BT021 (220V)



MX722ade

- Up to 70 ppm
- 7 inch touch screen

25BT017 (110V)	25BT022 (220V)



MX822ade

- Up to 55 ppm
- 10 inch touch screen

25BT636 (110V)	25BT654 (220V)



MX822adxe

- Up to 55 ppm
- 10 inch touch screen

25BT637 (110V)	N/A (220V)



MX826ade

- Up to 70 ppm
- 10 inch touch screen

25BT646 (110V)	25BT664 (220V)



MX826adtfe

- Up to 70 ppm
- 10 inch touch screen

25BT649 (110V)	25BT667 (220V)



MX826adxe

- Up to 70 ppm
- 10 inch touch screen

25BT647 (110V)	N/A (220V)



A3

MX953g

- Up to 55 ppm
- 10 inch touch screen
- Includes HDD and OCR

20LT206 (110V)	20LT306 (220V)

Monochrome

Solutions-Enabled

A3 Tabloid / 11x17 media support

For all TAA models, wireless is not present or is removable.

ppm: Pages per minute
CAC/PIV: PKI Authentication
N/A: Not Available (Part number)

a=analog fax
d=duplex
t=additional tray included
x=high capacity feeder tray included
e=embedded solutions framework

f=finisher
g = Government
h or s = hard disk

25AM13360

2025 Lexmark Federal Government TAA Compliant Product Line-up

Color and monochrome multifunction printers TAA compliant part numbers

Mono

Non-CAC Printers



MS431dn

- Up to 42 ppm
- 2-line APA mono LCD display

29ST001 (110V)	29ST003 (220V)



MS531dw

- Up to 46 ppm
- 2.8 in touch screen

38ST300 (110V)	38ST310 (220V)



MS631dw

- Up to 50 ppm
- 2.8 in touch screen

38ST400 (110V)	38ST410 (220V)



MS632dwe

- Up to 50 ppm
- 4.3 in touch screen

N/A (110V)	38ST510 (220V)



MS821dn

- Up to 55 ppm
- 2.4 inch touch screen

50GT100 (110V)	50GT120 (220V)



MS822de

- Up to 55 ppm
- 4.3 inch touch screen

50GT110 (110V)	50GT130 (220V)



MS823dn

- Up to 65 ppm
- 2.4 inch touch screen

50GT200 (110V)	50GT220 (220V)



MS825dn

- Up to 70 ppm
- 2.4 inch touch screen

50GT300 (110V)	50GT320 (220V)



MS826de

- Up to 70 ppm
- 4.3 inch touch screen

50GT310 (110V)	50GT330 (220V)

Non-CAC MFPs



MX431adn

- Up to 42 ppm
- 2.8 in touch screen

29ST010 (110V)	29ST011 (220V)



MX721adhe

- Up to 65 ppm
- 7 inch touch screen

25BT006 (110V)	25BT011 (220V)



MX722ade

- Up to 70 ppm
- 7 inch touch screen

25BT007 (110V)	25BT012 (220V)



MX822ade

- Up to 55 ppm
- 10 inch touch screen

25BT600 (110V)	25BT618 (220V)



MX822adte

- Up to 55 ppm
- 10 inch touch screen

25BT604 (110V)	N/A (220V)

Monochrome

Solutions-Enabled

A3 Tabloid / 11x17 media support

For all TAA models, wireless is not present or is removable.

ppm: Pages per minute
CAC/PIV: PKI Authentication
N/A: Not Available (Part number)

a=analog fax
d=duplex
n=network
t=additional tray included
e=embedded solutions framework

g = Government
h or s = hard disk

25AM13360

2025 Lexmark Federal Government TAA Compliant Product Line-up

Color and monochrome multifunction printers TAA compliant part numbers

Mono

Non-CAC MFPs

				 A3
MX822adxe	**MX826ade**	**MX826adtfe**	**MX826adxe**	**MX953g**
▸ Up to 55 ppm ▸ 10 inch touch screen	▸ Up to 70 ppm ▸ 10 inch touch screen	▸ Up to 70 ppm ▸ 10 inch touch screen	▸ Up to 70 ppm ▸ 10 inch touch screen	▸ Up to 55 ppm ▸ 10 inch touch screen ▸ Includes HDD and OCR
25BT601 (110V) **N/A (220V)**	**25BT610 (110V)** **25BT628 (220V)**	**25BT613 (110V)** **25BT631 (220V)**	**25BT611 (110V)** **N/A (220V)**	**20LT006 (110V)** **20LT106 (220V)**

Monochrome

Solutions-Enabled

A3 Tabloid / 11x17 media support

ppm: Pages per minute

CAC/PIV: PKI Authentication

N/A: Not Available (Part number)

For all TAA models, wireless is not present or is removable.

a=analog fax

d=duplex

t=additional tray included

x=high capacity feeder tray included

e=embedded solutions framework

f=finisher

g = Government

w = Wi-Fi standard

Secure output and user authentication

- PKI CAC with Active Directory
- Active Directory integration
- Badge- and role-based authentication
- Print and retrieve anywhere
- Digitally sign and encrypt scan to email and folder
- No third-party software/firmware

Hard disk security

- Hard disk drives (encryption and disk overwrite)
- Non-volatile memory
- Government hard disk retention
- Optional lockable HDD

Device protection

- Operating system security
- Secure firmware updates
- Audit logs to track usage



Tools

- Device/fleet management
- Implement firmware and certificate updates remotely
- Enforce security and policy settings remotely

Network protection

- Wired or wireless 802.1x
- Fax separated from network
- Securing data endpoints
- Able to join domain with PKI
- SHA-256

Secure document monitoring

- Identify potential insider threats to prevent data leakage and spillage
- Audit/monitor scanned content
- Audit/monitor print content

Lexmark for government

Lexmark's comprehensive lineup of imaging products covers a full spectrum of budgets, business objectives, performance goals and workloads, from individual users to large workgroups. Lexmark is one vendor that truly has it all, offering government buyers a wide range of choices.

To meet our customers' varied needs, every Lexmark printer and MFP model has a unique combination of print speed, color modes, paper formats, processing capabilities, inputs/outputs and network connection types. But they all share a set of high-level goals that drive Lexmark product design, a combination of attributes that form the DNA of every Lexmark product. For example, ease of use is woven into every Lexmark product, including mobility support to help your staff get their work completed in the easiest and quickest way possible.

Lexmark's emphasis on performance means not just fast printing and scanning, but long maintenance intervals and ingenious ways to enhance efficiency. And our drive for quality is obvious in the clarity of our imaging technology and proven by million-page testing.

Designed-in flexibility gives every Lexmark product the ability to adapt to your needs as your business and its objectives evolve, while our manageability features let you monitor and control just a handful of devices or a fleet of thousands.

And across the line is Lexmark's long-standing commitment to security, which creates not just a safer but a more productive environment for users of Lexmark products.

25AM13360

© 2025 Lexmark International, Inc. All rights reserved. All other trademarks are the property of their respective owners.