



## Xerox PrimeLink<sup>®</sup> C9265/C9275/C9281 Printer



**Total width:** 46 in (1,171 mm) **Total height:** 45 in (1,154 mm) **Total depth:** 32 in (803 mm)

Dimensions shown are approximate. Please refer to the Specifications Sheet for exact dimensions.

### PrimeLink C9265

The Xerox<sup>®</sup> PrimeLink C9265 Color Printer (prints, copies, scans and faxes) delivers stunning color image quality at a highly productive 65 ppm

- The latest LED Array Technology for the outstanding color fidelity and quality using HD EA toner; +/- .5mm registration and 2400 x 2400 dpi.
- Simple, efficient and secure workflows and easy-to-use large 10 in. slim ultra touch color UI screen.
- Bypass/MSI Tray (Tray 5) runs up to 250 sheets (4x6 in. / 100 mm x 152 mm through 13x19.2 in./330mm x 488mm); 60 to 400 gsm weight. Additionally, Extra Long Sheet (XLS) up to 13x51 in. / 330 mm x 1300 mm; 60 to 220 gsm weight.
- 4 Internal Trays Standard including a 12x18in. / SRA3 tray.
- Internal (Standard) Tray media capacity up to 3,500 sheets (based on 75 gsm paper). With the optional 2-Tray Oversized High Capacity Feeder max. capacity 7500 sheets.
- Single Pass Duplex Automatic Document Feeder has 250 sheet capacity, scans up to 270 ipm and accepts originals up to 11x17in. / A3, 60 gsm to 200 gsm
- Auto Duplex printing up to 300 gsm on all standard 4 internal trays and Tray 5 (Bypass/MSI) can auto duplex up to 350 gsm
- Benchmark industry security that comes standard with all speeds/models.
- SIQA – Simple Image Quality Adjustment
  - Image Transfer Adjustment: This process corrects for uneven toner and color shift for specific stocks and can be selected for any tray when printing on those stocks.
  - Alignment (Auto Alignment Adjustment): This procedure generates an individual alignment profile for each stock and tray combination. These profiles ensure correct placement of images on the media.
  - Density Uniformity: This procedure ensures that ink is deposited uniformly and consistently across the entire surface of a page for each print.



## Offset Catch Tray

A tray that can hold up to 500 sheets of paper and allows each document set to be offset from other printed sets for easy separation and handling.



## Xerox® Integrated Color Print Server

Efficiency meets excellence.

With the combination of the Xerox® PrimeLink® B-Series Copier/Printer and the Xerox® Integrated Server, powerful performance is at your fingertips. It is the print server for everyone, anywhere, all the time.

- Maximize your productivity by performing scan, print, copy, fax
- Securely print from any email-enabled device with @PrintByXerox. No software or app to download. No IT intervention.
- Easily share files or introduce electronic archiving with powerful scan capabilities. Text-searchable files make retrieval simple.
- Wide range of PDL's supported for any office or production environments
- The latest technologies in all client environments make integration and workflow fast and efficient
- Robust security that safeguards the full range of entry points.
- Remotely manage the device with Xerox®Embedded Web Server
- Remote UI capability, to perform interactive training and support from your desktop with the Remote Control Panel.

Once you have used the Product Explorer to configure your product, this QR code will allow you, or a sales person, to easily retrieve your configured product details.

#### How to use your QR Code

1. Open the QR Code reader on your phone, or download a QR code scanning app from your device's app store.
2. Hold your smartphone over the QR Code so that you can clearly see the image within your screen.
3. Your smartphone reads the code and navigates to the intended destination.



Created on 11/6/2024 1:27:23 PM