

ProductSheet

Poly PoE++ 65W 2.5G Adapter with 3.66m CAT6A Cable and Power Cord (B5NH6AA)



Specifications

Product Dimensions (metric)	90 x 51 x 28.5 mm
Product Dimensions (imperial)	3.54 x 2.07 x 1.12 in
Weight (metric)	208 g
Weight (imperial)	0.46 lb
Package Dimensions (metric)	218 x 58 x 94 mm
Package Dimensions (imperial)	4.1 x 2.54 x 3 in
Package Weight (metric)	560 g
Package Weight (imperial)	0.84 lb
UPC Number	(AB0) 198990106311; (AB1) 198990106328; (AB2) 198990106335; (ABA) 198990106342; (ABB) 198990106359; (ABG) 198990106366; (ABJ) 4582712587087; (ABM) 198990106373; (ABT) 198990106380; (ABU) 198990106397; (AC4) 198990106403; (ACJ) 198990106410; (ACQ) 198990106427; (AR6) 198990106434; (UUF) 198990106458; (UUZ) 198990106465
Manufacturer Warranty	Poly one-year limited warranty
What Is In The Box	PoE++ Injector; Power cable; Cat 6A Ethernet cable (3.66 m)

Top Recommended Displays, Accessories and Services

No Top Recommended Displays, Accessories and Services

Messaging Footnotes

No Messaging Footnotes

Technical Specifications Footnotes

No Technical Specifications Footnotes

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

