



# Product Compliance Datasheet

MARKETING NAME/MODEL NO.....: Inspiron 14 5440, Vostro 14 3440, DC14250, PV14250

REGULATORY MODEL.....: P185G

REGULATORY TYPE.....: P185G001, P185G002

EMC EMISSIONS CLASS.....: B

EFFECTIVE DATE<sup>1</sup>.....: February 23, 2024

**REVISED DATE<sup>2</sup>.....: August 29, 2025**

## Table of contents

I.	Statement of Compliance .....	2
II.	Global Environmental Information.....	2
III.	Declaration of Similarity.....	3
IV.	Power Cords and User Documentation.....	3
V.	Trade (Import/Export) Compliance Data .....	4
VI.	Product Dimensions and Weight.....	4
VII.	Product Energy Performance Data .....	4
VIII.	Product Materials Information.....	5
IX.	Packaging .....	7
X.	Batteries .....	8
XI.	Design for Environment.....	8
XII.	France Reparability Index.....	8
XIII.	Recycling / End-of-Life Service Information .....	8
XIV.	Helpful Links .....	10
	Appendix A: ErP Lot 3 Product Energy Consumption Information.....	11
	Appendix B: ErP Lot 26 Network Standby Energy Consumption Information .....	14
	Appendix E: California Energy Commission Appliance Efficiency Standards MAEDbS Registration Numbers..	15

<sup>1</sup> Effective Date refer to product that is available to market (RTS/Launch)

<sup>2</sup> Revision Date refer to the Datasheet has been updated to capture the latest information

## I. Statement of Compliance

This product has been determined to be compliant with the applicable standards, regulations, and directives for the countries where the product is marketed. The product is affixed with regulatory marking and text as necessary for the country/agency. Dell manufacturers and markets Multimedia Equipment (MME), Information Technology Equipment (ITE), Audio Visual Equipment (A/V), Industrial, Scientific, Medical Equipment (ISM) or combinations of these. Generally, products Electromagnetic Compatibility (EMC) and Product Safety compliance is based on International IEC and CISPR standards and their national equivalent along with national standards for Radio (wireless), Telecommunications (Modem) and Energy. Dell products have been verified to comply with the Restriction of Hazardous Substances (RoHS) Directive 2011/65/EU of the European Parliament and the Council. Dell product does not contain any of the restricted substances in concentrations and applications not permitted by the RoHS Directive.

EMC Emissions Class refers to one of the following use environments:

- EMC Class B product is intended for use in residential/domestic environments but may also be used in nonresidential/non-domestic environments.
- EMC Class A product is intended for use in non-residential/non-domestic environments. Class A product may also be utilized in residential/domestic environments but may cause interference and require the user to take adequate corrective measures.

For Product Safety and EMC compliance, this product has been assigned a unique regulatory model and regulatory type that is imprinted on the product regulatory labeling to provide traceability to the regulatory approvals noted on this datasheet. This datasheet applies to any product that utilizes the assigned regulatory model and type including marketing names other than those listed on this datasheet. Dell products with the CE marking have been verified to comply with Energy Related Products (ErP) Directive 2009/125/EC of the European Parliament and of the Council.

[https://www.dell.com/ErP\\_User\\_Information](https://www.dell.com/ErP_User_Information). REACH (Registration, Evaluation, Authorization and Restriction of Chemicals), Regulation (EC) 1907/2006 of the European Parliament and of the Council is the European Union's (EU) chemical substances regulatory framework. Dell complies with the REACH regulation. For information on SVHC (Substances of Very High Concern), see [https://i.dell.com/sites/csdocuments/CorpComm\\_Docs/en/dell-reach-svhc.pdf?hve=read+report](https://i.dell.com/sites/csdocuments/CorpComm_Docs/en/dell-reach-svhc.pdf?hve=read+report). This products compliance documentation, such as this datasheet and the European Union Declaration of Conformity are available on the product support page, manuals tab <http://www.dell.com/support>. Additional compliance documentation for the product is available upon submitting a request at <https://support.dellproductcompliance.com>. Please include product identifiers such as marketing name, regulatory model, regulatory type, and country that compliance information is needed in the email request.

## II. Global Environmental Information

Environmental (Voluntary Marks)		
Country	Approval	Compliance
Global	ENERGY STAR (Configuration Dependent)	<i>Version 8.0, 9.0</i>
China	CECP	Yes
China	CEC	Yes

Varies by Country See <a href="http://EPEAT.net">EPEAT.net</a>	EPEAT (Configuration Dependent)	Refer to EPEAT.net for specific registration levels and countries
---	---------------------------------	---

Adapter Certification and Declarations	
Country	Authority/Mark
Australia/New Zealand	Australia/NZ MEPS
Canada	NRCan
European Union	Regulation EU 2019/1782
South Korea	South Korea MEPS

### III. Declaration of Similarity

Object of the Declaration	
Product Type	Notebook
Regulatory Model Number	P185G
Regulatory Type Number	P185G001, P185G002
Trade Name/ Trademark	DELL
Marketing Name(s)	Inspiron 14 5440, Vostro 14 3440, DC14250, PV14250

Dell Inc. hereby declares that the products identified by the product designations listed in this declaration are strictly identical in design (shape, opening, etc.) components, materials, manufacturing process, and markings except for product designation – Trade Name and/or Trade Mark as specified in this declaration.

The products may have very minor differences which do not impact the level of conformity. All products identified by the product designations in this declaration have the same level of conformity according to the certificate(s) provided.

The Trade Name / Trademark and/or Marketing Name(s) are the property of Dell Inc. Any differences in the product designation are for marketing purposes only.

Date of Issue	February 23, 2024	Signature on behalf of Dell Inc.	Dell Inc. Dell Global Product Compliance and Environmental Affairs
Title	Dell Global Product Compliance and Environmental Affairs		

### IV. Power Cords and User Documentation

Dell products are provided with the power cord and user documentation suitable for the intended country of delivery. Products that are relocated to other countries should use nationally certified power cords and plugs to ensure safe operation of the product. Contact Dell to determine if alternate power cords or user documentation in other languages is available for your market.

## V. Trade (Import/Export) Compliance Data

For any questions related to importing & exporting classification of Dell products, please obtain information from the following link: <http://www.dell.com/learn/us/en/uscorp1/import-export> or send email request to [WW\\_Export\\_Compliance@dell.com](mailto:WW_Export_Compliance@dell.com). Please include product identifiers such as marketing name, regulatory model, regulatory type, and country that compliance information is needed in the email request.

## VI. Product Dimensions and Weight

Depth, mm/cm	Width, mm/cm	Height, mm/cm	Weight, kg
226.15mm	314mm	Front:16.9mm Rear:18.07mm Peak:19.9mm	1.56Kg (depending upon installed options)

The above data applies to Inspiron 14 5440 baseline and DC14250/ PV14250 (P).

Depth, mm/cm	Width, mm/cm	Height, mm/cm	Weight, kg
226.15mm	314mm	Front:15.97mm Rear:17.56mm Peak:18.9mm	1.6Kg (depending upon installed options)

The above data applies to Inspiron 14 5440 upsell and DC14250/ PV14250 (M).

Depth, mm/cm	Width, mm/cm	Height, mm/cm	Weight, kg
226.15mm	314mm	Front:16.90mm Rear:18.07mm	1.54Kg (depending upon installed options)

The above data applies to Vostro 14 3440.

## VII. Product Energy Performance Data

ErP Lot 3, Lot 26 and ErP Lot 9 information is in Appendices A, B and C respectively.

For additional information on how Dell's commitment to energy efficiency benefits you go to: [Reducing your Footprint](#)

For additional information on ENERGY STAR models refer to the following database: [ENERGY STAR Product Finder](#)

### Computer:

Computers			
Service Level	Energy Consumption	BTU Calculation	Description of Service Level
CPU stressed	67.89	232.18	The system is running programs to maximize the CPU utilization and/or running programs to maximize the power consumption.
Short Idle	6.37	21.79	As specified EPA Energy Star Computer mode.
Long Idle	0.67	2.30	As specified EPA Energy Star Computer mode.
S3 "Sleep" or Modern Standby	0.67	2.30	Suspend-to-RAM (low-power/sleep mode)
Off/Standby	0.34	1.15	System is turned off but still connected to its AC power source.

### Energy Consumption<sup>3</sup>

Energy efficiency benefits the environment and lowers the total cost of equipment ownership by reducing power consumption. Click [here](#) for Dell's Energy efficient products.

\*Energy Consumption results are based solely upon the laboratory testing of the System Configuration and in accordance to the described service level. Energy consumption is tested at 230 Volts / 50 Hz.

Declared noise emission values in accordance with ISO 9296. Testing performed in compliance with ISO 7779 with operating modes defined by ECMA-74.

## VIII. Product Materials Information

Information on Dell's material use is available [here](#).

Dell's Restricted Material for Use guidance document is available [here](#).

Mechanical plastic parts are BFR/PVC free	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Marking of plastics parts is in accordance with ISO 11469 (see below)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Printed circuit boards (without components) >0.5g are BFR PVC free	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA
Insulation materials of external electrical cables are PVC free	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Product is BFR/PVC Free (Accessories & Options may not be BFR/PVC-Free)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Postconsumer recycled Plastics material content <sup>4</sup> is used in the product  If yes, indicate the percentage of the postconsumer recycled material per total plastic weight of the product	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA  <b>18.3% PCR (Post Consumer Recycled) material in total plastic of product</b>
Biobased Plastic material <sup>5</sup> content is used in the product.  If yes, either indicate the percentage of the biobased plastic material per total plastic weight of the product	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA  <b>0% biobased plastic material in total plastic of product</b>

<sup>3</sup> This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components, and peripherals you ordered. Accordingly, the customer should not rely upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied. For more details visit <https://www.dell.com/learn/us/en/uscorp1/dell-environment>

<sup>4</sup> This product contains x% post-consumer recycled plastic including closed loop recycled plastics (ITE-derived)\* % Declaration to be the same in ENV0025 for Display & CP

<sup>5</sup> Bio-based plastics are fully or partially made from biological resources, rather than fossil raw materials. They are not necessarily compostable or biodegradable. It is important to examine the full life cycle of bio-based plastics, to ensure that they are beneficial to the environment beyond the reduction in use of fossil resources. This includes littering and changes in land use

**Flame Retardants Used in Motherboard**

Part	List the Flame Retardants
PCB <sup>6</sup>	TBBPA, DOPO

**Flame Retardants Used in Mechanical Plastic Parts<sup>7</sup>**

The external case material is >PC+ABS<

Resin Material Name	Plastic Part Marking per ISO 11469:2016	Flame Retardant Marking per ISO 1043-4 (i.e. FR(16), FR(40), etc.)	List the Flame Retardants used on (i.e. BPA, etc)	List applicable R-Phrase(s) or Hazard Statement(s) per EU Directive 67/548/EEG or 1272/2008
FR3021 GN5151RFA	>PC+ABS- TD15FR(40)<	FR(40)	halogen free organic phosphorus compounds	N/A
FR3021R30 ER5151RFL	> PC+ABS- TD15FR(40)(REC30) <	FR(40)	halogen free organic phosphorus compounds	N/A
FR3025R50 ER5254FN	> PC- TD25FR(40)(REC50) <	FR(40)	halogen free organic phosphorus compounds	N/A
FR3020R50 ER5101RFN	>PC+ABS- TD5FR(40)(REC50)<	FR(40)	halogen free organic phosphorus compounds	N/A

The above data applies to Inspiron 14 5440 baseline and DC14250/ PV14250 (P).

Resin Material Name	Plastic Part Marking per ISO 11469:2016	Flame Retardant Marking per ISO 1043-4 (i.e. FR(16), FR(40), etc.)	List the Flame Retardants used on (i.e. BPA, etc)	List applicable R-Phrase(s) or Hazard Statement(s) per EU Directive 67/548/EEG or 1272/2008
LG_ER5101RFN	>PC+ABS- TD5FR(40)(REC50)<	FR(40)	halogen free organic phosphorus compounds	N/A
LG_ER5151RFL	>PC+ABS- TD15FR(40)(REC30)<	FR(40)	halogen free organic phosphorus compounds	N/A
LG_ER5254FN	> PC-	FR(40)	halogen free	N/A

<sup>6</sup> PCB (Printed Circuit Board) is a blank circuit board with no electronic components attached

<sup>7</sup> According to ISO 11469 Marking of plastics products weighing 25 grams or more must be marked. Plastic Parts weighing less than 25 grams and having adequate surface area for coding should be marked.

	TD25FR(40)(REC50)<		organic phosphorus compounds	
--	--------------------	--	------------------------------	--

The above data applies to Inspiron 14 5440 upsell and DC14250/ PV14250 (M).

Resin Material Name	Plastic Part Marking per ISO 11469:2016	Flame Retardant Marking per ISO 1043-4 (i.e. FR(16), FR(40), etc.)	List the Flame Retardants used on (i.e. BPA, etc)	List applicable R-Phrase(s) or Hazard Statement(s) per EU Directive 67/548/EEG or 1272/2008
TMB1615 FR3021	>PC+ABS- TD15FR(40)<	FR(40)	halogen free organic phosphorus compounds	N/A
ER5101RFN FR3020R50	>PC+ABS- TD5FR(40)(REC50)<	FR(40)	halogen free organic phosphorus compounds	N/A
FR3021R30	>PC+ABS- TD15FR(40)(REC30)<	FR(40)	halogen free organic phosphorus compounds	N/A
ER5254FN FR3025R50	>PC- TD25FR(40)(REC50)<	FR(40)	halogen free organic phosphorus compounds	N/A

The above data applies to Vostro 14 3440.

#### Mercury Information

Number of bulbs	Average per bulb
If none, enter 0	0 mg

#### Additional information:

- Refer to Dell Technologies' [Chemical Use Policy](#) for more information on RoHS and REACH.
- Products MSDS (Material Safety Data Sheets):
  - Batteries: [Battery MSDS Documentation and Declaration](#)
  - Printer Toner and Ink: [MSDS Documentation](#)

## IX. Packaging

Information on Dell's sustainable packaging effort available [here](#). Additional materials restricted in Packaging as per Dell's Material Restricted for Use Standard document can be found at [www.dell.com/restrictedsubstanceslist](http://www.dell.com/restrictedsubstanceslist).

Packaging Materials	Total Weight, (g)	Sustainable Material Content[1] (e.g Recycled content *, bio-based, Sustainable Forested materials)	% Sustainable Material		
			APJ regio	DAO regio	EMEA region
Corrugated Fiberboard	312	Recycled Content	Min 35%	Min 35%	Min 35%
Molded paper pulp	162	Recycled content	100%	100%	100%
PET	5.5	Recycled content	0%	0%	0%
Other, Kraft paper	3.4				

The above data applies to DC14250/ PV14250.

Packaging Materials	Total Weight, (g)	Sustainable Material Content[1] (e.g Recycled content *, bio-based, Sustainable Forested materials)	% Sustainable Material		
			APJ region	DAO region	EMEA region
Corrugated Fiberboard	400	Recycled Content	Min 35%	Min 35%	Min 35%
Molded paper pulp	138	Recycled content	100%	100%	100%
PET	15	Recycled content	0%	0%	0%
Other, please specify	3				

## X. Batteries

Below is a listing of batteries that could be present in the product:

Battery Description – Batteries	Battery Type	Battery Weight (kg)	Rating
Rechargeable Battery 3 cell	Lithium Ion	0.177	41 Wh
Rechargeable Battery 4 cell	Lithium Ion	0.235	54 Wh
Rechargeable Battery 4 cell	Lithium Ion	0.263	64 Wh

## XI. Design for Environment

Dell systems are, when applicable, designed for easy assembly, disassembly, and servicing. For more information on Dell's Environmental product attributes click [here](#).

## XII. France Repairability Index

On January 1, 2021, France introduced a new Repairability Index for five categories of electronic devices, including laptops. The aim of this new Repairability Index is to inform customers about available repair options for a product prior to purchase.

The Repairability Index is a score ranging from 0 to 10/10, calculated based on five criteria:

- Documentation:** A score determined by the manufacturer's commitment to make technical documents available free of charge, in number of years, to repairers and consumers.
- Disassembly, tools, and fasteners:** A score determined by how easy it is to disassemble the product, the type of tools needed, and the characteristics of the fasteners.
- Availability of spare parts:** A score determined by the length of time the manufacturer commits to make spare parts available for the product and the time it takes to deliver them.
- Price of spare parts:** A score determined by the ratio of the sale price of spare parts to the price of the product.
- Product specific:** A score determined by sub-criteria specific to the product category concerned, which may include availability of remote support, software updates, and resets.

The Repairability Index for this product and the parameters used to calculate the Repairability Index, are available on the country specific product page.

## XIII. Recycling / End-of-Life Service Information

Take back and recycling services are offered for this product in certain +countries. If you want to dispose of system components, please visit [How to Recycle | Dell Technologies US](#) and select the

relevant country.

## XIV. Helpful Links

- **Environmental Policy**
- <https://www.dell.com/en-us/dt/corporate/social-impact/esg-resources/policies-positions.htm#pdf-overlay=//www.delltechnologies.com/asset/en-us/solutions/business-solutions/legal-pricing/dell-technologies-global-environmental-policy.pdf>**Social Impact - Progress Made Real**  
<https://corporate.delltechnologies.com/en-id/social-impact.htm>
- **Advancing Sustainability**  
<https://corporate.delltechnologies.com/en-us/social-impact/advancing-sustainability.htm>
- **ISO 14001 Certification**  
[ISO Certification Certificate Environmental 14001 \(delltechnologies.com\)](https://www.dell.com/en-us/corporate/social-impact/iso-14001-certification)
- **Materials Restricted for Use**  
[www.dell.com/restrictedsubstanceslist](https://www.dell.com/restrictedsubstanceslist)
- **Chemical Use Policy**  
<http://i.dell.com/sites/doccontent/corporate/environment/en/Documents/chemical-use-policy.pdf>
- **Product Carbon Footprint**  
<https://corporate.delltechnologies.com/en-us/social-impact/advancing-sustainability/sustainable-products-and-services/product-carbon-footprints.htm>
- **RoHS Compliance**
- <https://dellproductcompliance.atlassian.net/servicedesk/customer/portal/6/topic/4ef197b3-28bb-4ff8-96ce-0fcb642ecf8f/article/10289411>
- **REACH Compliance**  
[www.dell.com/REACH](https://www.dell.com/REACH)
- **Recycling Information**  
<http://www.dell.com/recycling>
- **Supplier Responsibility – Champion the Many People**  
<https://corporate.delltechnologies.com/en-us/social-impact/advancing-sustainability/champion-the-many-people.htm>

## Appendix A: ErP Lot 3 Product Energy Consumption Information

### European Union (EU) ErP Lot 3 (Commission Regulation (EC) No. 617/2013)

The ErP Lot 3 regulation includes requirements for certain product specific information to be provided by the manufacturer. This is applicable to Desktops, Integrated Desktops (All-in-One), Notebooks, Tablets, Slates, Notebook Thin Clients, Desktop Thin Clients, Workstations, Mobile Workstations, and Small-Scale Servers.

ErP Lot 3 provides certain exclusions based upon product type, screen size, and/or the amount of power consumed in idle mode. Product energy and acoustic information might be reported for products that are out of scope of ErP Lot 3 for informational purposes only.

Additional information on ErP Lot 3, Lot 7 & Lot 26 available [here](#).

Category	Category A	Category C
Processor Speed in GHz	1.4	1.8
Number of Cores	10	10
Total Installed System Memory in GB	32	32
Graphics	Integrated	G5
WOL enabled in "Sleep" Mode	No	No
WOL enabled in "Off" Mode	No	No
<i>As Tested: Lowest Power State</i>	0.24	0.32
<i>As Tested: Poff(W) WOL Disabled</i>	0.24	0.32
<i>As Tested: Poff(W) WOL Enabled</i>		
<i>As Tested: Psleep(W) WOL Disabled</i>	0.36	0.53
<i>As Tested: Psleep(W) WOL Enabled</i>		
<i>As Tested: Pidle(W)</i>	2.08	3.47
Base TEC Limit (kWh)	27	60.50
TEC Adders Limit (kWh)	11.20	38.20
Base + Adders TEC Limit (kWh)	38.20	98.70
Results TEC	7.04	11.27

Power Supply Model #	Internal or External	Link to efficiency report
HA65NS5-00	External	<a href="https://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&amp;operation=details-details&amp;ref=5470487&amp;appliance=EPS&amp;nr=1">https://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&amp;operation=details-details&amp;ref=5470487&amp;appliance=EPS&amp;nr=1</a>
DA65NM191	External	<a href="https://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&amp;operation=details-details&amp;ref=36174127&amp;appliance=EPS&amp;nr=1">https://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&amp;operation=details-details&amp;ref=36174127&amp;appliance=EPS&amp;nr=1</a>
HKA65NM201	External	<a href="https://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&amp;operation=details-details&amp;ref=5485275&amp;appliance=EPS&amp;nr=1">https://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&amp;operation=details-details&amp;ref=5485275&amp;appliance=EPS&amp;nr=1</a>
LA65NS2-01	External	<a href="https://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&amp;operation=details-details&amp;ref=5485275&amp;appliance=EPS&amp;nr=1">https://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&amp;operation=details-details&amp;ref=5485275&amp;appliance=EPS&amp;nr=1</a>

\* **Energy Consumption** results are based solely upon the laboratory testing of the **System Configuration** listed above. Energy consumption is tested at 230 Volts / 50 Hz.

Energy Consumption<sup>8</sup>

Energy efficiency benefits the environment and lowers the total cost of equipment ownership by reducing power consumption. Click [here](#) for Dell's Energy efficient products

**Computers Category A:**

Service Level	Sound Power Declared mean A-weighted level	Statistical adder for verification	Sound Pressure Declared mean A-weighted emission level
	L <sub>WA,m</sub> (B)	K <sub>V</sub> (B)	L <sub>pA,m</sub> (dB)
SSD Accessing	2.2	0.4	14.3
ODD Accessing	n/a	n/a	n/a
Idle	2.2	0.4	14.3

**Computers Category C:**

Service Level	Sound Power Declared mean A-weighted level	Statistical adder for verification	Sound Pressure Declared mean A-weighted emission level
	L <sub>WA,m</sub> (B)	K <sub>V</sub> (B)	L <sub>pA,m</sub> (dB)
SDD Accessing	2.2	0.4	14.3
ODD Accessing	n/a	n/a	n/a
Idle	2.2	0.4	14.4

The above data applies to P185G001/ Inspiron 14 5440

**Computers Category A:**

Service Level	Sound Power Declared mean A-weighted level	Statistical adder for verification	Sound Pressure Declared mean A-weighted emission level
	L <sub>WA,m</sub> (B)	K <sub>V</sub> (B)	L <sub>pA,m</sub> (dB)
SSD Accessing	2.9	0.4	18.6
ODD Accessing	n/a	n/a	n/a
Idle	2.2	0.4	14.2

The above data applies to P185G002

**Computers Category A:**

Service Level	Sound Power Declared mean A-weighted level	Statistical adder for verification	Sound Pressure Declared mean A-weighted emission level
	L <sub>WA,m</sub> (B)	K <sub>V</sub> (B)	L <sub>pA,m</sub> (dB)
SSD Accessing	2.7	0.4	22.8
ODD Accessing	n/a	n/a	n/a
Idle	2.2	0.4	15.2

The above data applies to P185G001/ DC14250/ PV14250

<sup>8</sup> This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components, and peripherals you ordered. Accordingly, the customer should not rely upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied.

**Computers Category C:**

Service Level	Sound Power Declared mean A- weighted level	Statistical adder for verification	Sound Pressure Declared mean A- weighted emission level
	$L_{WA,m}$ (B)	$K_V$ (B)	$L_{pA,m}$ (dB)
<b>SDD Accessing</b>	2.8	<b>0.4</b>	<b>25.4</b>
<b>ODD Accessing</b>	n/a	n/a	n/a
<b>Idle</b>	2.2	<b>0.4</b>	<b>14.9</b>

The above data applies to P185G001/ DC14250

# Appendix B: ErP Lot 26 Network Standby Energy Consumption Information

## European Union (EU) ErP Lot 26 (Commission Regulation (EC) No 2023/826)

The ErP Lot 26 regulation includes Network Standby power requirements to be provided by the manufacturer. This is applicable to multiple product categories. If no information is reported, it's assumed it is out of scope of ErP Lot 26.

Tier 1 removes exclusion for products with low voltage external PSU's, reduces power consumption for products providing status display only to 0.8W, requires a user warning for increase in power consumption with a software update and additional information to be included in the user manual. Tier 2 reduces off mode limit to 0.3 W and limit for HiNA functionality in networked standby to 7,00 W from May 2027.

Reference COMMISSION REGULATION (EU) 2023/826 <https://eur-lex.europa.eu/eli/reg/2023/826/oj>

Network Standby Classification	LoNA
Off/Standby - Watts	0.32
Network Standby - Watts	0.53
Number of Network Ports	2
Location of 'Physical' Network Ports	Wireless
Network Port Type	PCIE WLAN
Network Port(s) Activated or Deactivated	Network Port(s) "Activated"
Network Port Maximum Performance in GB/s	1
Communication protocol used by equipment	Ethernet - TCPIP
Description of how to assert Network Standby Mode	Information available @ www.dell.com/regulatory_compliance and/or www.dell.com/support
Sequence of events to trigger automatic assertion of Network Standby Mode	
Notes regarding operation of the equipment EX: how the user switches the equipment into network standby	
Default time for PM function to switch equipment into this mode	
Inactivity time required to enter Network Standby	
Re-activation trigger	
Measurement Method	

## Appendix E: California Energy Commission Appliance Efficiency Standards MAEDbS Registration Numbers

<b>MAEDbS Model Numbers *</b>	<b>Computer Type</b>	<b>Power Supply Wattage</b>
Inspiron 14 5440_65W	Notebook	65W
DC14250_65W	Notebook	65W
PV14250_65W	Notebook	65W