

Dell Chromebook 11

CC11260

Setup and Specifications

Notes, cautions, and warnings

 **NOTE:** A NOTE indicates important information that helps you make better use of your product.

 **CAUTION:** A CAUTION indicates either potential damage to hardware or loss of data and tells you how to avoid the problem.

 **WARNING:** A WARNING indicates a potential for property damage, personal injury, or death.

Contents

Chapter 1: Views of Dell Chromebook 11 CC11260.....	4
Right.....	4
Left.....	4
Top.....	5
Front.....	6
Bottom.....	7
Battery charge and status light	7
Locate the Service Tag or Express Service Code label of your computer.....	8
Chapter 2: Set up your Dell Chromebook 11 CC11260.....	9
Chapter 3: Specifications of Dell Chromebook 11 CC11260.....	10
Dimensions and weight.....	10
Processor.....	10
Chipset.....	11
Operating system.....	11
Memory.....	11
External ports and slots.....	12
Internal slots.....	12
Wireless module.....	13
WWAN module (optional).....	13
Audio.....	14
Storage.....	15
Keyboard.....	15
Keyboard shortcuts of Dell Chromebook 11 CC11260.....	16
Camera.....	16
Touchpad.....	17
Power adapter.....	17
Power adapter requirements.....	18
Battery.....	18
Power requirements for computers shipped with 45 Wh battery.....	19
Display.....	19
GPU—Integrated.....	20
External display support.....	20
Hardware security.....	21
Operating and storage environment.....	21
Chapter 4: Getting help and contacting Dell.....	22
Chapter 5: Revision history.....	23

Views of Dell Chromebook 11 CC11260

Right



Figure 1. Right view

1. Global headset jack

Connect headphones or a headset (headphone and microphone combo).

2. Wedge-shaped lock slot

Connect a security cable to prevent unauthorized movement of your computer.

Left



Figure 2. Left view

1. USB 3.2 Gen 1 (5 Gbps) Type-C with DisplayPort Alt Mode port

Connect devices such as external storage devices, printers, and external displays. Provides data transfer speeds up to 5 Gbps.

NOTE: A USB Type-C to DisplayPort adapter (sold separately) is required to connect a DisplayPort device.

2. USB 3.2 Gen 1 (5 Gbps) Type-C with DisplayPort Alt Mode port

Connect devices such as external storage devices, printers, and external displays. Provides data transfer speeds up to 5 Gbps.

NOTE: A USB Type-C to DisplayPort adapter (sold separately) is required to connect a DisplayPort device.

NOTE: This port is optional for Dell Chromebook 11 CC11260 computers.

3. USB 3.2 Gen 1 (5 Gbps) Type-A port

Connect devices such as external storage devices, printers, and external displays. Provides data transfer speeds up to 5 Gbps.

4. Power and battery-status light

Indicates the power state and battery state of the computer.

Solid white—Power adapter is connected and the battery is charging.

Solid amber—Battery charge is low or critical.

Off—Battery is fully charged.

Top



Figure 3. Top view

1. Power button

Press to turn on the computer if it is turned off.

2. Touchpad

Move your finger on the touchpad to move the mouse pointer. Tap to left-click and two fingers tap to right-click.

Front




Figure 4. Front view

- 1. Left microphone**
Provides digital sound input for audio recording and voice calls.
- 2. Camera**
Enables you to video chat, capture photos, and record videos
- 3. Camera-status light**
The camera-status light turns on when the camera is in use.
- 4. Right microphone**
Provides digital sound input for audio recording and voice calls.
- 5. Display**
Provides visual output.

Bottom



Figure 5. Bottom view

1. Speakers

Provide audio output.

2. Service Tag label

The Service Tag is a unique alphanumeric identifier that enables Dell service technicians to identify the hardware components in your computer and access warranty information.

3. Speakers

Provide audio output.

Battery charge and status light

The following table lists the battery charge and status light behavior of your Dell Chromebook 11 CC11260.

Table 1. Battery charge and status light behavior

Power Source	LED Behavior	System Power State	Battery Charge Level
AC Adapter	Off	S0 - S5	Fully Charged
AC Adapter	Solid White	S0 - S5	< Fully Charged
Battery	Off	S4 - S5	11-100%
Battery	Solid Amber (590+/-3 nm)	S0 - S3	< 10%

- S0 (ON) - System is turned on.
- S4 (Hibernate) - The system consumes the least power compared to all other sleep states. The system is almost at an OFF state, except for a trickle power. The context data is written to a hard drive.
- S5 (OFF) - The system is in a shutdown state.

Locate the Service Tag or Express Service Code label of your computer

The service tag is a unique alphanumeric identifier that allows Dell service technicians to identify the hardware components in your computer and access warranty information. The Express Service Code is a numeric version of the Service Tag.

For more information about how to find the Service Tag of your computer, search [Dell Support Site](#).




Figure 6. Service Tag/Express Service Code location

Set up your Dell Chromebook 11 CC11260

About this task

NOTE: The images in this document may differ from your computer depending on the configuration you ordered.

Steps

1. Connect the power adapter and press the power button.



Figure 7. Connect the power adapter and press the power button.

NOTE: The battery may go into power-saving mode during shipment to conserve charge on the battery. Ensure that the power adapter is connected to your computer when it is turned on for the first time.


2. Finish Chromebook operating system setup.
Follow the on-screen instructions to complete the setup. For more information about installing and configuring a Chromebook, go to [Chromebook OS Support](#).
3. Locate and install the required apps from the Google Chrome Web Store. For more information about downloading and installing apps on your Chromebook, search in the Knowledge Base Resource at [Dell Support Site](#).

Specifications of Dell Chromebook 11 CC11260

Dimensions and weight

The following table lists the height, width, depth, and weight of your Dell Chromebook 11 CC11260.

Table 2. Dimensions and weight

Description	Values
Height:	
Front height	21.15 mm (0.83 in.)
Rear height	21.15 mm (0.83 in.)
Width	303.90 mm (11.96 in.)
Depth	207.90 mm (8.19 in.)
Weight	1.42 kg (3.16 lb)
 NOTE: The weight of your computer depends on the configuration that you ordered.	

Processor

The following table lists the details of the processors that are supported on your Dell Chromebook 11 CC11260.

Table 3. Processor



Description	Option one
Type	Intel Processor N150
Wattage	6 W
Total core count	4
Performance-cores	0
Efficient-cores	4
Total thread count	4
 NOTE: Intel Hyper-Threading Technology is only available on Performance-cores.	
Speed	3.6 Ghz
Frequency—Performance cores	
Base frequency	0.8 Ghz
Maximum turbo frequency	3.6 Ghz
Frequency—Efficient cores	

Table 3. Processor (continued)

Description		Option one
	Base frequency	0.8 Ghz
	Maximum turbo frequency	3.6 Ghz
Thermal Mode/Thermal Design Power (TDP)		
	Cool	Not applicable
	Optimized	Not applicable
	Quiet	Not applicable
	Ultra Performance	Not applicable
		 NOTE: Processor clock speeds and thermal design power differ according to the thermal mode selected in the My Dell app on your computer.
Cache		6 MB
Integrated graphics		Intel Graphics

Chipset

The following table lists the details of the chipset that is supported by your Dell Chromebook 11 CC11260.

Table 4. Chipset

Description	Values
Chipset	FCBGA1264
Processor	Intel Processor N150
DRAM bus width	64-bit
Flash EPROM	16 MB
PCIe bus	Up to Gen3

Operating system

Your Dell Chromebook 11 CC11260 supports the following operating system:

ChromeOS

Memory

The following table lists the memory specifications that are supported by your Dell Chromebook 11 CC11260.

Table 5. Memory specifications


Description	Values
Memory slots	Onboard  NOTE: Memory is non-upgradable.
Memory type	LPDDR5/LPDDR5x


Table 5. Memory specifications (continued)

Description	Values
Memory speed	4800 MT/s
Maximum memory configuration	8 GB
Minimum memory configuration	4 GB
Memory size per slot	Memory on-board
Memory configurations supported	<ul style="list-style-type: none"> 4 GB: 1 x 4 GB, LPDDR5/LPDDR5x, 4800 MT/s, single-channel (onboard) 8 GB: 1 x 8 GB, LPDDR5/LPDDR5x, 4800 MT/s, single-channel (onboard)

External ports and slots

The following table lists the external ports and slots on your Dell Chromebook 11 CC11260.


Table 6. External ports and slots

Description	Values
USB ports	<ul style="list-style-type: none"> One USB 3.2 Gen 1 (5 Gbps) Type-C with DisplayPort Alt Mode port One USB 3.2 Gen 1 (5 Gbps) Type-C with DisplayPort Alt Mode port (optional) One USB 3.2 Gen 1 (5 Gbps) Type-A port
Audio port	One global headset jack
Video port(s)	<ul style="list-style-type: none"> One USB 3.2 Gen 1 (5 Gbps) Type-C with DisplayPort Alt Mode port One USB 3.2 Gen 1 (5 Gbps) Type-C with DisplayPort Alt Mode port (optional) <p> NOTE: This port is optional and is available for upsell computers.</p>
Media-card reader	Not supported
Power-adaptor port	65 W AC adapter, USB Type-C
Security-cable slot	One wedge-shaped lock slot

Internal slots

The following table lists the internal slots of your Dell Chromebook 11 CC11260.


Table 7. Internal slots

Description	Values
M.2	<p>One M.2 3052 slot for WWAN module (optional)</p> <p> NOTE: To learn more about the features of different types of M.2 cards, search Dell Support Site.</p>

Wireless module

The following table lists the Wireless Local Area Network (WLAN) module that is supported on your Dell Chromebook 11 CC11260.

Table 8. Wireless module specifications

Description	Values
Model number	Intel Wi-Fi 6E AX211
Transfer rate	Up to 2400 Mbps
Frequency bands supported	<ul style="list-style-type: none"> • 2.4 GHz • 5 GHz • 6 GHz
Wireless standards	<ul style="list-style-type: none"> • Wi-Fi 802.11a/b/g • Wi-Fi 4 (WiFi 802.11n) • Wi-Fi 5 (WiFi 802.11ac) • Wi-Fi 6E (WiFi 802.11ax)
Encryption	<ul style="list-style-type: none"> • 128-bit AES-CCMP • 256-bit AES-GCMP
Bluetooth wireless card  NOTE: The functionality of the Bluetooth wireless card may vary based on the operating system.	Bluetooth 5.4 wireless card (Chrome)

WWAN module (optional)

The following table lists the Wireless Wide Area Network (WWAN) module that is supported in your Dell Chromebook 11 CC11260.





-  **NOTE:** The WWAN module is available only on certain configurations and in certain regions.
-  **NOTE:** Availability of the eSIM feature on this module may vary depending on your region and the support that is offered by your mobile carrier.
-  **NOTE:** For instructions on how to setup SIM or eSIM connections on your computer, see the *SIM/eSIM Setup Guide for Windows* available with your product documentation at [Dell Support Site](#).

Table 9. WWAN module specifications

Description	Values
Model number	MediaTek T700R Global 5G Modem (DW5935e)
Form factor	M.2 3052 Key-B
Host interface	PCIe Gen3
Network standard	<ul style="list-style-type: none"> • NR FR1(Sub6) FDD/TDD • LTE FDD/TDD • WCDMA/HSPA+ • GPS/GLONASS/Galileo/BDS/QZSS
Transfer data rate	<ul style="list-style-type: none"> • SA: DL 4.67 Gbps / UL 1.25 Gbps • NSA: DL 3.74 Gbps / UL 835 Mbps

Table 9. WWAN module specifications (continued)

Description	Values
	<ul style="list-style-type: none"> • LTE: DL 1.6 Gbps (CAT19) / UL 211 Mbps • UMTS: DL 384 Kbps / UL 384 Kbps • DL DC-HSPA+: 42 Mbps (CAT24) / UL 11.5 Mbps (CAT7)
Operating frequency bands	<ul style="list-style-type: none"> • NR(n1, n2, n3, n5, n7, n8, n12, n14, n20, n25, n26, n28, n30, n38, n40, n41, n48, n66, n71, n77, n78, n79) • LTE (B1, B2, B3, B4, B5, B7, B8, B12, B13, B14, B17, B18, B19, B20, B25, B26, B28, B29, B30, B32, B34, B38, B39, B40, B41, B42, B43, B48, B66, B71) • WCDMA/HSPA+ (1, 2, 4, 5, 8)
Power supply	DC 3.135 V to 4.4 V, typical 3.3 V
SIM card	Supported through internal SIM slot
eSIM with dual SIM (DSSA)	Supported (The availability of eSIM functionality embedded on the module is dependent on the region and specific carrier requirements)
Antenna diversity	Supported
Radio on/off	Supported
Wake On Wireless WAN	Supported
Operating temperature	<ul style="list-style-type: none"> • Normal operating temperature: -10°C to +55°C • Extended operating temperature: -30°C to +75°C • Storage temperature: -40°C to +85°C
Antenna connector	<ul style="list-style-type: none"> • One WWAN main antenna • One WWAN diversity antenna • Two 4 x 4 MIMO Antenna
 NOTE: For instructions to find your computer's International Mobile Equipment Identity (IMEI) number, search Dell Support Site .	

Audio

The following table lists the audio specifications of your Dell Chromebook 11 CC11260.

Table 10. Audio specifications

Description	Values
Audio controller	Realtek ALC3204
Stereo conversion	Supported
Internal audio interface	High definition audio interface
External audio interface	One Global headset jack
Number of speakers	2
Internal-speaker amplifier	Not applicable

Table 10. Audio specifications (continued)

Description	Values
External volume controls	Keyboard shortcut controls
Speaker output:	
Average	2 W
Peak	2.5 W
Microphone	Digital-array microphones in camera assembly

Storage

This section lists the storage options on your Dell Chromebook 11 CC11260.

Table 11. Storage specifications

Storage type	Interface type	Capacity
eMMC	Onboard	64 GB

Keyboard

The following table lists the keyboard specifications of your Dell Chromebook 11 CC11260.

Table 12. Keyboard specifications

Description	Values
Keyboard type	Non-backlit keyboard
Keyboard layout	QWERTY
Number of keys	Non-backlit keyboard without numpad <ul style="list-style-type: none">Arabic, English International, English US: 79 keysBelgian, English UK, French (Canadian), French (European), Nordic (MUI), Spanish (Castilian), Spanish (Latin America): 80 keysJapanese: 83 keys
Key pitch	Horizontal = 18.70 mm Vertical = 18.50 mm
Keyboard shortcuts	Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. <ul style="list-style-type: none">To type the alternate character, press Shift and the desired key.To perform secondary functions, press Fn and the desired key. <p>NOTE: You can define the primary behavior of the function keys (F1–F12) by changing Function Key Behavior in the BIOS Setup program.</p> <p>NOTE: If Copilot in Windows is not available on your computer, pressing the Copilot key launches Windows</p>

Table 12. Keyboard specifications (continued)

Description	Values
	search . For more information about Copilot in Windows, see the Knowledge Base Resource at the Dell Support site .

Keyboard shortcuts of Dell Chromebook 11 CC11260

Table 13. List of keyboard shortcuts

Function key	Primary behavior
F1	Browser back
F2	Browser refresh
F3	Full screen
F4	Overview
F5	Print screen
F6	Decrease screen brightness
F7	Increase screen brightness
F8	Dictation
F9	Accessibility
F10	Mute or unmute audio
F11	Decrease volume
F12	Increase volume

For information on keyboard shortcuts, see [Chromebook keyboard shortcuts](#).

Camera

The following table lists the camera specifications of your Dell Chromebook 11 CC11260.

Table 14. Camera specifications

Description	Option one	Option two
Number of cameras	One	One
Camera type	HD RGB Camera ⓘ NOTE: This camera is only available for computers without a WWAN card.	FHD RGB Camera ⓘ NOTE: This camera is only available for computers with a WWAN card.
Camera location	Front camera	Front camera
Camera sensor type	CMOS sensor technology	CMOS sensor technology
Camera resolution:		
Still image	0.92 megapixels	2.07 megapixels
Video	1280 x 720 (HD) at 30 fps	1920 x 1080 (FHD) at 30 fps
Diagonal viewing angle	75.0 degrees	80.2 degrees

Touchpad

The following table lists the touchpad specifications of your Dell Chromebook 11 CC11260.


Table 15. Touchpad specifications

Description		Values
Touchpad resolution:		>300dpi
Touchpad dimensions:		
	Horizontal	100 mm
	Vertical	55 mm
Touchpad gestures		For more information about the touchpad gestures available on Windows, see the Microsoft Knowledge Base article at Microsoft Support Site .

Power adapter

The following table lists the power adapter specifications of your Dell Chromebook 11 CC11260.

Table 16. Power-adapter specifications

Description		Values
Type		65 W AC adapter, USB Type-C
Power-adapter dimensions:		
	Height	28 mm (1.10 in.)
	Width	51 mm (2.01 in.)
	Depth	112 mm (4.41 in.)
Input voltage		100 VAC x 240VAC
Input frequency		50 Hz x 60 Hz
Input current (maximum)		1.70 A
Output current (continuous)		<ul style="list-style-type: none"> • 20 V/3.25 A (continuous) • 15 V/3 A (continuous) • 9 V/3 A (continuous) • 5 V/3 A (continuous)
Rated output voltage		20 VDC/15 VDC/9 VDC/5 VDC
Temperature range:		
	Operating	0°C to 40°C (32°F to 104°F)
	Storage	-40°C to 70°C (-40°F to 158°F)
 CAUTION: Operating and storage temperature ranges may differ among components, so operating or storing the device outside these ranges may impact the performance of specific components.		

Power adapter requirements

This section contains the power adapter requirements for Dell Chromebook 11 CC11260.

NOTE: If you did not purchase the Dell-branded power adapter that is recommended for your computer, ensure that the power adapter you use meets the following requirements:

Table 17. Power adapter requirements for Dell Chromebook 11 CC11260

Description	Value
Power that is required from a power adapter to achieve optimal performance.	65 W
Power that is required to charge the computer at a slower speed. NOTE: A warning message may appear informing you about the use of a lower-powered adapter and slower charging speed.	Less than 20 W
Minimum power that is required from a power adapter to operate the computer and charge the battery. NOTE: A warning message appears informing you about the use of a lower-powered adapter and slower charging speed.	<ol style="list-style-type: none"> AC adapter rate is greater than 15 W. AC adapter rate is equal to 15 W, and battery RSOC is equal to or greater than 1%.
USB Power Delivery (PD) fast charging	N/A
ExpressCharge mode	N/A

Battery

The following table lists the battery specifications of your Dell Chromebook 11 CC11260.

Table 18. Battery specifications

Description	Values
Battery type	3-cell, 45 Wh, Lithium Ion
Battery voltage	13.2 VDC
Battery weight (maximum)	0.200 Kg (0.44 lb)
Battery dimensions:	
Height	6.3 mm (0.25 in.)
Width	254.8 mm (10.03 in.)
Depth	72.8 mm (2.87 in.)
Temperature range:	
Operating	0°C to 60°C (32°F to 140°F)
Storage	-20°C to 65°C (-4°F to 149°F)
Battery operating time	Varies depending on operating conditions and can significantly reduce under certain power-intensive condition
Battery charging time (approximate) NOTE: You can control the charging time, duration, start and end time, and so on, using the Dell Power	<ul style="list-style-type: none"> 0°C~15°C: 4 hours (when the computer is off) 16°C~45°C: 3 hours (when the computer is off)

Table 18. Battery specifications (continued)

Description	Values
Manager application. For more information about Dell Power Manager, search in the Knowledge Base Resource at Dell Support Site .	<ul style="list-style-type: none"> 46°C~50°C: 3 hours (when the computer is off)
Coin-cell battery	Not applicable
<p>CAUTION: Operating and storage temperature ranges may differ among components, so operating or storing the device outside these ranges may impact the performance of specific components.</p> <p>CAUTION: Dell Technologies recommends that you charge the battery regularly for optimal power consumption.</p>	

Power requirements for computers shipped with 45 Wh battery

NOTE: The information in this section is applicable to the European Union (EU) countries.




Figure 8. Pictogram for 45 Wh battery

The power that is delivered by the charger must be between a minimum of 23 Watts that is required by the radio equipment, and a maximum of 44 Watts in order to achieve the maximum charging speed.

This computer supports USB Power Delivery (PD) fast charging.

Display

The following table lists the display specifications of your Dell Chromebook 11 CC11260.

Table 19. Display specifications

Description	Option one	Option two
Display type	11.6-inch High Definition (HD)	11.6-inch High Definition (HD)
Touch options	No	Yes
Display-panel technology	Twisted Nematic (TN)	Twisted Nematic (TN)
Display-panel dimensions (active area):		
Height	144 mm (5.67 in.)	144 mm (5.67 in.)
Width	256.13 mm (10.08 in.)	256.13 mm (10.08 in.)
Diagonal	294.64 mm (11.60 in.)	294.64 mm (11.60 in.)

Table 19. Display specifications (continued)

Description	Option one	Option two
Display-panel native resolution	1366 x 768	1366 x 768
Luminance (typical)	220 nits	220 nits
Megapixels	1.04	1.04
Color gamut	45% NTSC	45% NTSC
Pixels Per Inch (PPI)	135 ppi	135 ppi
Contrast ratio (minimum)	600:1 typical	500:1 typical
Response time (maximum)	20 milliseconds	16 milliseconds
Refresh rate	60 Hz	60 Hz
Horizontal view angle	+ 40/- 40 degrees	+ 40/- 40 degrees
Vertical view angle	+ 10/- 30 degrees	+ 10/- 30 degrees
Pixel pitch	0.1875 mm x 0.1875 mm	0.1875 mm x 0.1875 mm
Power consumption (maximum)	2.80 W	3 W
Anti-glare vs glossy finish	Anti-glare	Anti-glare

GPU—Integrated

The following table lists the specifications of the integrated Graphics Processing Unit (GPU) supported by your Dell Chromebook 11 CC11260.

Table 20. GPU—Integrated

Controller	Memory size	Processor
Intel Graphics	Shared system memory	Intel Processor N150

External display support

The following table lists the external display support for your Dell Chromebook 11 CC11260.

Table 21. External display support

Graphics card	Supported external displays with laptop display enabled	Supported external displays with laptop display disabled
Intel Graphics	4	4

Hardware security

The following table lists the hardware security of your Dell Chromebook 11 CC11260.

Table 22. Hardware security

Hardware security
H1 security chip
One wedge-shaped lock slot


Operating and storage environment

This table lists the operating and storage specifications of your Dell Chromebook 11 CC11260.

Airborne contaminant level: G1 as defined by ISA-S71.04-1985

Table 23. Computer environment

Description	Operating	Storage
Temperature range	0°C to 35°C (32 °F to 95°F)	-40°C to 65°C (-40°F to 149°F)
Relative humidity (maximum)	10% to 90% (non-condensing)	0% to 95% (non-condensing)
Vibration (maximum)*	0.66 GRMS	Not applicable
Shock (maximum)	110 G†	Not applicable
Altitude range	-15.2 m to 3048 m (-49.87 ft to 10,000 ft)	-15.2 m to 10,668 m (-49.87 ft to 35,000 ft)

 **CAUTION: Operating and storage temperature ranges may differ among components, so operating or storing the device outside these ranges may impact the performance of specific components.**

* Measured using a random vibration spectrum that simulates the user environment.

† Measured using a 2 ms half-sine pulse.

Getting help and contacting Dell

Self-help resources

You can get information and help on Dell products and services using these self-help resources:

Table 24. Self-help resources

Self-help resources	Resource location
Information about Dell products and services	Dell Site
Online help for operating system	For support on your Chromebook, see ChromeOS Support .
Access top solutions, diagnostics, drivers and downloads, and learn more about your computer through videos, manuals, and documents.	Your Dell computer is uniquely identified using a Service Tag or Express Service Code. To view relevant support resources for your Dell computer, enter the Service Tag or Express Service Code at Dell Support Site . For more information about how to find the Service Tag for your computer, see Instructions on how to find your Service Tag or Serial Number .
Dell knowledge base articles	<ol style="list-style-type: none"> 1. Go to Dell Support Site. 2. On the menu bar at the top of the Support page, select Support > Support Library. 3. In the Search field on the Support Library page, type the keyword, topic, or model number, and then click or tap the search icon to view the related articles.

Contacting Dell

To contact Dell for sales, technical support, or customer service issues, see [Contact Support at Dell Support Site](#).

i **NOTE:** Availability of the services may vary depending on the country or region, and product.

i **NOTE:** If you do not have an active Internet connection, you can find contact information about your purchase invoice, packing slip, bill, or Dell product catalog.

Revision history

Tracks all updates that are made to the document. It typically includes the date of change, version number, and a brief description of the modification. This log helps maintain transparency, accountability, and a clear timeline of progress.

Table 25. Revision history

Revision	Date	Description
A00	10-16-2025	Original publish date.