



## Duo Gel Keyboard Wrist Rests



Part Number: K62677WW | UPC Code: 085896005117

Part Number: K62677JP | JAN Code: 4995364273503



Part Number: K62678WW/NA | UPC Code: 085896005216

Part Number: K62678JP | JAN Code: 4995364273510



Part Number: K62679WW | UPC Code: 085896005315



Part Number: K62680WW | UPC Code: 085896005414

Contoured  
comfort,  
colorful  
expression.

Too soft, too hard, or just plain boring—most wrist rests on the market either lack real support or don't add style to your desk. Kensington's Duo Gel Keyboard Wrist Rests solve both issues with a sleek, two-tone design that adds personality without compromising comfort. Their soft-touch gel pillows provide lasting comfort and support for your wrists, while their built-in ventilation channels keep hands and wrists cool and dry. Unlike cheap foam alternatives, they won't leak or flatten over time. Finally, a wrist rest that delivers premium comfort, lasting support, and refined style.

- Supports ergonomic positioning to reduce strain
- Helps keep hands and wrists cool and dry
- Tested to resist degrading or discoloring
- Fun duo-tone color options
- Easy-to-clean
- Soft-touch surface

## Duo Gel Keyboard Wrist Rests



Part Number: K62677WW | UPC Code: 085896005117

Part Number: K62677JP | JAN Code: 4995364273503



Part Number: K62678WW/NA | UPC Code: 085896005216


Part Number: K62678JP | JAN Code: 4995364273510



Part Number: K62679WW | UPC Code: 085896005315




Part Number: K62680WW | UPC Code: 085896005414




### Gel Pillow

The soft gel structure molds to the natural curvature of your wrists, providing ideal ergonomic positioning for reducing wrist strain and discomfort.




### Ventilation Channel

A strategically designed ventilation channel helps keep your hands and wrists cooler during extended typing sessions.



### Wipe-Down Protection

Engineered for durability, it meets MIL-STD-810H Method 504.3 standards for resistance to breakdown when exposed to cleaning and disinfecting solvents (such as alcohol and bleach) for at least 24 hours.



### Aesthetic Design

### Aesthetic Design

Express your style with vibrant colors and a sleek, modern design that perfectly complements your keyboard and desk setup – turning an office necessity into a personal statement.



### Soft Finish

A premium soft-touch surface provides a smooth finish that feels good and is easy to clean, so the wrist rest stays comfortable and looking new even with heavy use.

## Duo Gel Keyboard Wrist Rests



Part Number: K62677WW | UPC Code: 085896005117

Part Number: K62677JP | JAN Code: 4995364273503



Part Number: K62678WW/NA | UPC Code: 085896005216

Part Number: K62678JP | JAN Code: 4995364273510



Part Number: K62679WW | UPC Code: 085896005315



Part Number: K62680WW | UPC Code: 085896005414

### Material Specifications

Top Cover	Transparent TPU Film
Inside Cushion	GEL
Bottom	PU

### Product Dimensions

Part No.	Unit Dimensions	Unit Weight	Enclosure Color & Material
K62677WW/JP K62678WW/NA/JP	450 × 104.2 × 20.5mm (17.7 × 4.1 × 0.8in)	735g (1.62lbs)	Pink/ Green
K62679WW K62680WW	450 × 93 × 22mm (17.7 × 3.66 × 0.86in)	146g (0.32lbs)	Pink/ Green

### Packaging Dimensions

Packaging Style	Retail Box
Packaging Content	1 x Duo Gel Keyboard Wrist Rest 1 x Warranty Card

Part No.	Packaging Dimensions (individual)	Packaging Weight	Master Carton Quantity	Master Carton Dimensions	Master Carton Weight
K62677WW/JP K62678WW/NA/JP	485 × 111 × 33mm (19 × 4.37 × 1.29in)	826g (1.82lbs)	4pcs	480 × 155 × 145mm (18.89 × 6.1 × 4.72in)	3.58kg (7.89lbs)
K62679WW K62680WW	475 × 101 × 33mm (18.7 × 3.97 × 1.29in)	786g (1.73lbs)	4pcs	470 × 155 × 135mm (18.5 × 6.1 × 5.31in)	3.27kg (7.1lbs)

## Duo Gel Keyboard Wrist Rests



Part Number: K62677WW | UPC Code: 085896005117

Part Number: K62677JP | JAN Code: 4995364273503



Part Number: K62678WW/NA | UPC Code: 085896005216

Part Number: K62678JP | JAN Code: 4995364273510



Part Number: K62679WW | UPC Code: 085896005315



Part Number: K62680WW | UPC Code: 085896005414

### Power & Environmental

Relative Humidity	5% to 95% non-condensing
Operating Temperature	0 to 40°C (32 to 104°F)
Storage Temperature	-40 to 70°C (-104 to 158°F)

### Country Of Origin, Regulatory, And Warranty

Country of Origin	China
Warranty	2-year limited
Certifications & Compliance	RoHS, Prop65