

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® Fantastik® Max Power Cleaner

Version 2.1

Print Date 02/26/2025

Revision Date 05/11/2021

SDS Number 350000024292

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name : SC Johnson Professional® Fantastik® Max Power Cleaner

Recommended use : Hard Surface CleanerOven Cleaner

Restrictions on use : Use only as directed on label

Manufacturer, importer, supplier : S.C. Johnson & Son, Inc.
1525 Howe Street
Racine WI 53403-2236

Telephone : +1-800-558-5252

Emergency telephone number : 24 Hour Medical Emergency Phone: (866)231-5406
24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Skin irritation	Category 2	Causes skin irritation.
Eye irritation	Category 2B	Causes eye irritation.

Labelling

Hazard symbols

Exclamation mark

Signal word

Warning

Hazard statements

Causes skin and eye irritation.

Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**SC Johnson Professional® Fantastik® Max Power Cleaner**

Version 2.1

Print Date 02/26/2025

Revision Date 05/11/2021

SDS Number 350000024292

Read label before use.

Specific treatment (see supplemental first aid instructions on this label).

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/ attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

Take off contaminated clothing and wash before reuse.

Wear protective gloves.

Wash hands thoroughly after handling.

Other hazards : None identified**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical name	CAS-No.	Weight percent
Benzyl alcohol	100-51-6	1.00 - 5.00
Sodium C14-17 Alkyl Sec Sulfonate	Mixture 68608-26-4	1.00 - 5.00
Diisopropanolamine	110-97-4	1.00 - 5.00
Ethleneglycol Monohexylether	112-25-4	1.00 - 5.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidecjohson.com.

4. FIRST AID MEASURES**Description of first aid measures**

Eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

Skin contact : Wash off with plenty of water. Take off contaminated clothing and wash before reuse.

Inhalation : No special requirements.

Ingestion : No special requirements

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® Fantastik® Max Power Cleaner

Version 2.1

Print Date 02/26/2025

Revision Date 05/11/2021

SDS Number 350000024292

Most important symptoms and effects, both acute and delayed

Eyes	: Causes serious eye irritation.
Skin effect	: Causes skin irritation. No adverse effects expected when used as directed.
Inhalation	: May cause respiratory tract irritation.
Ingestion	: May cause irritation to mouth, throat and stomach. May cause abdominal discomfort. No adverse effects expected when used as directed.

Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Specific hazards during firefighting	: Container may melt and leak in heat of fire.
Further information	: Fight fire with normal precautions from a reasonable distance. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	: Wear personal protective equipment. Wash thoroughly after handling.
Environmental precautions	: Outside of normal use, avoid release to the environment.
Methods and materials	: Dike large spills.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® Fantastik® Max Power Cleaner

Version 2.1

Print Date 02/26/2025

Revision Date 05/11/2021

SDS Number 350000024292

for containment and cleaning up

Clean residue from spill site.

7. HANDLING AND STORAGE

Handling

Precautions for safe handling : Avoid contact with skin, eyes and clothing. For personal protection see section 8. Use only as directed. KEEP OUT OF REACH OF CHILDREN AND PETS. Wash thoroughly after handling.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Storage

Requirements for storage areas and containers : Keep container closed when not in use.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

ACGIH or OSHA exposure limits have not been established for this product or reportable ingredients unless noted in the table above.

Personal protective equipment

Respiratory protection : Substantial amounts of mist/vapors can be controlled with local exhaust ventilation or respiratory protection.

Hand protection : Wear suitable gloves.

Eye protection : Safety glasses with side-shields

Skin and body protection : No special requirements.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**SC Johnson Professional® Fantastik® Max Power Cleaner**

Version 2.1

Print Date 02/26/2025

Revision Date 05/11/2021

SDS Number 350000024292

Form	:	liquid
Color	:	Straw-Colored
Odour	:	Citrus
Odour Threshold	:	Test not applicable for this product type
pH	:	11 alkaline
Melting point/freezing point	:	Test not applicable for this product type
Initial boiling point and boiling range	:	Test not applicable for this product type
Flash point	:	does not flash
Evaporation rate	:	Test not applicable for this product type
Flammability (solid, gas)	:	Test not applicable for this product type
Upper/lower flammability or explosive limits	:	Test not applicable for this product type
Vapour pressure	:	Test not applicable for this product type
Vapour density	:	Test not applicable for this product type
Relative density	:	1 g/cm3 at 25 C
Solubility(ies)	:	completely soluble
Partition coefficient: n-octanol/water	:	Test not applicable for this product type

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**SC Johnson Professional® Fantastik® Max Power Cleaner**

Version 2.1

Print Date 02/26/2025

Revision Date 05/11/2021

SDS Number 350000024292

Auto-ignition temperature : Test not applicable for this product type**Decomposition temperature** : Test not applicable for this product type**Viscosity, dynamic** : Test not applicable for this product type**Viscosity, kinematic** : Test not applicable for this product type**Oxidizing properties** : Test not applicable for this product type**Volatile Organic Compounds** : 0.1 % - additional exemptions may apply
Total VOC (wt. %)* : *as defined by US Federal and State Consumer Product Regulations**Other information** : None identified**10. STABILITY AND REACTIVITY****Reactivity** : No dangerous reaction known under conditions of normal use.**Chemical stability** : Stable under recommended storage conditions.**Possibility of hazardous reactions** :**Possibility of hazardous reactions** : If accidental mixing occurs and toxic gas is formed, exit area immediately. Do not return until well ventilated.**Conditions to avoid** : Direct sources of heat.**Incompatible materials** : Do not mix with bleach or any other household cleaners.
Strong bases

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**SC Johnson Professional® Fantastik® Max Power Cleaner**

Version 2.1

Print Date 02/26/2025

Revision Date 05/11/2021

SDS Number 350000024292

Hazardous decomposition products : Thermal decomposition can lead to release of irritating gases and vapours.

11. TOXICOLOGICAL INFORMATION**Acute oral toxicity** : LD50 > 5000 mg/kg**Acute inhalation toxicity** : LC50 > 10 mg/L**Acute dermal toxicity** : LD50 > 5000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Gas
Skin irritation	Category 2	-
Eye irritation	Category 2B	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**SC Johnson Professional® Fantastik® Max Power Cleaner**

Version 2.1

Print Date 02/26/2025

Revision Date 05/11/2021

SDS Number 350000024292

Specific target organ toxicity - repeated exposure	No classification proposed	-	
Aspiration hazard	No classification proposed	-	

Aggravated Medical Condition : None known.**12. ECOLOGICAL INFORMATION****Product** : The product itself has not been tested.**Toxicity**

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Benzyl alcohol	static test LC50	Pimephales promelas (fathead minnow)	460 mg/l	96 h
Sodium C14-17 Alkyl Sec Sulfonate	LC50	Danio rerio (zebra fish)	1 - 10 mg/l	96 h
Diisopropanolamine	LC50	Danio rerio (zebra fish)	1,466 mg/l	96 h
Ethyleneglycol Monohexylether	static test LC50	Pimephales promelas (fathead minnow)	140 mg/l	96 h

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**SC Johnson Professional® Fantastik® Max Power Cleaner**

Version 2.1

Print Date 02/26/2025

Revision Date 05/11/2021

SDS Number 350000024292

	Benzyl alcohol	EC50 NOEC	Daphnia magna (Water flea) Daphnia	230 mg/l 51 mg/l	48 h 21 d
	Sodium C14-17 Alkyl Sec Sulfonate	EC50	Daphnia magna (Water flea)	9.81 mg/l	48 h
	Diisopropanolamine	EC50	Daphnia magna Straus	277.7 mg/l	48 h
	Ethyleneglycol Monohexylether	static test EC50	Daphnia magna (Water flea)	145 mg/l	48 h

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Benzyl alcohol	static test EC50	Pseudokirchneriella subcapitata (green algae)	770 mg/l	72 h
Sodium C14-17 Alkyl Sec Sulfonate	EC50	Desmodesmus subspicatus (green algae)	> 61 mg/l	72 h
Diisopropanolamine	EC50	Desmodesmus subspicatus (green algae)	339 mg/l	72 h
Ethyleneglycol Monohexylether	static test EC50	Desmodesmus subspicatus (green algae)	147.128 mg/l	96 h

Persistence and degradability

Component	Biodegradation	Exposure time	Summary

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**SC Johnson Professional® Fantastik® Max Power Cleaner**

Version 2.1

Print Date 02/26/2025

Revision Date 05/11/2021

SDS Number 350000024292

Benzyl alcohol	92 - 96 %	14 d	Readily biodegradable.
Sodium C14-17 Alkyl Sec Sulfonate			
Diisopropanolamine	94 %	28 d	Readily biodegradable.
Ethyleneglycol Monohexylether	96.8 %	20 d	Readily biodegradable.

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Benzyl alcohol	1.37 estimated	1.1
Sodium C14-17 Alkyl Sec Sulfonate	No data available	No data available
Diisopropanolamine	3.16 estimated	-0.79
Ethyleneglycol Monohexylether	5.8 estimated	1.97

Mobility

Component	End point	Value
Benzyl alcohol	No data available	-
Sodium C14-17 Alkyl Sec Sulfonate	No data available	
Diisopropanolamine	Koc	43 estimated
Ethyleneglycol Monohexylether	Koc	10 estimated

PBT and vPvB assessment

Component	Results
Benzyl alcohol	Not fulfilling PBT and vPvB criteria
Sodium C14-17 Alkyl Sec Sulfonate	Not fulfilling PBT and vPvB criteria
Diisopropanolamine	Not fulfilling PBT and vPvB criteria
Ethyleneglycol Monohexylether	Not fulfilling PBT and vPvB criteria

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**SC Johnson Professional® Fantastik® Max Power Cleaner**

Version 2.1

Print Date 02/26/2025

Revision Date 05/11/2021

SDS Number 350000024292

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

Land transport

Not classified as dangerous in the meaning of transport regulations.

Sea transport

Not classified as dangerous in the meaning of transport regulations.

Air transport

Not classified as dangerous in the meaning of transport regulations.

15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Notification status : All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).

California Prop. 65 : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**SC Johnson Professional® Fantastik® Max Power Cleaner**

Version 2.1

Print Date 02/26/2025

Revision Date 05/11/2021

SDS Number 350000024292

16. OTHER INFORMATION**HMIS Ratings**

Health	2
Flammability	0
Reactivity	0

NFPA Ratings

Health	2
Fire	0
Reactivity	0
Special	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
-------------	------------------------------------------------------------------