



Accessories Guide

TC501

Rugged mobile computing reimagined for the AI-powered frontline




Table of Contents

Accessories that POWER devices

Cradles

Single-slot ShareCradles	4
Multi-slot ShareCradles Kits	6
Multi-slot ShareCradles	8
Legacy ShareCradle Cups	10
ShareCradle Components	12
Mounting Options for Chargers	13

Batteries

Spare Li-ion Batteries	15
Spare Battery Chargers	16

Power Supplies, Cables, and Adaptors

Power Supply and Cable Matrix	18
Country-Specific AC Line Cords	19

Accessories that PROTECT devices

Soft Goods

Rugged Boot, Hand Strap, and Screen Protector	21
Soft Holster, Stylus, and Tether	22

Accessories that ENABLE devices

Trigger Handles

Electronic Trigger Handle and Wrist Strap	24
---	----

Wearable Mounts

Wrist Mounts, Comfort Pad, and Arm Sleeve	26
Replacement Double BOA Wrist Strap	27
Replacement Single BOA Wrist Strap	28

Headsets

Wired Headsets and Accessories for Workforce Connect	30
Wireless Headsets and Accessories for Voice-Directed Picking	31

Third Party Accessories

RAM Vehicle Docks	33
ProClip Vehicle Cradles	34

Cradles

[Single-slot ShareCradles](#)

[Multi-slot ShareCradles Kits](#)

[Multi-slot ShareCradles](#)

[Legacy ShareCradle Cups](#)

[ShareCradle Components](#)

[Mounting Options for Chargers](#)

[Cradles](#)
[Batteries](#)
[Power Supplies,
Cables and
Adaptors](#)
[Soft Goods](#)
[Trigger handles](#)
[Wearable
Mounts](#)
[Headsets](#)
[Third Party
Accessories](#)

Item/SKU#

Description

One-Device ShareCradle

Devices WITH a rugged boot:

SKU# **CRDCUP-TC5A-IDF-B**

Devices WITHOUT a rugged boot:

SKU# **CRDCUP-TC5A-IDF**



TC501 Fast-Charging ShareCradle for a Single Device.

- Device with standard battery charges from 0–70% in about 45 minutes.
- Connects to charge contacts and USB-C port on the bottom of the device.
- Sold separately: USB-C Cable [SKU# CBL-EC5X-USBC3A-01](#), and Country-Specific Power Adaptor [SKU# PWR-WUA5V45W1XX](#) (Replace 'XX' in SKU to get the right plug style based on region)

One-Device Ethernet ShareCradle

Devices WITH a rugged boot:

SKU# **CRD-TC5A-1SE-B**

Devices WITHOUT a rugged boot:

SKU# **CRD-TC5A-1SE**



TC501 Ethernet ShareCradle for a Single Device.

- Device with standard battery charges from 0–90% in about 1½ hours.
- Connects to charge contacts and USB-C port on the bottom of the device.
- There is an Ethernet Port, and spare USB-C port.
- Sold separately: USB-C Cable [SKU# CBL-EC5X-USBC3A-01](#), and Country-Specific Power Adaptor [SKU# PWR-WUA5V45W1XX](#) (Replace 'XX' in SKU to get the right plug style based on region)

Two-Device ShareCradle

Devices WITH a rugged boot:

SKU# **CRDCUP-TC5A-2D-B**

Devices WITHOUT a rugged boot:

SKU# **CRDCUP-TC5A-2D**



TC501 Charge-Only ShareCradle for Two Devices.

- Device with standard battery charges from 0–90% in about 1½ hours.
- Connects to charge contacts on the bottom of the device.
- Sold separately: USB-C Cable [SKU# CBL-EC5X-USBC3A-01](#), and Country-Specific Power Adaptor [SKU# PWR-WUA5V45W1XX](#) (Replace 'XX' in SKU to get the right plug style based on region)

Single-slot ShareCradles

[Cradles](#)

[Batteries](#)

[Power Supplies,](#)
[Cables and](#)
[Adaptors](#)

[Soft Goods](#)

[Trigger handles](#)

[Wearable](#)
[Mounts](#)

[Headsets](#)

[Third Party](#)
[Accessories](#)

Item/SKU#

Description

One-Device & One-Battery ShareCradle

Devices WITH a rugged boot:

SKU# **CRD-TC5A-2SC1B-B**

Devices WITHOUT a rugged boot:

SKU# **CRD-TC5A-2SC1B**



TC501 Charge-Only ShareCradle for a Single Device and its Spare Battery.

- Device with standard battery charges from 0–90% in about 1½ hours.
- Connects to charge contacts on the bottom of the device.
- Sold separately: USB-C Cable [SKU# CBL-EC5X-USBC3A-01](#), and Country-Specific Power Adaptor SKU# [PWR-WUA5V45W1XX](#) (Replace 'XX' in SKU to get the right plug style based on region)

One-Device & One Battery Ethernet ShareCradle

Devices WITH a rugged boot:

SKU# **CRD-TC5A-2SE1B-B**

Devices WITHOUT a rugged boot:

SKU# **CRD-TC5A-2SE1B**



TC501 Ethernet ShareCradle for a Single Device and its Spare Battery.

- Device with standard battery charges from 0–90% in about 1½ hours.
- There is an Ethernet Port, and spare USB-C port.
- Connects to charge contacts and USB-C port on the bottom of the device.
- Sold separately: USB-C Cable [SKU# CBL-EC5X-USBC3A-01](#), and Country-Specific Power Adaptor SKU# [PWR-WUA5V45W1XX](#) ('XX' in SKU to get the right plug style based on region)

Multi-Slot ShareCradles Kits

[Cradles](#)

[Batteries](#)

[Power Supplies,
Cables and
Adaptors](#)

[Soft Goods](#)

[Trigger handles](#)

[Wearable
Mounts](#)

[Headsets](#)

[Third Party
Accessories](#)

Item/SKU#	Description
Five-Device ShareCradle Kit Devices WITH a rugged boot: SKU# CRD-TC5AB-5SC5DF-1 Devices WITHOUT a rugged boot: SKU# CRD-TC5A-5SC5DF-1 	TC501 Fast-Charging ShareCradle for Five Devices. - Device with standard battery charges from 0–70% in about 45 minutes. - Connects to charge contacts and USB-C port on the bottom of the device. - Includes: Power Supply with Attached DC Cable SKU# PWR-BGA12V150W1WW - Can be mounted on a standard 19-inch rack system using mounting bracket SKU# BRKT-SCRD-SMRK-01. - Sold Separately: Country-Specific AC Line Cord (listed later in this document).
Five-Device Ethernet ShareCradle Kit Devices WITH a rugged boot: SKU# CRD-TC5AB-5SE5D-1 Devices WITHOUT a rugged boot: SKU# CRD-TC5A-5SE5D-1 	TC501 Ethernet ShareCradle for Five Devices. - Device with standard battery charges from 0–90% in about 1½ hours. - There is an Ethernet Port, and spare USB-C port. - Connects to charge contacts and USB-C port on the bottom of the device. - Includes: Power Supply with Attached DC Cable SKU# PWR-BGA12V150W1WW - Can be mounted on a standard 19-inch rack system using mounting bracket SKU# BRKT-SCRD-SMRK-01. - Sold Separately: Country-Specific AC Line Cord (listed later in this document).

Multi-Slot ShareCradles Kits

[Cradles](#)

[Batteries](#)

[Power Supplies,
Cables and
Adaptors](#)

[Soft Goods](#)

[Trigger handles](#)

[Wearable
Mounts](#)

[Headsets](#)

[Third Party
Accessories](#)

Item/SKU#	Description
Five-Device & Five-Battery ShareCradle Kit Devices WITH a rugged boot: SKU# CRD-TC5AB-5SC5D5B-1 Devices WITHOUT a rugged boot: SKU# CRD-TC5A-5SC5D5B-1 	TC501 Charge-Only ShareCradle for Five Devices and Five Spare Batteries. • Device with standard battery charges from 0–90% in about 1½ hours. • Connects to charge contacts on the bottom of the device. • Includes: Power Supply with Attached DC Cable SKU# PWR-BGA12V150W1WW. • Can be mounted on a standard 19-inch rack system using mounting bracket SKU# BRKT-SCRD-SMRK-01. • Sold Separately: Country-Specific AC Line Cord (listed later in this document).
10-Device ShareCradle Kit Devices WITH a rugged boot: SKU# CRD-TC5AB-5SC10D-1 Devices WITHOUT a rugged boot: SKU# CRD-TC5A-5SC10D-1 	TC501 Charge-Only ShareCradle for 10 Devices. • Device with standard battery charges from 0–90% in about 1½ hours. • Connects to charge contacts on the bottom of the device. • Includes: Power Supply with Attached DC Cable SKU# PWR-BGA12V150W1WW. • Can be mounted on a standard 19-inch rack system using mounting bracket SKU# BRKT-SCRD-SMRK-01. • Sold Separately: Country-Specific AC Line Cord (listed later in this document).

Multi-Slot ShareCradles

[Cradles](#)
[Batteries](#)
[Power Supplies,
Cables and
Adaptors](#)
[Soft Goods](#)
[Trigger handles](#)
[Wearable
Mounts](#)
[Headsets](#)
[Third Party
Accessories](#)

Item/SKU#

Description

Five-Device ShareCradle

Devices WITH a rugged boot:

SKU# **CRD-TC5A-5SC5DF-B**

Devices WITHOUT a rugged boot:

SKU# **CRD-TC5A-5SC5DF**



TC501 Fast-Charging ShareCradle for Five Devices.

- Device with standard battery charges from 0–70% in about 45 minutes.
- Connects to charge contacts and USB-C port on the bottom of the device.
- Can be mounted on a standard 19-inch rack system using mounting bracket [SKU# BRKT-SCRD-SMRK-01](#).
- Sold Separately: Power Supply with Attached DC Cable [SKU# PWR-BGA12V150W1WW](#), and Country-Specific AC Line Cord (listed later in this document).

Five-Device Ethernet ShareCradle

Devices WITH a rugged boot:

SKU# **CRD-TC5A-5SE5D-B**

Devices WITHOUT a rugged boot:

SKU# **CRD-TC5A-5SE5D**



TC501 Ethernet ShareCradle for Five Devices.

- Device with standard battery charges from 0–90% in about 1½ hours.
- There is an Ethernet Port, and spare USB-C port.
- Connects to charge contacts and USB-C port on the bottom of the device.
- Can be mounted on a standard 19-inch rack system using mounting bracket [SKU# BRKT-SCRD-SMRK-01](#).
- Sold Separately: Power Supply with Attached DC Cable [SKU# PWR-BGA12V150W1WW](#), and Country-Specific AC Line Cord (listed later in this document).

Multi-Slot ShareCradles

[Cradles](#)
[Batteries](#)
[Power Supplies,
Cables and
Adaptors](#)
[Soft Goods](#)
[Trigger handles](#)
[Wearable
Mounts](#)
[Headsets](#)
[Third Party
Accessories](#)

Item/SKU#

Description

Five-Device & Five-Battery ShareCradle

Devices WITH a rugged boot:

SKU# **CRD-TC5A-5SC5D5B-B**

Devices WITHOUT a rugged boot:

SKU# **CRD-TC5A-5SC5D5B**



TC501 Charge-Only ShareCradle for Five Devices and Five Spare Batteries.

- Device with standard battery charges from 0–90% in about 1½ hours.
- Connects to charge contacts on the bottom of the device.
- Can be mounted on a standard 19-inch rack system using mounting bracket [SKU# BRKT-SCRD-SMRK-01](#).
- Sold Separately: Power Supply with Attached DC Cable [SKU# PWR-BGA12V150W1WW](#), and Country-Specific AC Line Cord (listed later in this document).

10-Device ShareCradle

Devices WITH a rugged boot:

SKU# **CRD-TC5A-5SC10D-B**

Devices WITHOUT a rugged boot:

SKU# **CRD-TC5A-5SC10D**



TC501 Charge-Only ShareCradle for 10 Devices.

- Device with standard battery charges from 0–90% in about 1½ hours.
- Connects to charge contacts on the bottom of the device.
- Can be mounted on a standard 19-inch rack system using mounting bracket [SKU# BRKT-SCRD-SMRK-01](#).
- Sold Separately: Power Supply with Attached DC Cable [SKU# PWR-BGA12V150W1WW](#), and Country-Specific AC Line Cord (listed later in this document).

Legacy ShareCradle Cups

[Cradles](#)
[Batteries](#)
[Power Supplies,
Cables and
Adaptors](#)
[Soft Goods](#)
[Trigger handles](#)
[Wearable
Mounts](#)
[Headsets](#)
[Third Party
Accessories](#)

Item/SKU#

Description

One-Device Replacement ShareCradle Cup

Devices WITH a rugged boot:
SKU# **CRDCUP-NGTC5AB-01**
Devices WITHOUT a rugged boot:
SKU# **CRDCUP-NGTC5ANB-01**



TC501 Replacement Charge-Only Device Cup for One Device

- Enables the use of TC501 devices with Legacy ShareCradles by replacing the existing TC51x/TC56x or TC52x/TC57x series device cup.
- Includes a pre-installed TC501 shim.

Five-Device Replacement ShareCradle Cup

Devices WITH a rugged boot:
SKU# **CRDCUP-NGTC5AB-05**
Devices WITHOUT a rugged boot:
SKU# **CRDCUP-NGTC5ANB-05**



TC501 Replacement Charge-Only Device Cup for Five Devices

- A set of five Charge-Only ShareCradle Cups.
- Enables the use of TC501 devices with Legacy ShareCradles by replacing the existing TC51x/TC56x or TC52x/TC57x series device cup.
- Includes pre-installed TC501 shims.

One-Device Replacement Ethernet ShareCradle Cup

Devices WITH a rugged boot:
SKU# **CRDCUP-NGTC5AEB-01**
Devices WITHOUT a rugged boot:
SKU# **CRDCUP-NGTC5AEN-01**



TC501 Replacement Ethernet Device Cup for One Device

- Enables the use of TC501 devices with Legacy ShareCradles by replacing the existing TC51x/TC56x or TC52x/TC57x series device cup.
- Includes a pre-installed TC501 shim.

Five-Device Replacement Ethernet ShareCradle Cup

Devices WITH a rugged boot:
SKU# **CRDCUP-NGTC5AEB-05**
Devices WITHOUT a rugged boot:
SKU# **CRDCUP-NGTC5AEN-05**



TC501 Replacement Ethernet Device Cup for Five Devices

- A set of five Ethernet ShareCradle Cups.
- Enables the use of TC501 devices with Legacy ShareCradles by replacing the existing TC51x/TC56x or TC52x/TC57x series device cup.
- Includes pre-installed TC501 shims.

[Cradles](#)

[Batteries](#)

[Power Supplies,](#)
[Cables and](#)
[Adaptors](#)

[Soft Goods](#)

[Trigger handles](#)

[Wearable](#)
[Mounts](#)

[Headsets](#)

[Third Party](#)

Item/SKU#	Description
TC501 Shim Devices WITH a rugged boot: SKU# SHIM-CRD-TC5AB Devices WITHOUT a rugged boot: SKU# SHIM-CRD-TC5A	TC501 Replacement Shim Replaces the shim to make Legacy TC53x / TC58x ShareCradles compatible with TC501 devices.
	

ShareCradle Components

[Cradles](#)
[Batteries](#)
[Power Supplies,
Cables and
Adaptors](#)
[Soft Goods](#)
[Trigger handles](#)
[Wearable
Mounts](#)
[Headsets](#)
[Third Party
Accessories](#)

Item/SKU#	Description
TC501 Holder SKU# HLD-TC5AB-01 	TC501 Holder for Devices <i>WITH</i> a rugged boot, Included in all ShareCradles designed for devices with a rugged boot.
TC501 Holder SKU# HLD-TC5A-01 	TC501 Holder for Devices <i>WITHOUT</i> a rugged boot, Included in all ShareCradles designed for devices without a rugged boot.
Ethernet Single-Slot ShareCradle Base SKU# CRD-ETHSNGLEBASE-01 	Ethernet Single-Slot ShareCradle Base Included in all single-slot Ethernet ShareCradle Configurations.
Fast-Charging ShareCradle Base SKU# CRD-FCBASE-01 	Fast-Charging ShareCradle Base Included in all multi-slot ShareCradles except for the Ethernet model.
Ethernet ShareCradle Base SKU# CRD-ETHBASE-01 	Ethernet ShareCradle Base Included in the multi-slot Ethernet ShareCradle configuration.

Mounting Options for Chargers

[Cradles](#)
[Batteries](#)
[Power Supplies,
Cables and
Adaptors](#)
[Soft Goods](#)
[Trigger handles](#)
[Wearable
Mounts](#)
[Headsets](#)
[Third Party
Accessories](#)

Item/SKU#

Description

Mounting Bracket

SKU# **BRKT-SCRD-SMRK-01**



Use five-slot ShareCradle mounting bracket to attach five- slot TC501 cradles to the wall or mount on a 19-inch server rack.

- Offers cable routing slots and removable tray that stores / conceals power supply.
- Adjustable orientations:
25° angle for high-density (multi-slot chargers).
Horizontal (single-slot or four-slot spare Li-ion charger).
- Four 4-slot spare battery chargers can be mounted as shown with mounting bracket.
- Compatible with all multi-slot ShareCradles for TC501.
- Use to mount to wall or with standard 19-inch server rack for more density and save space.

Batteries

[Spare Li-ion Batteries](#)

[Spare Battery Chargers](#)

Batteries

Spare Li-ion Batteries

[Cradles](#)

[Batteries](#)

[Power Supplies,](#)
[Cables and](#)
[Adaptors](#)

[Soft Goods](#)

[Trigger handles](#)

[Wearable](#)
[Mounts](#)

[Headsets](#)

[Third Party](#)
[Accessories](#)

Item/SKU#	Description						
Standard Capacity Battery SKU# BTRY-TC5A7A-SC-01 	5000 mAh Standard Capacity Battery with PowerPrecision Plus. • Premium-grade battery cells with longer lifecycle and tested to meet rigorous controls and standards. • Obtain advanced battery state of health information including charge level and battery age based on usage patterns.						
Extended Capacity Battery SKU# BTRY-TC5A7A-EC-01 	7240 mAh Extended Capacity Battery with PowerPrecision Plus. • Premium-grade battery cells with longer lifecycle and tested to meet rigorous controls and standards. • Obtain advanced battery state of health information including charge level and battery age based on usage patterns.						
Wireless Charging Battery SKU# BTRY-TC5A7A-WC-01 	5000 mAh Standard Capacity Battery with Wireless Charging and PowerPrecision Plus. • Premium-grade battery cells with longer lifecycle and tested to meet rigorous controls and standards. • Obtain advanced battery state of health information including charge level and battery age based on usage patterns. <table><tr><th colspan="2">Compatibility (Wireless Battery)</th></tr><tr><td>TC501 WAN (Cellular)</td><td>Yes</td></tr><tr><td>TC501 LAN (WiFi)</td><td>No</td></tr></table>	Compatibility (Wireless Battery)		TC501 WAN (Cellular)	Yes	TC501 LAN (WiFi)	No
Compatibility (Wireless Battery)							
TC501 WAN (Cellular)	Yes						
TC501 LAN (WiFi)	No						

Batteries

Spare Battery Charger

[Cradles](#)

[Batteries](#)

[Power Supplies,](#)
[Cables and](#)
[Adaptors](#)

[Soft Goods](#)

[Trigger handles](#)

[Wearable](#)
[Mounts](#)

[Headsets](#)

[Third Party](#)
[Accessories](#)

Item/SKU#	Description
Spare Battery Charger SKU# CRDCUP-TC5A7A-4B 	Spare Battery Charger to Charge any Four TC501 Li-ion batteries. - Can be used standalone or up to 4 chargers can be mounted on Mounting Bracket SKU# BRKT-SCRD-SMRK-01. - Sold separately: USB-C Cable SKU# CBL-EC5X-USBC3A-01, and Country-Specific Power Adaptor SKU# PWR-WUA5V45W1XX (Replace 'XX' in SKU to get the right plug style based on region)

Power Supply, Cables, and Adaptors

[Power Supply and Cable Matrix](#)

[Country-Specific AC Line Cords](#)

Power Supply, Cables and Adapters

Power Supply and Cable Matrix

[Cradles](#)

[Batteries](#)

[Power Supplies,
Cables and
Adaptors](#)

[Soft Goods](#)

[Trigger handles](#)

[Wearable
Mounts](#)

[Headsets](#)

[Third Party
Accessories](#)

SKU#	Description	Notes
PWR-BGA12V150W1WW 	Level VI AC/DC power supply brick. AC Input: 100–240V, 2.5A. DC Output: 12V, 12.5A, 150W.	Sold Separately. To be used with Country-Specific AC Line Cords.
CBL-EC5X-USBC3A-01 	USB-C to USB-C Communications and Charging Cable, 1M Long, Support 3.0 support speed and fast charge.	Sold separately. Used with PWR-WUA5V45W1XX (Replace 'XX' in SKU to get the right plug style based on region)
PWR-WUA5V45W1US 	USB type C power supply adaptor with United States plug. USB PD 3.1 power supply with an input of 100-240VAC and a self-adjusting output ranging from 5V/3A to 20V/2.25A.	Sold separately. Used with USB-C Cable (CBL-EC5X-USBC3A-01) to charge device.
PWR-WUA5V45W1EU 	USB type C power supply adaptor with European Union plug. USB PD 3.1 power supply with an input of 100-240VAC and a self-adjusting output ranging from 5V/3A to 20V/2.25A.	Sold separately. Used with USB-C Cable (CBL-EC5X-USBC3A-01) to charge device.
PWR-WUA5V45W1GB 	USB type C power supply adaptor with United Kingdom plug. USB PD 3.1 power supply with an input of 100-240VAC and a self-adjusting output ranging from 5V/3A to 20V/2.25A.	Sold separately. Used with USB-C Cable (CBL-EC5X-USBC3A-01) to charge device.
PWR-WUA5V45W1AU 	USB type C power supply adaptor with Australia plug. USB PD 3.1 power supply with an input of 100-240VAC and a self-adjusting output ranging from 5V/3A to 20V/2.25A.	Sold separately. Used with USB-C Cable (CBL-EC5X-USBC3A-01) to charge device.
PWR-WUA5V45W1CN 	USB type C power supply adaptor with China plug. USB PD 3.1 power supply with an input of 100-240VAC and a self-adjusting output ranging from 5V/3A to 20V/2.25A.	Sold separately. Used with USB-C Cable (CBL-EC5X-USBC3A-01) to charge device.
PWR-WUA5V45W1KR 	USB type C power supply adaptor with Korea plug. USB PD 3.1 power supply with an input of 100-240VAC and a self-adjusting output ranging from 5V/3A to 20V/2.25A.	Sold separately. Used with USB-C Cable (CBL-EC5X-USBC3A-01) to charge device.
PWR-WUA5V45W1IN 	USB type C power supply adaptor with India plug. USB PD 3.1 power supply with an input of 100-240VAC and a self-adjusting output ranging from 5V/3A to 20V/2.25A.	Sold separately. Used with USB-C Cable (CBL-EC5X-USBC3A-01) to charge device.
PWR-WUA5V45W1AR 	USB type C power supply adaptor with Argentina plug. USB PD 3.1 power supply with an input of 100-240VAC and a self-adjusting output ranging from 5V/3A to 20V/2.25A.	Sold separately. Used with USB-C Cable (CBL-EC5X-USBC3A-01) to charge device.
PWR-WUA5V45W1BR 	USB type C power supply adaptor with Brazil plug. USB PD 3.1 power supply with an input of 100-240VAC and a self-adjusting output ranging from 5V/3A to 20V/2.25A.	Sold separately. Used with USB-C Cable (CBL-EC5X-USBC3A-01) to charge device.

Power supply, cables and adapters

Country-specific AC line cords, Grounded 3-Prong

[Cradles](#)

[Batteries](#)

[Power Supplies,
Cables and
Adaptors](#)

[Soft Goods](#)

[Trigger handles](#)

[Wearable
Mounts](#)

[Headsets](#)

[Third Party
Accessories](#)

SKU#	Description	
23844-00-00R		North America (United States, Canada, Mexico) Commonly used with chargers mounted in server racks; 7.5 feet long
50-16000-678R		North America (United States, Canada, Mexico) 0.9 meters (3 feet) long
50-16000-221R		North America (United States, Canada, Mexico) 1.8 meters (6 feet) long
50-16000-727R		Brazil 1.8 meters (6 feet) long
50-16000-680R		Argentina 1.8 meters (6 feet) long
50-16000-217R		American Samoa, Australia, New Guinea 1.8 meters (6 feet) long
50-16000-218R		Japan 1.8 meters (6 feet) long
50-16000-219R		Antigua, Bermuda, Burma, Channel Islands, Hong Kong, Iraq, Ireland, Malaysia, North Ireland, Scotland, Singapore, United Kingdom, Wales 1.8 meters (6 feet) long
50-16000-257R		China 1.8 meters (6 feet) long
50-16000-220R		Europe, Abu Dhabi, Bolivia, Dubai, Egypt, Iran, Korea, Russia, Vietnam 1.8 meters (6 feet) long
50-16000-671R		Italy 1.8 meters (6 feet) long
50-16000-669R		India, South Africa, Africa 1.8 meters (6 feet) long

Soft Goods

[Rugged Boot, Hand Strap, and Screen Protector](#)

[Soft Holster, Stylus, and Tether](#)

Rugged Boot, Hand Strap, and Screen Protector

[Cradles](#)
[Batteries](#)
[Power Supplies,
Cables and
Adaptors](#)
[Soft Goods](#)
[Trigger handles](#)
[Wearable
Mounts](#)
[Headsets](#)
[Third Party
Accessories](#)

Item/SKU#

Description

Rugged Boot

SKU# **SG-TC5AEXO-01**



TC501 Rugged Boot

- Boot increases drop specification of device to 9 feet to concrete.
- Two-piece design provides for an easier installation and snaps together.
- * Please note this accessory is a consumable and may require replacement during the device's lifespan.

Hand Strap

SKU# **SG-TC5A7A-HDSTP-01**



TC501 Hand Strap

- Allows device to be easily held in palm of hand.
- Attaches directly to device, even with rugged boot installed.
- Includes loop for holding optional stylus.
- Sold separately: Rugged boot SKU# SG-TC5AEXO1-01.
- Also available as a 3-pack — 3 hand straps— SKU# SG-TC5A7A-HDSTP-03
- * Please note this accessory is a consumable and may require replacement during the device's lifespan.

Screen Protector

SKU# **SG-TC5A7A-SCRNP-01**



TC501 Screen Protector

- SKU# SG-TC5A7A-SCRNP-01
- Screen protector - Tempered glass.
- Includes alcohol wipes, cleaning cloth, and instructions needed for screen protector installation.
- Also available as a 3-pack — 3 screen protectors — SKU# SG-TC5A7A-SCRNP-03.
- * Please note this accessory is a consumable and may require replacement during the device's lifespan.

Soft Holster, Stylus, and Tether

[Cradles](#)
[Batteries](#)
[Power Supplies,
Cables and
Adaptors](#)
[Soft Goods](#)
[Trigger handles](#)
[Wearable
Mounts](#)
[Headsets](#)
[Third Party
Accessories](#)

Item/SKU#	Description
Soft Holster SKU# SG-NGTC5TC7-HLSTR-01 	TC501 Soft Holster - Vertical orientation with open bucket design to accommodate TC501 with optional pistol-grip trigger handle, and / or hand strap. - Strap on rear of holster allows adjustment for use with the accessory options mentioned above. - Includes loop for storage of optional stylus. Nonrotating for maximum durability. - Holster is leather material and includes cut-out for speaker output. * Please note this accessory is a consumable and may require replacement during the device's lifespan.
Stylus SKU# SG-STYLUS-TCX-MTL-03 	TC501 Stylus - Heavy-duty and made from stainless steel / brass. No plastic parts — real-pen feel. Can be used in rain. - Micro-knit, hybrid-mesh, fiber tip provides silent, smooth gliding use. 5" length. - Big improvement over rubber-tipped or plastic-tipped stylus. - Compatible with all capacitive touch screen devices. - Tether to device or hand strap using SKU# SG-TC5NGTC7NG-TETHR-03. * Please note this accessory is a consumable and may require replacement during the device's lifespan.
Tether SKU# SG-TC5NGTC7NG-TETHR-03 	TC501 Stylus Tether - When hand strap is used, tether should attach to hand strap SKU# SG-TC5A7A-HDSTP-01 directly (not to terminal towel bar). - String type tether prevents loss of stylus. - NOTE: Other Zebra coiled tethers are not recommended for use with TC501 as they may interfere with other accessories. * Please note this accessory is a consumable and may require replacement during the device's lifespan.

Trigger Handle

[Electronic Trigger Handle and Wrist Strap](#)

Trigger Handle

Electronic Trigger Handle and Wrist Strap

[Cradles](#)

[Batteries](#)

[Power Supplies,](#)
[Cables and](#)
[Adaptors](#)

[Soft Goods](#)

[Trigger handles](#)

[Wearable](#)
[Mounts](#)

[Headsets](#)

[Third Party](#)
[Accessories](#)

Item/SKU#	Description
Electronic Trigger Handle SKU# TRG-TC5AB-ELEC-01 	TC501 Electronic Trigger Handle WITH Rugged Boot • The drop specification is 7 feet to concrete. • Uses electrical trigger via contacts on back side of TC501. • Trigger handle accessory offers customers the option of using the product in a gun form factor, ideal for scan-intensive situations. • Requires rugged boot SKU# SG-TC5AEX01-01 and device for attachment. • Compatible with both standard and extended capacity batteries. • Sold separately: Optional wrist strap SKU# SG-PD40-WLD1-01.
Electronic Trigger Handle SKU# TRG-TC5A-ELEC-01 	TC501 Electronic Trigger Handle WITHOUT Rugged Boot • The drop specification is 6 feet to tile. • Uses electrical trigger via contacts on back side of TC501. • Trigger handle accessory offers customers the option of using the product in a gun form factor, ideal for scan-intensive situations. • Compatible with both standard and extended capacity batteries. • Sold separately: Optional wrist strap SKU# SG-PD40-WLD1-01.
Wrist Strap SKU# 50-12500-066 	Wrist Strap • Attaches to bottom of Snap-on Trigger Handle SKU# TRG-TC5AB-ELEC-01 or TRG-TC5A-ELEC-01. * Please note this accessory is a consumable and may require replacement during the device's lifespan.

Wearable Mounts

[Wrist Mount, Comfort Pad, and Arm Sleeve](#)

[Replacement Double BOA Wrist Straps](#)

[Replacement Single BOA Wrist Straps](#)

Wearable Mounts

Wrist Mounts, Comfort Pad, Arm Sleeve

[Cradles](#)

[Batteries](#)

[Power Supplies,](#)
[Cables and](#)
[Adaptors](#)

[Soft Goods](#)

[Trigger handles](#)

[Wearable](#)
[Mounts](#)

[Headsets](#)

[Third Party](#)
[Accessories](#)

Item/SKU#	Description
Arm / Wrist Mount SKU# SG-TC5A-WMADP1-01 	TC501 Arm / Wrist Mount with Standard Double BOA Length - Swivel design allows device to be viewed in portrait or landscape mode enabling hands-free functionality. - Velcro-free design uses non-absorbent materials that can be wiped down. - Requires rugged boot SKU# SG-TC5AEXO1-01 installed on device. - Includes: Carrier, Comfort pad,, small size double BOA SKU# SG-WT5X6-WSTD5-01 * Please note this accessory is a consumable and may require replacement during the device's lifespan.
Arm / Wrist Mount SKU# SG-TC5A-WMADP2-01 	TC501 Arm / Wrist Mount with Extended Double BOA Length - Swivel design allows device to be viewed in portrait or landscape mode enabling hands-free functionality. - Velcro-free design uses non-absorbent materials that can be wiped down. - Requires rugged boot SKU# SG-TC5AEXO1-01 installed on device. - Includes: Carrier, Comfort pad, large size double BOA SKU# SG-WT5X6-WSTD1-01 * Please note this accessory is a consumable and may require replacement during the device's lifespan.
Arm Sleeve SKU# SG-WT4027050-01R 	Arm Sleeve – Pack of Five - Worn under wrist mount strap if worker is in short-sleeved shirt and wants extra sweat wicking / personal layer, comfort and slip-resistance - Material will not snag. One size fits all. - Washable in mild detergent. Should be air dried. * Please note this accessory is a consumable and may require replacement during the device's lifespan.

Wearable Mounts

Replacement Double BOA Wrist Straps

[Cradles](#)

[Batteries](#)

[Power Supplies,](#)
[Cables and](#)
[Adaptors](#)

[Soft Goods](#)

[Trigger handles](#)

[Wearable](#)
[Mounts](#)

[Headsets](#)

[Third Party](#)
[Accessories](#)

Item/SKU#	Description
Replacement Wrist Strap, Small SKU# SG-WT5X6-WSTDs-01 	Replacement Wrist Strap With Double Dial, Small - Strap length can be adjusted between 128 mm to 191 mm (5 in to 7.5 in) * Please note this accessory is a consumable and may require replacement during the device's lifespan.
Replacement Wrist Strap, Large SKU# SG-WT5X6-WSTDl-01 	Replacement Wrist Strap With Double Dial, Large - Strap length can be adjusted between 164 mm to 265 mm (6.5 in to 10.5 in). * Please note this accessory is a consumable and may require replacement during the device's lifespan.
Replacement Wrist Strap, Extra-Large SKU# SG-WT5X6-WSTDx-01 	Replacement Wrist Strap With Double Dial, Extra-Large - Strap length can be adjusted between 218 mm to 375 mm (8.5 in to 14.8 in). * Please note this accessory is a consumable and may require replacement during the device's lifespan.

Wearable Mounts

Replacement Double BOA Wrist Straps

[Cradles](#)

[Batteries](#)

[Power Supplies,](#)
[Cables and](#)
[Adaptors](#)

[Soft Goods](#)

[Trigger handles](#)

[Wearable](#)
[Mounts](#)

[Headsets](#)

[Third Party](#)
[Accessories](#)

Item/SKU#	Description
Replacement Wrist Strap, Small SKU# SG-NGWT-WSTPST-01 	Replacement Wrist Strap With Single Dial, Small • White dial and accent color on strap identify size as small. • Strap length can be adjusted between 128 to 191mm (approx. 5.0 to 7.5"). * Please note this accessory is a consumable and may require replacement during the device's lifespan.
Replacement Wrist Strap, Large SKU# SG-NGWT-WSTPLN-01 	Replacement Wrist Strap With Single Dial, Large • Black dial and accent color on strap identify size as large. • Strap length can be adjusted between 164 to 265mm (approx. 6.5 to 10.5"). * Please note this accessory is a consumable and may require replacement during the device's lifespan.
Replacement Wrist Strap, Extra-Large SKU# SG-NGWT-WSTPXL-01 	Replacement Wrist Strap With Single Dial, Extra-Large • Blue dial and accent color on strap identify size as extra-large. • Strap length can be adjusted between 218 to 375 mm (approx. 8.5 to 14.75"). * Please note this accessory is a consumable and may require replacement during the device's lifespan.

Headsets

[Close gaps, Open possibilities with Workcloud Sync](#)

Usher in a new era of transformation—one led by your frontline and powered by Zebra Workcloud Sync. One where communication and information flows freely and gaps between teams, workflows and data are closed.

With Workcloud Sync, hindered workers become effective problem solvers, contributing their best. Critical workflows are streamlined in one place, on one device, equipping workers with the information they need, right at their fingertips.

Only Zebra offers the most complete lineup of software and rugged hardware with the scalability, support and service needed to make the greatest impact where it counts—on the frontline.

Learn more about how you can elevate your frontline workers with Zebra Workcloud Sync.

[Rugged Bluetooth HD voice headsets for the most demanding industrial environments](#)

When it comes to enabling speech-driven applications and voice communications in warehouses, manufacturing plants and outdoor yards, you need a headset that is specially designed for the job. The HS3100 Bluetooth Headsets are loaded with features that offer everything you need in an industrial headset.

[Learn more about how these headsets deliver a superior voice experience](#)

Wireless headsets and accessories for voice-directed picking

Headsets

Wired Headset for Workcloud Sync

[Cradles](#)

[Batteries](#)

[Power Supplies,](#)
[Cables and](#)
[Adaptors](#)

[Soft Goods](#)

[Trigger handles](#)

[Wearable](#)
[Mounts](#)

[Headsets](#)

[Third Party](#)
[Accessories](#)

Item/SKU#	Description
Wired Headset SKU# HDST-USBC-PTT1-01 	PTT headset with USB-C connector; one-piece solution. ▪ For Push-To-Talk (PTT) applications with volume up / volume down / PTT buttons. Compatible with PTT Express / PTT Pro. ▪ Rotating earpiece allows for right or left ear configuration. Mono headset with microphone. ▪ Includes clip for attaching PTT button to clothing.

Headsets

Rugged Bluetooth Headset

[Cradles](#)

[Batteries](#)

[Power Supplies,](#)
[Cables and](#)
[Adaptors](#)

[Soft Goods](#)

[Trigger handles](#)

[Wearable](#)
[Mounts](#)

[Headsets](#)

[Third Party](#)
[Accessories](#)

Item/SKU#	Description
HS31 00 Bluetooth Headset SKU# HS3100-OTH 	HS3100 Rugged Bluetooth Headset HS3100 Rugged Bluetooth Headset Over-The-Head Headband includes HS3100 Boom Module and HSX100 OTH Headband Module
HS31 00 Bluetooth Headset SKU# HS3100-BTN-L 	HS3100 Rugged Bluetooth Headset HS3100 Rugged Bluetooth Headset (Behind-the-neck headband left)
HS31 00 Bluetooth Headset SKU# HS3100-OTH-SB 	HS3100 Rugged Bluetooth Headset HS3100 Rugged Bluetooth Headset (Over-the-head headband) includes HS3100 Shortened Boom Module and HSX100 OTH headband module
HS31 00 Bluetooth Headset SKU# HS3100-BTN-LSB 	HS3100 Rugged Bluetooth Headset HS3100 Rugged Bluetooth Headset (Behind-the-neck headband left) includes HS3100 Shortened Boom Module and HSX100 BTN headband module
HS31 00 Bluetooth Headset SKU# HS3100-SBOOM-01 	HS3100 Rugged Bluetooth Boom Module HS3100 Shortened Boom Module (includes microphone boom, battery and wind screen)

Third Party Accessories

[RAM Vehicle Docks](#)



RAM® Vehicle Docks for Zebra TC501

Key Features



Pogo Pin Charging

Uses integrated pogo pins and device docking contacts to protect the charge port and enhance ruggedness.



USB-C Connectivity

Integrated USB-C connector supports charging, data transfer, and Workstation Connect, enabling fast, confident docking while reducing connector wear.



Removable Inserts

Custom inserts, or "shims", ensure a secure fit and smooth, fumble-free docking.



Wireless Charger Compatible

Add a RAM® Wireless Charger directly to the dock when a Wireless Charging Battery is installed for seamless wireless charging.

Compatible Docks

3PTY-RAM-HOL-ZE41-2U

RAM® Powered Dock with Pogo Pins for TC501

3PTY-RAM-HOL-ZE41C-2U

RAM® Powered Dock with USB-C for TC501

3PTY-RAM-HOL-ZE41-NPU

RAM® Cradle for TC501/TC701
Wireless Charger Compatible

3PTY-RAM-HOL-ZE41L-2U

RAM® Locking Powered Dock with Pogo Pins for TC501

3PTY-RAM-HOL-ZE41KL-C-2U

RAM® Locking Powered Dock with USB-C for TC501

3PTY-RAM-HOL-ZE41KL-NPU

RAM® Locking Cradle for TC501/TC701
Wireless Charger Compatible

Hardwire Chargers



3PTY-RAM-GDS-CHARGE-V3C-3U

GDS® 10-30V Power Delivery Hardwire Charger with Male USB Type-C

3PTY-RAMGDSCHARGEM55V7B1U

GDS® 10-30V Hardwire Charger with USB-A to DC Cable





TC501 CRADLES



NON-CHARGE



POGO-PIN



USB-C

- Non-charge, Pogo-pin or USB-C dock connector options
- Channeled sidewalls guide the device for perfect docking
- Tilt-swivel on back can angle 15 degrees for optimal viewing
- Works with hand strap and extended battery
- Available options for device with or without rugged boot
- Drop-in style for easy one-handed docking and undocking
- Holds the device firmly and securely in place
- Made from durable ABS and Acetal plastic
- Designed for MIL-STD standard vehicle vibration
- For a complete mounting solution pair this cradle with an AMPS compatible mount

TC501 Cradles and Accessories

TC501 Cradles				
PART #	NON-CHARGE	POGO PIN CONNECTOR	USB-C CONNECTOR	RUGGED BOOT
3PTY-PCLIP-701468		•		
3PTY-PCLIP-701469		•		•
3PTY-PCLIP-701471			•	
3PTY-PCLIP-701472			•	•
3PTY-PCLIP-711468	•			
3PTY-PCLIP-711469	•			•

Power supply not included. See table below.

POWER SUPPLIES	CIG PLUG POWER	HARD WIRED POWER	POGO PIN CONNECTOR	USB-C CONNECTOR
3PTY-PCLIP-945081		•	•	
3PTY-PCLIP-945082	•		•	
3PTY-PCLIP-217239		•		•
3PTY-PCLIP-945014	•			•

Complete TC501 Product Line ► [Zebra TC501 Cradles](#)

Mounting Options for a Complete Solution ► [Pedestal Mounts](#) | [Forklift Mounts](#)

Or Contact Us ► b2binsidesales@proclipusa.com

EXPLORE OUR
ZEBRA PRODUCT LINE

