

HP 63/65 Tri-color Original Ink Cartridge (B7RT2AN)

Overview



Advanced ink built for how you print

HP 63 and 65 Ink Cartridges are now one cartridge. The new HP 63/65 cartridge delivers outstanding prints with the reliable performance you trust.

One cartridge. The same legendary performance.

Your HP 63 or HP 65 Ink Cartridges have been combined into one cartridge—HP 63/65.

Designed to deliver

Choose Original HP Ink Cartridges specially designed to work with your printer for high-quality results.

High-quality results

Get vivid color and sharp black text with outstanding Original HP print quality.

Printing made so simple

Specifications

Ink Types	Dye-based
Print Cartridge/Bottle, Color(s)	Tri-color
Technology	Ink
Supply Type	Cartridges
Ink Drop	3.25 pl, 6.8 pl
Print Head Nozzles	588
Print Cartridge/Bottle Volume (metric)	3.5 ml
Operating Temperature Range (celsius)	15 to 32°C
Storage Temperature Range (celsius)	-40 to 60°C
Operating Humidity Range	20 to 80% RH
Non-operating Humidity Range	20 to 80% RH
Print Resolution Technologies	TIJ 2.X Gen III
Compatibility Statement	HP DeskJet 1110, HP DeskJet 1115, HP DeskJet 2130, HP DeskJet 2135, HP DeskJet 2220 All-in-One, HP DeskJet 2255 All-in-One, HP DeskJet 3720 All-in-One, HP DeskJet 3755 All-in-One, HP DeskJet 3630, HP ENVY 4520, HP OfficeJet 3830, HP OfficeJet 4650
Product Count Per Unit	1
Case or Master Carton Quantity	24
Quantity Per Pallet	3168
UPC Number	199251104718
Pallet Barcode	20198990384799, (RFD) 20199251104712
Product Dimensions (metric)	114 x 36.3 x 102.9 mm
Product Dimensions (imperial)	4.49 x 1.43 x 4.05 in
Package Dimensions (metric)	114 x 36.3 x 102.9 mm
Package Dimensions (imperial)	4.49 x 1.43 x 4.05 in
Dimensions (case or master carton, metric)	357.2 x 138.1 x 169.9 mm
Case Dimensions (case or master carton, imperial)	14.06 x 5.44 x 6.69 in
Pallet Dimensions (metric)	1219.2 x 1016 x 1168.4 mm
Pallet Dimensions (imperial)	48 x 40 x 46 in
Case Weight (case or master carton, metric)	1.54 kg
Package Weight (metric)	0.05 kg

Package Weight (imperial)	0.12 lb
Pallet Weight (metric)	220.72 kg
Pallet Weight (imperial)	486.16 lb
Page Yield	~100 pages
What Is In The Box	Ink cartridge
Manufacturer Warranty	HP's ink cartridges and printheads are warranted to be free from defects in materials and workmanship during the period of the warranty.

Additional specifications

BCP Bubble Graphic Color	Tri-color
Cartons Per Layer	22
Cartridge Color	Tri-color
Cartridge Package Selectability	63/65
Case Weight (case or master carton, imperial)	3.38 lb
Compatibility Headline	HP 63/65 ink cartridges work with:
Count of Layers In Pallet	6
Datasheet Feature Photo 02	https://hp.widen.net/content/isa9snzhgo/jpeg/isa9snzhgo.jpg?w=2000&h=2000&dpi=72
Environmental Certifications	UL ECOLOGO® certified
ITF-14 Unit Code Numerical Equivalent (smaller master carton)	10198990384792, (RFD) 10199251104715
Operating Temperature Range (fahrenheit)	59 to 90°F
Package Count	1
Page Yield (cyan)	~100 pages
Page Yield (magenta)	~100 pages
Page Yield (yellow)	~100 pages
Page Yield Footnote	Approximate average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies .
Print Technology	HP Thermal Inkjet
Product Subgroup	Standard Capacity Ink Cartridges
Stacking Number For Pallet	2
Storage Temperature Range (fahrenheit)	-40 to 140°F
Subgroup	Standard Capacity Cartridges
UNSPSC Code	44103105
Warranty Standard Statement	HP's ink cartridges and printheads are warranted to be free from defects in materials and workmanship during the period of the warranty. This warranty pertains to the product when used in its designated HP or authorized OEM printing device. HP will, at HP's option, either refund the purchase price or replace products that prove to be defective. Visit the HP online support web site http://www.hp.com/support for a list of support phone numbers and conditions or return to your point of purchase.
Weight (imperial)	0.09 lb
Weight (metric)	0.04 kg

Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Jul 06, 2026 8:15 PM UTC+0000