

Product data sheet

Specifications



Roof Fan Tray 208/230VAC 50/60HZ for NetShelter SX 750mm Wide x 1070mm Deep Enclosures

ACF504

⚠ To be discontinued on: Aug 30, 2024

⚠ To be end-of-service on: Dec 31, 2027

⚠ To be discontinued

Overview

Presentation The Rack Fan Tray is a low cost solution that aids in heat removal from a Netshelter Enclosure. The system easily installs into the top of the enclosure and expels heat from the roof of the rack. Wall-mounted enclosures have the additional option of installing the rack fan tray systems in the base of the rack as well. The fan trays are designed to promote bottom to top airflow within the enclosure.

Lead time Usually in Stock

Main

Main Input Voltage 208 V
230 V

Input Connection Type IEC 60320 C14
Schuko CEE 7/7P
BS1363A British

Number of cables 1

Provided equipment Installation guide

Physical

Color Black

Height 2.4 in (6 cm)

Width 28.5 in (72.4 cm)

Depth 35.2 in (89.3 cm)

Net Weight 22.55 lb(US) (10.23 kg)

Mounting preference No preference

Mounting Mode Rack-mounted

Input

Input Frequency 50/60 Hz

Conformance

Product Certifications PSE

Standards CSA C22.2 No. 60950
UL 60950

Environmental

Air flow 440 ft³/min (207.7 l/s)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Audible noise at 1 meter from surface of unit	62 dBA
---	--------

Ordering and shipping details

GTIN	731304235156
------	--------------

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Number of Units in Package 1	1
------------------------------	---

Package 1 Height	6.5 in (16.5 cm)
------------------	------------------

Package 1 Width	39.02 in (99.1 cm)
-----------------	--------------------

Package 1 Length	36.0 in (91.4 cm)
------------------	-------------------

Package 1 Weight	30.9 lb(US) (14 kg)
------------------	---------------------

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Well-being performance



Reach Free Of Svhc

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

[EU RoHS Declaration](#)
