



# HP 83A Black Original LaserJet Toner Cartridge (CF283A)

## Overview

**HP 83A LaserJet Toner Cartridge, black, 1,500 pages<sup>[3]</sup>**



Make your business documents look professional when you print with Original HP LaserJet toner cartridges. Stay productive by avoiding wasted time and supplies. These reliable cartridges are specifically designed for your HP LaserJet Pro MFP.

### Count on quality

Print professional-quality documents, using toner that produces crisp text and sharp, black graphics.

Replacement made easy—easily shop for replacement cartridges and install quickly.

### Impressive results—without pause

The choice you can rely upon—avoid frustrating reprints, wasted supplies, and delays.

---

*[3] Approximate average yield based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.*

## Specifications

<b>Print Cartridge/Bottle, Color(s)</b>	Black
<b>Technology</b>	Laser
<b>Supply Type</b>	Cartridges
<b>Operating Temperature Range (celsius)</b>	15 to 25°C
<b>Storage Temperature Range (celsius)</b>	-20 to 40°C
<b>Operating Humidity Range</b>	20 to 80% RH
<b>Non-operating Humidity Range</b>	10 to 90% RH
<b>Print Resolution Technologies</b>	Smart
<b>Compatibility Statement</b>	HP LaserJet Pro MFP M125 series, HP LaserJet Pro MFP M127 series, HP LaserJet Pro M201n, HP LaserJet Pro M201dw, HP LaserJet Pro MFP M225dn, HP LaserJet Pro MFP M225dw
<b>Product Count Per Unit</b>	1
<b>Quantity Per Pallet</b>	234
<b>Quantity Per European Pallet</b>	168
<b>Cartons Per Pallet</b>	234
<b>UPC Number</b>	886112397692
<b>Product Dimensions (metric)</b>	375 x 113 x 125 mm
<b>Product Dimensions (imperial)</b>	14.76 x 4.45 x 4.92 in
<b>Package Dimensions (metric)</b>	375 x 113 x 125 mm
<b>Package Dimensions (imperial)</b>	14.76 x 4.45 x 4.92 in
<b>Pallet Dimensions (metric)</b>	1175 x 1000 x 1269 mm
<b>Pallet Dimensions (imperial)</b>	46.3 x 39.4 x 50 in
<b>Package Weight (metric)</b>	~0.83 kg
<b>Package Weight (imperial)</b>	~1.83 lb
<b>Pallet Weight (metric)</b>	214.7 kg
<b>Pallet Weight (imperial)</b>	472.3 lb
<b>Page Yield</b>	1500
<b>Average Page Yield For A4 Format, Black and White</b>	~1,500 pages
<b>What Is In The Box</b>	1 Cartridge
<b>Manufacturer Warranty</b>	HP's Premium Protection Warranty. This HP product is warranted to be free from defects in materials and workmanship.

## Additional specifications

<b>Automation Feature Photo 01</b>	<a href="https://ssl-product-images.www8-hp.com/digmedialib/prodimg/lowres/c06492108.jpg">https://ssl-product-images.www8-hp.com/digmedialib/prodimg/lowres/c06492108.jpg</a>
<b>Cartons Per Layer</b>	26
<b>Cartridge Color</b>	Black
<b>Cartridge Package Selectability</b>	83A
<b>Compatibility Headline</b>	HP 83 toner cartridges work with:
<b>Count of Cartons per Pallet Layer (European Pallet)</b>	21
<b>Count of Layers In Pallet</b>	9
<b>Datasheet Feature Photo 02</b>	<a href="https://ssl-product-images.www8-hp.com/digmedialib/prodimg/lowres/c06492108.jpg">https://ssl-product-images.www8-hp.com/digmedialib/prodimg/lowres/c06492108.jpg</a>
<b>Euro Pallet Weight (metric)</b>	159.9 kg
<b>European Pallet Dimensions (metric)</b>	1170 x 820 x 1149 mm
<b>Operating Temperature Range (fahrenheit)</b>	59 to 77°F
<b>Package Count</b>	1
<b>Page Yield (black)</b>	1 Black (~1,500 pages)
<b>Page Yield Footnote</b>	Approximate average yield based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other factors. For details see <a href="http://www.hp.com/go/learnaboutsupplies">http://www.hp.com/go/learnaboutsupplies</a> .
<b>Print Technology</b>	Laser
<b>Product Subgroup</b>	Standard Capacity Toner Cartridges
<b>Recycled Material Content</b>	28%
<b>SNF JPEG Product Photo 190x170</b>	<a href="#">Ink Toner Paper Printer Supplies/CF283A_190x170.jpg</a>
<b>SNF JPEG Product Photo 70x100</b>	<a href="#">Ink Toner Paper Printer Supplies/CF283A_70x100.jpg</a>
<b>Segment (filter)</b>	Traditional HP Toners
<b>Stacking Number For Carton</b>	36
<b>Storage Temperature Range (fahrenheit)</b>	-4 to 104°F
<b>Subgroup</b>	Standard Capacity Cartridges
<b>UNSPSC Code</b>	44103103

### Warranty Standard Statement

HP's Premium Protection Warranty. This HP product is warranted to be free from defects in materials and workmanship. This warranty does not apply to print cartridges that (a) have been refilled, refurbished, remanufactured or tampered with in any way, (b) experience problems resulting from misuse, improper storage, or operation outside of the published environmental specifications for the printer product or (c) exhibit wear from ordinary use. To obtain warranty service, please return the product to place of purchase (with a written description of the problem and print samples) or contact HP customer support. At HP's option, HP will either replace products that prove to be defective or refund your purchase price. TO THE EXTENT ALLOWED BY LOCAL LAW, THE ABOVE WARRANTY IS EXCLUSIVE AND NO OTHER WARRANTY OR CONDITION, WHETHER WRITTEN OR ORAL, IS EXPRESSED OR IMPLIED AND HP SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY, SATISFACTORY QUALITY, AND FITNESS FOR A PARTICULAR PURPOSE. TO THE EXTENT ALLOWED BY LOCAL LAW, IN NO EVENT WILL HP OR ITS SUPPLIERS BE LIABLE FOR DIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL (INCLUDING LOST PROFIT OR DATA), OR OTHER DAMAGE, WHETHER BASED IN CONTRACT, TORT, OR OTHERWISE. THE WARRANTY TERMS CONTAINED IN THIS STATEMENT, EXCEPT TO THE EXTENT LAWFULLY PERMITTED, DO NOT EXCLUDE, RESTRICT OR MODIFY AND ARE IN ADDITION TO THE MANDATORY STATUTORY RIGHTS APPLICABLE TO THE SALE OF THIS PRODUCT TO YOU.

**Weight (imperial)** ~1.36 lb

**Weight (metric)** ~0.62 kg

---

## Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Mar 06, 2026 1:11 PM UTC+0000