



HP 62XL High Yield Black Original Ink Cartridge (C2P05AN)

Overview

HP 62XL Ink Cartridge, black

Original HP high-yield ink cartridges reliably deliver durable documents[1] page after page. HP ink cartridges are specially designed to work with your HP printer for projects at home, work, and school.



Keep your printing needs covered

Represent your best work with Original HP inks—designed for consistent, standout results.

Get your prints noticed

Make an impression with Original HP inks—designed to consistently deliver high-quality black text.

The quality you need, at a great value

Avoid wasting money on problem prints. Original HP inks are designed to deliver pages you can use.

Printing made easy

From high-capacity cartridges to multi-packs, HP has the right combination to fit your printing needs.

[1] Fade and smear resistance for documents printed on plain paper based on ISO 11798 and Wilhelm Imaging Research testing. For details, see <http://www.hp.com/go/printpermanence>.

Specifications

Ink Types	Pigment-based
Print Cartridge/Bottle, Color(s)	Black
Technology	Ink
Supply Type	Cartridges
Ink Drop	12 pl
Print Head Nozzles	704
Print Cartridge/Bottle Volume (metric)	12 ml
Operating Temperature Range (celsius)	15 to 32°C
Storage Temperature Range (celsius)	-40 to 60°C
Operating Humidity Range	20 to 80% RH
Non-operating Humidity Range	20 to 80% RH
Print Resolution Technologies	TIJ 4.X
Compatibility Statement	HP Officejet 8040 with Neat® e-All-in-One, HP ENVY 8000 e-All-in-One, HP ENVY 7640 e-All-in-One, HP Officejet 5740 e-All-in-One, HP ENVY 5660 e-All-in-One, and HP ENVY 5640 e-All-in-One
Product Count Per Unit	1
Case or Master Carton Quantity	24
Quantity Per Pallet	3168
Cartons Per Pallet	132
UPC Number	(140) 888182992289; (RFD) 198990537115
Pallet Barcode	(140) 40888182992287
Product Dimensions (metric)	114 x 36.3 x 102.9 mm
Product Dimensions (imperial)	4.49 x 1.43 x 4.05 in
Package Dimensions (metric)	114 x 36.3 x 102.9 mm
Package Dimensions (imperial)	4.49 x 1.43 x 4.05 in
Dimensions (case or master carton, metric)	357.2 x 138.1 x 169.9 mm
Case Dimensions (case or master carton, imperial)	14.06 x 5.44 x 6.69 in
Pallet Dimensions (metric)	1219.2 x 1016 x 1168.4 mm
Pallet Dimensions (imperial)	48 x 40 x 46 in
Case Weight (case or master carton, metric)	1.86 kg

Package Weight (metric)	~0.07 kg
Package Weight (imperial)	~0.15 lb
Pallet Weight (metric)	266.14 kg
Pallet Weight (imperial)	586.2 lb
Page Yield	600
Average Page Yield For A4 Format, Black and White	~600 pages
What Is In The Box	Ink cartridge
Manufacturer Warranty	HP's ink cartridges and printheads are warranted to be free from defects in materials and workmanship during the period of the warranty.

Additional specifications

Automation Feature Photo 01	https://ssl-product-images.www8-hp.com/digmedialib/prodimg/lowres/c07656817.jpg
Business Segment (filter)	Premium Home
Cartons Per Layer	22
Cartridge Color	Black
Cartridge Package Selectability	62XL
Case Weight (case or master carton, imperial)	4.1 lb
Compatibility Headline	HP 62 ink cartridges work with:
Count of Layers In Pallet	6
Datasheet Feature Photo 02	https://hp.widen.net/content/odss4posrn/jpeg/odss4posrn.jpg?w=2000&h=2000&dpi=72
Environmental Certifications	UL ECOLOGO® certified
ITF-14 Unit Code Numerical Equivalent (smaller master carton)	(140) 10888182992286
Inner Pack ITF-14 Unit Code	(140) 20888182992283
Operating Temperature Range (fahrenheit)	59 to 90°F
Package Count	1
Page Yield (black)	1 Black (~600 pages)
Page Yield Footnote	Tested in HP Envy 5640 e-All-in-One. Approximate average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies .
Print Technology	HP Thermal Inkjet
Printhead Swath (in Inch)	0.5625 in
Product Subgroup	High Capacity Ink Cartridges
Quantity Per Box	4
SNF JPEG Product Photo 190x170	Ink Toner Paper Printer Supplies/HP-62-Ink-Cartridges_190x170.jpg
SNF JPEG Product Photo 70x100	Ink Toner Paper Printer Supplies/HP-62-Ink-Cartridges_70x100.jpg
Segment (filter)	Premium Home
Stacking Number For Pallet	2
Storage Temperature Range (fahrenheit)	-40 to 140°F
Subgroup	High Capacity Cartridges
Technology Logo 01	https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08990360.png

Technology Logo 02

<https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08990361.png>

UNSPSC Code

44103105

Warranty Standard Statement

HP's ink cartridges and printheads are warranted to be free from defects in materials and workmanship during the period of the warranty. This warranty pertains to the product when used in its designated HP or authorized OEM printing device. HP will, at HP's option, either refund the purchase price or replace products that prove to be defective. Visit the HP online support web site <http://www.hp.com/support> for a list of support phone numbers and conditions or return to your point of purchase. phone numbers and conditions or return to your point of purchase.

Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Mar 08, 2026 2:47 AM UTC+0000