



HP 63XL High Yield Tri-color Original Ink Cartridge (F6U63AN)

Overview



Advanced ink cartridges built for how you print

Create high-quality color photos and everyday documents with Original HP ink cartridges—designed with the printer for excellent worry-free performance. High-yield cartridges print more pages than standard cartridges.

Innovative ink that makes it simple to get more

Easily complete your projects. More accurate alerts can help ensure you don't run out of ink at the wrong time.

Printing made so simple

Print full pages and receive notifications when your cartridges are running low.

Designed to deliver

Choose Original HP ink cartridges specially designed to work with your printer and HP photo papers for vibrant photos and impressive reports.

Specifications

Ink Types	Dye-based
Print Cartridge/Bottle, Color(s)	Tri-color
Technology	Ink
Supply Type	Cartridges
Ink Drop	3.25 pl, 6.8 pl
Print Head Nozzles	588
Print Cartridge/Bottle Volume (metric)	8 ml
Operating Temperature Range (celsius)	15 to 32°C
Storage Temperature Range (celsius)	-40 to 60°C
Operating Humidity Range	20 to 80% RH
Non-operating Humidity Range	20 to 80% RH
Print Resolution Technologies	TIJ 2.X Gen III
Compatibility Statement	HP DeskJet 1110, HP DeskJet 1115, HP DeskJet 2130, HP DeskJet 2135, HP DeskJet 3630, HP ENVY 4520, HP OfficeJet 3830, HP OfficeJet 4650
Product Count Per Unit	1
Case or Master Carton Quantity	24
Quantity Per Pallet	3168
Cartons Per Pallet	132
UPC Number	(140) 889296267416; (RFD) 198990537535
Pallet Barcode	(140) 40889296267414
Product Dimensions (metric)	114 x 36.3 x 102.9 mm
Product Dimensions (imperial)	4.49 x 1.43 x 4.05 in
Package Dimensions (metric)	114 x 36.3 x 102.9 mm
Package Dimensions (imperial)	4.49 x 1.43 x 4.05 in
Dimensions (case or master carton, metric)	357.2 x 138.1 x 169.9 mm
Case Dimensions (case or master carton, imperial)	14.06 x 5.44 x 6.69 in
Pallet Dimensions (metric)	1219.3 x 1016 x 1168.4 mm
Pallet Dimensions (imperial)	48 x 40 x 46 in
Case Weight (case or master carton, metric)	1.4 kg
Package Weight (metric)	~0.05 kg

Package Weight (imperial) ~0.12 lb

Pallet Weight (metric) 206.31 kg

Pallet Weight (imperial) 454.92 lb

Page Yield 300

What Is In The Box Ink cartridge

Manufacturer Warranty HP's ink cartridges and printheads are warranted to be free from defects in materials and workmanship during the period of the warranty.

Additional specifications

Automation Feature Photo 01	https://ssl-product-images.www8-hp.com/digmedialib/prodimg/lowres/c06674198.jpg
Average Page Yield For A4 Format, Color	~300 pages
Business Segment (filter)	Premium Home
Cartons Per Layer	22
Cartridge Color	Tri-color
Cartridge Package Selectability	63XL
Case Weight (case or master carton, imperial)	3.1 lb
Compatibility Headline	HP 63 ink cartridges work with:
Count of Layers In Pallet	6
Datasheet Feature Photo 02	https://hp.widen.net/content/wsnkgtfbjx/jpeg/wsnkgtfbjx.jpg?w=2000&h=2000&dpi=72
Empty Weight	163 g
Environmental Certifications	UL ECOLOGO® certified
ITF-14 Unit Code Numerical Equivalent (smaller master carton)	(140) 20889296267410
Inner Pack ITF-14 Unit Code	(140) 10889296267413
Operating Temperature Range (fahrenheit)	59 to 90°F
Package Count	1
Page Yield (cyan)	1 Cyan (~300 pages)
Page Yield (magenta)	1 Magenta (~300 pages)
Page Yield (yellow)	1 Yellow (~300 pages)
Page Yield Footnote	Approximate average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies .
Print Technology	HP Thermal Inkjet
Printhead Swath (in Inch)	0.33 in
Product Subgroup	High Capacity Ink Cartridges
Quantity Per Box	4
SNF JPEG Product Photo 190x170	supplies/F6U63AN_190x170.jpg
SNF JPEG Product Photo 400x400	supplies/F6U63AN_400x400.jpg

SNF JPEG Product Photo 70x100	supplies/F6U63AN_70x100.jpg
Segment (filter)	Premium Home
Stacking Number For Pallet	2
Storage Temperature Range (fahrenheit)	-40 to 140°F
Subgroup	High Capacity Cartridges
Technology Logo 01	https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08990360.png
Technology Logo 02	https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08990361.png
UNSPSC Code	44103105
Warranty Standard Statement	HP's ink cartridges and printheads are warranted to be free from defects in materials and workmanship during the period of the warranty. This warranty pertains to the product when used in its designated HP or authorized OEM printing device. HP will, at HP's option, either refund the purchase price or replace products that prove to be defective. Visit the HP online support web site http://www.hp.com/support for a list of support phone numbers and conditions or return to your point of purchase.
Weight (imperial)	~0.09 lb
Weight (metric)	39.15 g

Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Mar 08, 2026 12:55 PM UTC+0000