



# HP 63 2-pack Black/Tri-color Original Ink Cartridges (LOR46AN)

## Overview



### Advanced ink cartridges built for how you print

Create high-quality color photos and everyday documents with Original HP ink cartridges—designed with the printer for excellent worry-free performance.

### Innovative ink that makes it simple to get more

Easily complete your projects. More accurate alerts can help ensure you don't run out of ink at the wrong time.

### Printing made so simple

Print full pages and receive notifications when your cartridges are running low.

### Designed to deliver

Choose Original HP ink cartridges specially designed to work with your printer and HP photo papers for vibrant photos and impressive reports.

---

## Specifications

<b>Ink Types</b>	Pigment-based (black), dye-based (tri-color)
<b>Print Cartridge/Bottle, Color(s)</b>	Black, tri-color
<b>Technology</b>	Ink
<b>Supply Type</b>	Cartridges
<b>Ink Drop</b>	22 pl (black); 3.25 pl, 6.8 pl (tri-color)
<b>Print Head Nozzles</b>	328 (black), 588 (tri-color)
<b>Print Cartridge/Bottle Volume (metric)</b>	3.5 ml (black), 4 ml (tri-color)
<b>Operating Temperature Range (celsius)</b>	15 to 32°C
<b>Storage Temperature Range (celsius)</b>	-40 to 60°C
<b>Operating Humidity Range</b>	20 to 80% RH
<b>Non-operating Humidity Range</b>	20 to 80% RH
<b>Print Resolution Technologies</b>	TIJ 2.X Gen III
<b>Compatibility Statement</b>	HP DeskJet 1110, HP DeskJet 1115, HP DeskJet 2130, HP DeskJet 2135, HP DeskJet 3630, HP ENVY 4520, HP OfficeJet 3830, HP OfficeJet 4650
<b>Product Count Per Unit</b>	2
<b>Case or Master Carton Quantity</b>	24
<b>Quantity Per Pallet</b>	1440
<b>Cartons Per Pallet</b>	60
<b>UPC Number</b>	(140) 889296267430; (RFD) 198990537559
<b>Pallet Barcode</b>	(140) 20889296267434
<b>Product Dimensions (metric)</b>	122.4 x 47.8 x 161.8 mm
<b>Product Dimensions (imperial)</b>	4.82 x 1.88 x 6.37 in
<b>Package Dimensions (metric)</b>	122.4 x 47.8 x 161.8 mm
<b>Package Dimensions (imperial)</b>	4.82 x 1.88 x 6.37 in
<b>Dimensions (case or master carton, metric)</b>	390.5 x 250.8 x 231.8 mm
<b>Case Dimensions (case or master carton, imperial)</b>	15.38 x 9.88 x 9.13 in
<b>Pallet Dimensions (metric)</b>	1219.2 x 1016 x 1285.9 mm
<b>Pallet Dimensions (imperial)</b>	48 x 40 x 50.63 in
<b>Case Weight (case or master carton, metric)</b>	4.2 kg
<b>Package Weight (metric)</b>	~0.16 kg

<b>Package Weight (imperial)</b>	~0.35 lb
<b>Pallet Weight (metric)</b>	269.58 kg
<b>Pallet Weight (imperial)</b>	594.42 lb
<b>Page Yield</b>	170
<b>Page Yield (combo-pack)</b>	~170 pages black, ~150 pages tri-color
<b>Average Page Yield For A4 Format, Black and White</b>	~170 pages
<b>What Is In The Box</b>	2 ink cartridges: black and tri-color
<b>Manufacturer Warranty</b>	HP's ink cartridges and printheads are warranted to be free from defects in materials and workmanship during the period of the warranty.

## Additional specifications

<b>Average Page Yield For A4 Format, Color</b>	~150 pages
<b>Business Segment (filter)</b>	Premium Home
<b>Cartons Per Layer</b>	12
<b>Cartridge Color</b>	Black; Tri-color
<b>Cartridge Package Selectability</b>	63
<b>Case Weight (case or master carton, imperial)</b>	9.2 lb
<b>Compatibility Headline</b>	HP 63 ink cartridges work with:
<b>Count of Layers In Pallet</b>	5
<b>Datasheet Feature Photo 02</b>	<a href="https://hp.widen.net/content/sjmzw6pamn/jpeg/sjmzw6pamn.jpg?w=2000&amp;h=2000&amp;dpi=72">https://hp.widen.net/content/sjmzw6pamn/jpeg/sjmzw6pamn.jpg?w=2000&amp;h=2000&amp;dpi=72</a>
<b>Empty Weight</b>	424 g
<b>Environmental Certifications</b>	UL ECOLOGO® certified
<b>ITF-14 Unit Code Numerical Equivalent (smaller master carton)</b>	(140) 10889296267437
<b>Inner Pack ITF-14 Unit Code</b>	(140) 30889296267431
<b>Operating Temperature Range (fahrenheit)</b>	59 to 90°F
<b>Package Count</b>	2
<b>Page Yield (black)</b>	1 Black (~170 pages)
<b>Page Yield Footnote</b>	Approximate average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. For details see <a href="http://www.hp.com/go/learnaboutsupplies">http://www.hp.com/go/learnaboutsupplies</a> .
<b>Print Technology</b>	HP Thermal Inkjet
<b>Printhead Swath (in Inch)</b>	0.56 in (black), 0.33 in (tri-color)
<b>Product Subgroup</b>	Combo-packs
<b>Quantity Per Box</b>	4
<b>SNF JPEG Product Photo 190x170</b>	<a href="#">supplies/LOR46AN_190x170.jpg</a>
<b>SNF JPEG Product Photo 400x400</b>	<a href="#">supplies/LOR46AN_400x400.jpg</a>
<b>SNF JPEG Product Photo 70x100</b>	<a href="#">supplies/LOR46AN_70x100.jpg</a>
<b>Segment (filter)</b>	Premium Home
<b>Storage Temperature Range (fahrenheit)</b>	-40 to 140°F

<b>Subgroup</b>	Standard Capacity Cartridges
<b>Technology Logo 01</b>	<a href="https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08990360.png">https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08990360.png</a>
<b>Technology Logo 02</b>	<a href="https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08990361.png">https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08990361.png</a>
<b>UNSPSC Code</b>	44103105
<b>Warranty Standard Statement</b>	HP's ink cartridges and printheads are warranted to be free from defects in materials and workmanship during the period of the warranty. This warranty pertains to the product when used in its designated HP or authorized OEM printing device. HP will, at HP's option, either refund the purchase price or replace products that prove to be defective. Visit the HP online support web site <a href="http://www.hp.com/support">http://www.hp.com/support</a> for a list of support phone numbers and conditions or return to your point of purchase.
<b>Weight (imperial)</b>	~0.14 lb
<b>Weight (metric)</b>	63.02 g

---

## Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Mar 08, 2026 3:20 AM UTC+0000