



HP 201X 3-pack High Yield Cyan/Magenta/Yellow Original LaserJet Toner Cartridges (CF253XM)

Overview

HP 201X LaserJet Toner Cartridge 3-pack, cyan/magenta/yellow, 2,300 pages per cartridge[4]



Count on Original HP High Yield Toner cartridges with JetIntelligence for more professional-quality prints, excellent performance at high speeds, and innovative anti-fraud protection—technology unique to HP.[2]

More pages—and more value—than ever[2]

Get more from your investment with page maximizer technology that enables more pages per cartridge than previous versions of HP toner cartridges.[2]

Help protect against fraud

Help ensure you're getting the authentic HP quality you paid for with innovative, anti-fraud technology.

Print at high speeds—without sacrificing quality

Continue to count on consistent, professional quality at high speeds with HP ColorSphere 3 toner.

Help protect your investment

Continue to count on professional quality at high speeds—print after print—with HP ColorSphere 3 toner.

[2] Based on cartridge yields for HP 131A compared with HP 201X Original HP Toner Cartridges. For more information, see <http://www.hp.com/go/learnaboutsupplies>.

[4] Approximate average composite cyan, yellow, magenta yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.

Specifications

Print Cartridge/Bottle, Color(s)	Cyan, magenta, yellow
Technology	Laser
Supply Type	Cartridges
Operating Temperature Range (celsius)	15 to 30°C
Storage Temperature Range (celsius)	-20 to 40°C
Operating Humidity Range	10 to 80% RH
Non-operating Humidity Range	10 to 95% RH
Print Resolution Technologies	JetIntelligence
Compatibility Statement	HP Color LaserJet Pro M252 Printer series, HP Color Laserjet Pro MFP M277 series
Product Count Per Unit	3
Quantity Per Pallet	100
Quantity Per European Pallet	72
Cartons Per Pallet	100
UPC Number	190780321362
Product Dimensions (metric)	363 x 288 x 111 mm
Product Dimensions (imperial)	14.29 x 11.34 x 4.37 in
Package Dimensions (metric)	363 x 288 x 111 mm
Package Dimensions (imperial)	14.29 x 11.34 x 4.37 in
Pallet Dimensions (metric)	1166 x 950 x 1254 mm
Pallet Dimensions (imperial)	45.9 x 37.4 x 49.4 in
Package Weight (metric)	~2.25 kg
Package Weight (imperial)	~4.95 lb
Pallet Weight (metric)	245.5 kg
Pallet Weight (imperial)	540 lb
Page Yield	2300
What Is In The Box	3 toner cartridges; Recycling guide
Manufacturer Warranty	HP's Premium Protection Warranty. This HP product is warranted to be free from defects in materials and workmanship.

Additional specifications

Average Page Yield For A4 Format, Color	Per cartridge: 2,300 pages
Cartons Per Layer	10
Cartridge Color	Cyan; Magenta; Yellow
Cartridge Package Selectability	201X
Compatibility Headline	HP 201 toner cartridges work with:
Count of Cartons per Pallet Layer (European Pallet)	8
Count of Layers In Pallet	10
Datasheet Feature Photo 02	https://ssl-product-images.www8-hp.com/digmedialib/proding/lowres/c05390330.jpg
Euro Pallet Weight (metric)	183 kg
European Pallet Dimensions (metric)	1166 x 736 x 1148 mm
Operating Temperature Range (fahrenheit)	59 to 86°F
Package Count	3
Page Yield (cyan)	1 Cyan (~2,300 pages)
Page Yield (magenta)	1 Magenta (~2,300 pages)
Page Yield (yellow)	1 Yellow (~2,300 pages)
Page Yield Footnote	Approximate average composite cyan, yellow, magenta yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies .
Print Technology	Laser
Product Subgroup	Multi-packs
SNF JPEG Product Photo 190x170	Ink Toner Paper Printer Supplies/HP-201-LaserJet-Printing-Supplies_190x170.jpg
SNF JPEG Product Photo 400x400	Ink Toner Paper Printer Supplies/HP-201-LaserJet-Printing-Supplies_400x400.jpg
SNF JPEG Product Photo 70x100	Ink Toner Paper Printer Supplies/HP-201-LaserJet-Printing-Supplies_70x100.jpg
Segment (filter)	JetIntelligence
Stacking Number For Carton	40
Storage Temperature Range (fahrenheit)	-4 to 104°F
Subgroup	High Capacity Cartridges
UNSPSC Code	44103103

Warranty Standard Statement

HP's Premium Protection Warranty. This HP product is warranted to be free from defects in materials and workmanship. This warranty does not apply to print cartridges that (a) have been refilled, refurbished, remanufactured or tampered with in any way, (b) experience problems resulting from misuse, improper storage, or operation outside of the published environmental specifications for the printer product or (c) exhibit wear from ordinary use. To obtain warranty service, please return the product to place of purchase (with a written description of the problem and print samples) or contact HP customer support. At HP's option, HP will either replace products that prove to be defective or refund your purchase price. TO THE EXTENT ALLOWED BY LOCAL LAW, THE ABOVE WARRANTY IS EXCLUSIVE AND NO OTHER WARRANTY OR CONDITION, WHETHER WRITTEN OR ORAL, IS EXPRESSED OR IMPLIED AND HP SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY, SATISFACTORY QUALITY, AND FITNESS FOR A PARTICULAR PURPOSE. TO THE EXTENT ALLOWED BY LOCAL LAW, IN NO EVENT WILL HP OR ITS SUPPLIERS BE LIABLE FOR DIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL (INCLUDING LOST PROFIT OR DATA), OR OTHER DAMAGE, WHETHER BASED IN CONTRACT, TORT, OR OTHERWISE. THE WARRANTY TERMS CONTAINED IN THIS STATEMENT, EXCEPT TO THE EXTENT LAWFULLY PERMITTED, DO NOT EXCLUDE, RESTRICT OR MODIFY AND ARE IN ADDITION TO THE MANDATORY STATUTORY RIGHTS APPLICABLE TO THE SALE OF THIS PRODUCT TO YOU.

Weight (imperial) ~3.5 lb

Weight (metric) ~1.59 kg

Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Mar 06, 2026 2:33 PM UTC+0000