



HP 660A Original LaserJet Imaging Drum (W2004A)

Overview

HP 660A LaserJet Imaging Drum. Average drum yields 65,000 standard pages[5].



Produce vibrant photo-like color marketing materials with HP Original Imaging drums with JetIntelligence, specifically designed to work with your HP LaserJet printer. Keep business productivity high with reliable Original HP imaging drums.

Print standout documents and marketing materials.

Increase the impact of marketing materials with a wide range of colors from an enhanced print mode innovation.

HP print gauge technology provides time-savings

Plan ahead—use HP Web Jetadmin to track toner usage and receive regular supplies updates.[3]

Stay productive with reliable imaging drums.

Get full value from a toner purchase using the two-part design of Original HP cartridge and imaging drum.

Designed for energy savings and long life

The two-part cartridge and drum design provides a longer life and fewer replacements over time.

[5] Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see <http://www.hp.com/go/learnaboutsupplies>

Specifications

Print Cartridge/Bottle, Color(s)	Black, cyan, magenta, yellow
Technology	Laser
Supply Type	Imaging Drums
Operating Temperature Range (celsius)	10 to 32.5°C
Storage Temperature Range (celsius)	-20 to 40°C
Operating Humidity Range	20 to 80% RH
Non-operating Humidity Range	10 to 90% RH
Print Resolution Technologies	JetIntelligence
Compatibility Statement	HP Color LaserJet Enterprise M751 Printer series, HP Color LaserJet Enterprise M856 Printer series, HP Color LaserJet Enterprise MFP M776 series
Product Count Per Unit	1
Quantity Per Pallet	108
Quantity Per European Pallet	78
Cartons Per Pallet	108
UPC Number	192545710985
Product Dimensions (metric)	483 x 124 x 168 mm
Product Dimensions (imperial)	19.02 x 4.88 x 6.61 in
Package Dimensions (metric)	483 x 124 x 168 mm
Package Dimensions (imperial)	19.02 x 4.88 x 6.61 in
Pallet Dimensions (metric)	1115 x 989 x 1152 mm
Pallet Dimensions (imperial)	43.9 x 38.9 x 45.4 in
Package Weight (metric)	~0.97 kg
Package Weight (imperial)	~2.13 lb
Pallet Weight (metric)	125 kg
Pallet Weight (imperial)	275 lb
Page Yield	65000
What Is In The Box	Imaging drum; Recycling guide
Manufacturer Warranty	HP's Premium Protection Warranty. This HP product is warranted to be free from defects in materials and workmanship.

Additional specifications

Automation Feature Photo 01	https://ssl-product-images.www8-hp.com/digmedialib/prodimg/lowres/c06309596.jpg
Average Page Yield For A4 Format, Color	65,000 standard pages in accordance with ISO/IEC 19752
Business Filter	cMPS
Cartons Per Layer	18
Cartridge Color	Black; Cyan; Magenta; Yellow
Cartridge Package Selectability	660A
Color Starter Yield	65000
Color Yield	65000
Compatibility Headline	HP 660 imaging drums work with:
Component Type	LLC
Count of Cartons per Pallet Layer (European Pallet)	13
Count of Layers In Pallet	6
Datasheet Feature Photo 02	https://ssl-product-images.www8-hp.com/digmedialib/prodimg/lowres/c06309596.jpg
Euro Pallet Weight (metric)	96 kg
European Pallet Dimensions (metric)	1134 x 737 x 1152 mm
Mono Starter Yield	65000
Mono Yield	65000
Operating Temperature Range (fahrenheit)	50 to 90.5°F
Package Count	1
Page Yield Footnote	Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies
Print Technology	Laser
Product Subgroup	Fuser/Maintenance Kits
Segment (filter)	JetIntelligence
Stacking Number For Carton	24
Storage Temperature Range (fahrenheit)	-4 to 104°F
UNSPSC Code	44103109

Warranty Standard Statement

HP's Premium Protection Warranty. This HP product is warranted to be free from defects in materials and workmanship. This warranty does not apply to print cartridges that (a) have been refilled, refurbished, remanufactured or tampered with in any way, (b) experience problems resulting from misuse, improper storage, or operation outside of the published environmental specifications for the printer product or (c) exhibit wear from ordinary use. To obtain warranty service, please return the product to place of purchase (with a written description of the problem and print samples) or contact HP customer support. At HP's option, HP will either replace products that prove to be defective or refund your purchase price. TO THE EXTENT ALLOWED BY LOCAL LAW, THE ABOVE WARRANTY IS EXCLUSIVE AND NO OTHER WARRANTY OR CONDITION, WHETHER WRITTEN OR ORAL, IS EXPRESSED OR IMPLIED AND HP SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY, SATISFACTORY QUALITY, AND FITNESS FOR A PARTICULAR PURPOSE. TO THE EXTENT ALLOWED BY LOCAL LAW, IN NO EVENT WILL HP OR ITS SUPPLIERS BE LIABLE FOR DIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL (INCLUDING LOST PROFIT OR DATA), OR OTHER DAMAGE, WHETHER BASED IN CONTRACT, TORT, OR OTHERWISE. THE WARRANTY TERMS CONTAINED IN THIS STATEMENT, EXCEPT TO THE EXTENT LAWFULLY PERMITTED, DO NOT EXCLUDE, RESTRICT OR MODIFY AND ARE IN ADDITION TO THE MANDATORY STATUTORY RIGHTS APPLICABLE TO THE SALE OF THIS PRODUCT TO YOU.

Weight (imperial) ~1.32 lb

Weight (metric) ~0.6 kg

Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Feb 27, 2026 10:23 AM UTC+0000