HP LaserJet 3WT88A 220V Fuser Kit (3WT88A)



Overview

Ensure optimum print quality and worker efficiency with HP printer maintenance kits.

HP printer maintenance kits ensure your HP printer remains in working condition and continues providing your workers with the highest print quality possible.

Print quality

Reliability

Efficiency

Specifications

Color(s) of printing supplies	Cyan, magenta, yellow
Print Technology	Laser
Supply type	Fuser/Maintenance Kits
Operating temperature range	10 to 32.5°C
Storage temperature range	-20 to 40°C
Operating humidity range	10 to 90%
Non-Operating Humidity Range	10 to 80%
Compatibility	HP Color LaserJet Enterprise M751n (T3U43A), HP Color LaserJet Enterprise M751dn (T3U44A)
Product count per unit	1
Case or master carton quantity	1
Quantity per pallet	56
UPC number	192545841771
Minimum dimensions (W x D x H)	480 x 165 x 75 mm
Minimum dimensions (W x D x H)	18.9 x 6.5 x 2.95 in
Package dimensions (W x D x H)	543 x 246 x 174 mm
Package dimensions (W x D x H)	21.38 x 9.69 x 6.85 in
Case or master carton dimensions (W x D x H)	543 x 246 x 174 mm
Case dimensions (case or master carton)	21.38 x 9.69 x 6.85 in
Pallet dimensions (W x D x H)	1100 x 1000 x 2445 mm
Pallet dimensions	43.31 x 39.37 x 96.26 in
Case weight (case or master carton)	2.5 Kg
Package weight	2.5 Kg
Package weight	5.5 lb
Pallet weight	140 Kg
Pallet weight	308 lb
What's in the box	HP LaserJet 220V Fuser Kit; Installation guide; Recycle guide
Manufacturer Warranty	90 day warranty (parts only)

Additional specifications

Business filter	cMPS
Cartons per layer	8
Cartridge Colors	Cyan; Magenta; Yellow
Case weight (case or master carton, imperial)	5.5 lb
Color starter yield	150000
Color yield	150000
Component type	LLC
Count of layers in pallet	7
Country of origin	Product of Japan
Mono Starter Yield	150000
Mono yield	150000
Operating temperature range	50 to 90.5°F
Orderable product number	3WT88A
Package count	1
Page yield (color)	Up to 150,000 pages
Photo (product photo, jpg, 190x170)	Ink Toner Paper Printer Supplies/Q5422A_190x170.jpg
Photo (product photo, jpg, 70x100)	Ink Toner Paper Printer Supplies/Q5422A_70x100.jpg
Print technology	Laser
Product subgroup	Fuser/Maintenance Kits
Segment (filter)	Traditional HP Toners
Storage temperature range	-4 to 104°F
Sub-brand name	LaserJet
Tariff numbers	(EU) 8443999000; (AM) 8443995015; (AP) 84439990
UNSPSC code	44103004

Warranty	This HP product is warranted to be free from defects in materials and workmanship until the printer provides a low-life indicator on the control panel. This warranty does not apply to products that (a) have been refurbished, remanufactured or tampered with in any way, (b) experience problems resulting from misuse, improper storage, or operation outside of the published environmental specifications for the printer product or (c) exhibit wear from ordinary use. To obtain warranty service, please return the product to place of purchase (with a written description of the problem) or contact HP customer support. At HP's option, HP will either replace products that prove to be defective or refund your purchase price. TO THE EXTENT ALLOWED BY LOCAL LAW, THE ABOVE WARRANTY IS EXCLUSIVE AND NO OTHER WARRANTY OR CONDITION, WHETHER WRITTEN OR ORAL, IS EXPRESSED OR IMPLIED AND HP SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY, SATISFACTORY QUALITY, AND FITNESS FOR A PARTICULAR PURPOSE. TO THE EXTENT ALLOWED BY LOCAL LAW, IN NO EVENT WILL HP OR ITS SUPPLIERS BE LIABLE FOR DIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL (INCLUDING LOST PROFIT OR DATA), OR OTHER DAMAGE, WHETHER BASED IN CONTRACT, TORT, OR OTHERWISE. THE WARRANTY TERMS CONTAINED IN THIS STATEMENT, EXCEPT TO THE EXTENT LAWFULLY PERMITTED, DO NOT EXCLUDE, RESTRICT OR MODIFY AND ARE IN ADDITION TO THE MANDATORY STATUTORY RIGHTS APPLICABLE TO THE SALE OF THIS PRODUCT TO YOU.
Weight	4.27 lb
Weight	1.94 kg

Disclaimer — Copyright

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Sep 20, 2024 10:54 AM UTC+0000