

PRODUCT REFERENCE GUIDE:

MONITORS

Beauty is in the details.



VA - Value Series: Rock-solid Dependability

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VA3456-MHDJ	34"	3440 x 1440	IPS	400 cd/m ²	4ms	-	-	32.2 x 16.27~20.21 x 7.9	3.5mm Audio Out, HDMI In(x2), DisplayPort
VA2855SMH	28"	1920 x 1080	MVA	300 cd/m ²	7ms	Yes	Tilt	26.0 x 17.8 x 9.8	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA
VA2718-SH	27"	1920 x 1080	IPS	300 cd/m ²	5ms	-	Tilt	24.4 x 17.5 x 9.4	3.5mm Audio Out, VGA, HDMI 1.4 In
VA2719-2K-SMHD	27"	2560 x 1440	IPS	300 cd/m ²	5ms	Yes	Tilt	24.4 x 17.5 x 9.8	3.5mm Audio In, 3.5mm Audio Out, HDMI 1.4 In(x2), DisplayPort
VA2719-SMH	27"	1920 x 1080	IPS	300 cd/m ²	14ms	Yes	Tilt	24.4 x 17.5 x 9.8	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In
VA2746M-LED	27"	1920 x 1080	TN	300 cd/m ²	5ms	Yes	Tilt	25.4 x 17.4 x 9.8	3.5mm Audio In, VGA, DVI-D
VA2746MH-LED	27"	1920 x 1080	TN	300 cd/m ²	5ms	Yes	Tilt	25.4 x 17.4 x 9.8	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In
VA2747-MH	27"	1920 x 1080	MVA	250 cd/m ²	5ms	-	-	24.2 x 17.8 x 9.1	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In
VA2747-MHJ	27"	1920 x 1080	MVA	250 cd/m ²	5ms	-	-	24.2 x 15.67~20.75 x 8.8	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In
VA2756-MHD	27"	1920 x 1080	IPS	250 cd/m ²	7ms	Yes	Tilt	24.1 x 16.9 x 9.2	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VA2759-SMH	27"	1920 x 1080	IPS	250 cd/m²	7ms	Yes	Tilt	24.5 x 17.6 x 9.3	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, 3-pin plug (CEE22)
VA2405-H	24"	1920 x 1080	MVA	250 cd/m²	4ms	Yes	Tilt	21.6 x 16.0 x 7.0	VGA, HDMI 1.4 In
VA2418-SH	24"	1920 x 1080	IPS	250 cd/m²	5ms	-	-	21.6 x 15.9 x 8.6	3.5mm Audio Out, HDMI In, VGA
VA2419-SMH	24"	1920 x 1080	IPS	250 cd/m²	14ms	Yes	Tilt	21.6 x 15.9 x 8.5	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In
VA2446M-LED	24"	1920 x 1080	TN	300 cd/m²	5ms	Yes	Tilt	22.5 x 15.8 x 8.3	3.5mm Audio In, VGA, DVI-D
VA2446MH-LED	24"	1920 x 1080	MVA	300 cd/m²	5ms	Yes	Tilt	22.3 x 15.7 x 8.3	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In
VA2447-MHJ	24"	1920 x 1080	MVA	250 cd/m²	5ms	-	-	21.2 x 14.8~19.88 x 8.8	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In
VA2452SM	24"	1920 x 1080	MVA	250 cd/m²	7ms	Yes	Tilt	22.2 x 16.6 x 7.8	3.5mm Audio In, 3.5mm Audio Out, VGA, DVI-D, DisplayPort
VA2452SM_H2	24"	1920 x 1080	MVA	250 cd/m²	6.5ms	Yes	-	22.2 x 13.2 x 2.0	3.5mm Audio In, VGA, DVI-D, DisplayPort
VA2456-MHD	24"	1920 x 1080	IPS	250 cd/m²	5ms	Yes	Tilt	21.3 x 15.3 x 7.8	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort
VA2456-MHD_H2	24"	1920 x 1080	IPS	250 cd/m²	5ms	Yes	-	21.3 x 12.8 x 1.9	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort
VA2459-SMH	24"	1920 x 1080	IPS	250 cd/m²	7ms	Yes	Tilt	21.3 x 15.4 x 7.9	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In
VA2465SMH	24"	1920 x 1080	MVA	250 cd/m²	7ms	Yes	Tilt	22.2 x 16.1 x 7.6	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA
VA2349S	23"	1920 x 1080	IPS	250 cd/m²	14ms	Yes	Tilt	21.6 x 15.6 x 8.4	VGA, DVI-D
VA2359-SMH	23"	1920 x 1080	IPS	250 cd/m²	7ms	Yes	Tilt	21.0 x 15.4 x 7.9	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, 3-pin plug (CEE22)
VA2232WM-LED	22"	1680 x 1050	TN	250 cd/m²	5ms	Yes	Tilt	20.1 x 16.4 x 7.7	3.5mm Audio In, VGA, DVI-D
VA2246M-LED	22"	1920 x 1080	TN	250 cd/m²	5ms	Yes	Tilt	20.1 x 14.4 x 7.8	3.5mm Audio In, VGA, DVI-I
VA2246MH-LED	22"	1920 x 1080	TN	250 cd/m²	5ms	Yes	Tilt	20.1 x 14.4 x 7.8	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In
VA2247-MH	22"	1920 x 1080	MVA	250 cd/m²	5ms	Yes	Tilt	19.4 x 14.6 x 8.1	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In
VA2249S	22"	1920 x 1080	IPS	250 cd/m²	14ms	Yes	Tilt	20.1 x 14.4 x 7.5	VGA, DVI-D
VA2252SM	22"	1920 x 1080	MVA	250 cd/m²	6.5ms	Yes	Tilt	22.5 x 15.7 x 7.8	3.5mm Audio In, 3.5mm Audio Out, VGA, DVI-D, DisplayPort
VA2252SM_H2	22"	1920 x 1080	MVA	250 cd/m²	6.5ms	Yes	-	22.5 x 12.2 x 2.0	3.5mm Audio In, VGA, DVI-D, DisplayPort
VA2256-MHD	22"	1920 x 1080	IPS	250 cd/m²	7ms	Yes	Tilt	19.3 x 14.3 x 7.8	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort
VA2256-MHD_H2	22"	1920 x 1080	IPS	250 cd/m²	5ms	-	-	19.3 x 11.7 x 1.9	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA
VA2259-SMH	22"	1920 x 1080	IPS	250 cd/m²	7ms	Yes	Tilt	19.7 x 14.8 x 7.9	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, 3-pin plug (CEE22)
VA2261H-2	22"	1920 x 1080	TN	200 cd/m²	5ms	Yes	-	19.9 x 15 x 7.1	3.5mm Audio Out, VGA, HDMI 1.4 In

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VA2265SMH	22"	1920 x 1080	MVA	250 cd/m ²	6.5ms	Yes	Tilt	20.1 x 15.3 x 7.6	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA
VA2055SA	20"	1920 x 1080	MVA	250 cd/m ²	25ms	Yes	Tilt	18.6 x 13.7 x 8.3	VGA
VA2055SM	20"	1920 x 1080	MVA	250 cd/m ²	25ms	Yes	Tilt	18.6 x 13.7 x 8.3	3.5mm Audio In, 3.5mm Audio Out, VGA, DVI-D
VA1901-A	19"	1366 x 768	TN	200 cd/m ²	5ms	Yes	Tilt	17.4 x 13.7 x 7.2	VGA
VA1903H	19"	1366 x 768	TN	200 cd/m ²	5ms	Yes	Tilt	17.2 x 13.5 x 6.7	3.5mm Audio Out, VGA, HDMI 1.4 In
VA1917A	19"	1366 x 768	TN	200 cd/m ²	5ms	Yes	Tilt	17.4 x 13.1 x 6.9	VGA
VA951S	19"	1280 x 1024	IPS	250 cd/m ²	14ms	Yes	Tilt	16.4 x 15.8 x 7.8	VGA, DVI-D
VA708A	17"	1280 x 1024	TN	250 cd/m ²	5ms	Yes	Tilt	14.4 x 15.4 x 7.5	VGA

VG - Graphics Series: Maximum Productivity

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VG3448	34"	3440 x 1440	MVA	300 cd/m ²	5ms	Yes	Height, Swivel, Tilt	32.5 x 16.1 x 9.3	USB Type A(x4), USB 2.0 Type B, HDMI 1.4 In(x2), DisplayPort, Mini DisplayPort
VG3456	34"	3440 x 1440	MVA	300 cd/m ²	5ms	Yes	Height, Swivel, Tilt	32.5 x 16.1~21.2 x 9.3	USB 2.0 Type A(x3), USB 2.0 Type B, USB 3.1 Type C, Ethernet LAN (RJ45), HDMI 1.4 In(x2), DisplayPort
VG2847SMH	28"	1920 x 1080	MVA	300 cd/m ²	7ms	Yes	Pivot, Height, Swivel, Tilt	26.0 x 19.0 x 10.5	USB 2.0 Type A(x2), USB 2.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, DisplayPort
VG2860MHL-4K	28"	3840 x 2160	TN	300 cd/m ²	2ms	Yes	Pivot, Height, Swivel, Tilt	26.0 x 19.0 x 10.5	USB Type A(x4), USB Type B, 3.5mm Audio In, 3.5mm Audio Out, HDMI In(x2), DVI-D, DisplayPort, Mini DisplayPort
VG2739	27"	1920 x 1080	MVA	300 cd/m ²	5ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 21.3 x 9.2	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort
VG2740V	27"	1920 x 1080	IPS	300 cd/m ²	5ms	Yes	Pivot, Height, Swivel, Tilt	24.4 x 16.76~21.93 x 8.1	USB Type A(x3), USB Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort
VG2748	27"	1920 x 1080	IPS	300 cd/m ²	5ms	Yes	Pivot, Height, Swivel, Tilt	24.5 x 16.0 x 8.0	USB Type A(x4), USB Type B, VGA, HDMI 1.4 In, DisplayPort
VG2753	27"	1920 x 1080	IPS	250 cd/m ²	7ms	Yes	Pivot, Height, Swivel, Tilt	24.5 x 21.4 x 9.2	USB Type A(x2), USB Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort, Mini DisplayPort
VG2755	27"	1920 x 1080	IPS	250 cd/m ²	5ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 21.0 x 8.0	USB Type A(x3), USB Type B, USB Type C, VGA, HDMI 1.4 In, DisplayPort

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VG2755-2K	27"	2560 x 1440	IPS	350 cd/m²	5ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 16.0 x 8.0	USB Type A(x3), USB Type B, USB Type C, HDMI 1.4 In, DisplayPort
VG2756-2K	27"	2560 x 1440	IPS	350 cd/m²	5ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 16.0 x 8.0	USB Type A(x2), USB Type B, USB Type C, Ethernet LAN (RJ45), HDMI 1.4 In, DisplayPort, DisplayPort Out
VG2756-4K	27"	3840 x 2160	IPS	350 cd/m²	5ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 16.0 x 8.0	USB Type A(x2), USB Type B, Ethernet LAN (RJ45), HDMI 2.0 In, DisplayPort
VG2765	27"	2560 x 1440	IPS	350 cd/m²	5ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 21.3 x 9.2	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio Out, HDMI 1.4 In, DisplayPort, Mini DisplayPort
VG2437SMC	24"	1920 x 1080	MVA	250 cd/m²	7ms	Yes	Pivot, Height, Swivel, Tilt	21.9 x 17.8 x 9.4	USB 2.0 Type A(x2), USB 2.0 Type B, 3.5mm Mic In, 3.5mm Mic Out, 3.5mm Audio In, 3.5mm Audio Out, VGA, DVI-D, DisplayPort
VG2438SM	24"	1920 x 1200	IPS	250 cd/m²	5ms	Yes	Pivot, Height, Swivel, Tilt	21.9 x 15.5 x 8.0	USB Type B, USB 3.0 Type A(x4), 3.5mm Audio In, 3.5mm Audio Out, VGA, DVI-D, DisplayPort
VG2439M-LED	24"	1920 x 1080	TN	300 cd/m²	5ms	Yes	Pivot, Height, Swivel, Tilt	22.1 x 17.1 x 9.4	USB 2.0 Type A(x2), USB 2.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, DVI-D, DisplayPort
VG2439SMH	24"	1920 x 1080	MVA	250 cd/m²	5ms	Yes	Pivot, Height, Swivel, Tilt	22.1 x 17.1 x 9.4	USB Type A(x2), USB Type B, 3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, DisplayPort
VG2440	24"	1920 x 1080	MVA	250 cd/m²	5ms	Yes	Pivot, Height, Swivel, Tilt	21.6 x 15.1~20.2 x 8.1	USB Type A, USB Type B(x3), 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort
VG2440V	24"	1920 x 1080	IPS	250 cd/m²	5ms	-	Pivot, Height, Swivel, Tilt	21.6 x 16.0~21.1 x 8.1	USB Type A(x3), USB Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort
VG2448	24"	1920 x 1080	IPS	250 cd/m²	5ms	Yes	Pivot, Height, Swivel, Tilt	21.7 x 15.2 x 8.0	USB Type A(x4), USB Type B, VGA, HDMI 1.4 In, DisplayPort
VG2448-PF	24"	1920 x 1080	IPS	250 cd/m²	5ms	Yes	Pivot, Height, Swivel, Tilt	21.7 x 15.2 x 8.0	USB Type A(x4), USB Type B, VGA, HDMI 1.4 In, DisplayPort
VG2448_H2	24"	1920 x 1080	IPS	250 cd/m²	5ms	Yes	-	21.7 x 12.8 x 2.0	USB Type A(x4), USB Type B, VGA, HDMI 1.4 In, DisplayPort
VG2449	24"	1920 x 1080	MVA	250 cd/m²	7ms	Yes	Pivot, Height, Swivel, Tilt	22.1 x 17x1 x 9.4	USB Type A(x2), USB Type B, VGA, HDMI 1.4 In, DisplayPort, DisplayPort Out, Mini DisplayPort
VG2449_H2	24"	1920 x 1080	MVA	250 cd/m²	7ms	-	-	22.1 x 13.1 x 2.3	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort, DisplayPort Out, Mini DisplayPort
VG2453	24"	1920 x 1080	IPS	250 cd/m²	7ms	Yes	Pivot, Height, Swivel, Tilt	21.3 x 16.3 x 9.2	USB Type A(x2), USB Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort, Mini DisplayPort
VG2453_H2	24"	1920 x 1080	IPS	250 cd/m²	7ms	Yes	-	21.3 x 12.8 x 1.8	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort, Mini DisplayPort
VG2455	24"	1920 x 1080	IPS	250 cd/m²	5ms	Yes	Pivot, Height, Swivel, Tilt	21.2 x 16.0 x 8.0	USB Type A(x3), USB Type B, USB Type C, VGA, HDMI 1.4 In, DisplayPort

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VG2455-2K	24"	2560 x 1440	IPS	300 cd/m ²	5ms	Yes	Pivot, Height, Swivel, Tilt	21.2 x 16.0 x 8.0	USB Type A(x3), USB Type B, USB Type C, HDMI 1.4 In, DisplayPort
VG2456	24"	1920 x 1080	IPS	250 cd/m ²	5ms	Yes	Pivot, Height, Swivel, Tilt	21.2 x 16.0 x 8.0	USB Type A(x2), USB Type B, USB Type C, Ethernet LAN (RJ45), HDMI 1.4 In, DisplayPort, DisplayPort Out
VG2239M-LED	22"	1920 x 1080	TN	250 cd/m ²	5ms	Yes	Pivot, Height, Swivel, Tilt	20.2 x 16.5 x 9.4	USB 2.0 Type A(x2), USB 2.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, DVI-D, DisplayPort
VG2239SMH	22"	1920 x 1080	MVA	250 cd/m ²	5ms	Yes	Pivot, Height, Swivel, Tilt	20.2 x 16.5 x 9.4	USB Type A(x2), USB Type B, 3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, DisplayPort
VG2248	22"	1920 x 1080	IPS	250 cd/m ²	7ms	Yes	Pivot, Height, Swivel, Tilt	19.6 x 14.7 x 8.0	USB Type A(x4), USB Type B, VGA, HDMI 1.4 In, DisplayPort
VG2248_H2	22"	1920 x 1080	IPS	250 cd/m ²	5ms	Yes	-	19.6 x 11.7 x 2.0	USB Type A, USB Type B(x4), VGA, HDMI 1.4 In, DisplayPort
VG2249	22"	1920 x 1080	MVA	250 cd/m ²	7ms	Yes	Pivot, Height, Swivel, Tilt	20.2 x 16.5 x 9.4	USB Type A(x2), USB Type B, VGA, HDMI 1.4 In, DisplayPort, DisplayPort Out, Mini DisplayPort
VG2249_H2	22"	1920 x 1080	MVA	250 cd/m ²	7ms	Yes	-	20.2 x 12.0 x 2.1	USB Type A(x2), USB Type B, VGA, HDMI 1.4 In, DisplayPort, DisplayPort Out, Mini DisplayPort
VG2253	22"	1920 x 1080	IPS	250 cd/m ²	7ms	Yes	Pivot, Height, Swivel, Tilt	19.7 x 16.3 x 9.2	USB Type A(x2), USB Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort, Mini DisplayPort
VG2039M-LED	20"	1600 x 900	TN	250 cd/m ²	5ms	Yes	Height, Swivel, Tilt	18.5 x 15.2 x 9.9	USB Type A(x2), USB Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, DVI-D, DisplayPort
VG939SM	19"	1280 x 1024	IPS	250 cd/m ²	14ms	Yes	Pivot, Height, Swivel, Tilt	16.4 x 14.8 x 8.0	USB Type A(x2), USB Type B, 3.5mm Audio In, VGA, DVI-D
VG1655	15.6"	1920 x 1080	IPS	250 cd/m ²	6.5ms	-	Tilt	14.0 x 8.8 x 0.6	USB Type C(x2), Mini HDMI

VP - Professional Series: The Art & Science of Color

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VP3881	38"	3840 x 1600	IPS	300 cd/m ²	7ms	Yes	Height, Swivel, Tilt	35.3 x 24.8 x 11.8	USB Type A(x3), USB Type B, USB Type C, 3.5mm Audio In, 3.5mm Audio Out, HDMI 2.0 (with HDCP 2.2)(x2), DisplayPort
VP3481	34"	3440 x 1440	MVA	400 cd/m ²	5ms	Yes	Height, Swivel, Tilt	31.9 x 24.0 x 11.8	USB Type A(x2), USB Type B, USB Type C, 1 (15W), 3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort
VP3481A	34"	3440 x 1440	MVA	400 cd/m ²	5ms	Yes	Height, Swivel, Tilt	31.9 x 18.9 x 11.8	USB Type A(x2), USB Type B, USB Type C, Ethernet LAN (RJ45), HDMI 2.0 In(x2), DisplayPort

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VP3268-4K	32"	3840 x 2160	IPS	350 cd/m ²	7ms	Yes	Pivot, Height, Swivel, Tilt	28.1 x 25.0 x 10.5	USB Type A(x4), USB Type B, 3.5mm Audio In, 3.5mm Audio Out, HDMI 2.0 (with HDCP 2.2)(x2), DisplayPort, Mini DisplayPort
VP3268A-4K	32"	3840 x 2160	IPS	350 cd/m ²	5ms	Yes	Pivot, Height, Swivel, Tilt	28.1 x 19.9~25.0 x 10.4	USB Type A(x2), USB Type B, USB Type C, 3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort
VP2756-2K	27"	2560 x 1440	IPS	350 cd/m ²	5ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 16.15~21.27 x 8.5	USB Type A(x2), USB Type B, USB Type C, HDMI 1.4 In, DisplayPort
VP2756-4K	27"	3840 x 2160	IPS	350 cd/m ²	5ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 16.15~21.27 x 8.5	USB Type A(x2), USB Type B, USB Type C, HDMI 2.0 In, DisplayPort
VP2768	27"	2560 x 1440	IPS	350 cd/m ²	14ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 21.3 x 8.5	USB Type A(x4), 3.5mm Audio Out, HDMI 1.4 In(x2), DisplayPort, DisplayPort Out, Mini DisplayPort
VP2768-4K	27"	3840 x 2160	IPS	350 cd/m ²	7ms	Yes	Pivot, Height, Swivel, Tilt	24.2 x 21.3 x 8.5	USB Type A(x4), USB Type B, 3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort, Mini DisplayPort
VP2768A	27"	2560 x 1440	IPS	350 cd/m ²	5ms	Yes	Height, Swivel, Tilt	24.1 x 16.1 x 8.5	USB Type A(x3), USB Type B, USB Type C, Ethernet LAN (RJ45), HDMI 1.4 In, DisplayPort, DisplayPort Out, Mini DisplayPort
VP2768A-4K	27"	3840 x 2160	IPS	350 cd/m ²	6ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 16.3~21.4 x 8.5	USB Type A(x2), USB Type B, USB Type C, 3.5mm Audio In, HDMI 2.0 In, DisplayPort
VP2771	27"	2560 x 1440	IPS	350 cd/m ²	7ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 21.5 x 8.5	USB Type A(x3), USB Type B, USB Type C, 3.5mm Audio Out, HDMI 1.4 In, DisplayPort, DisplayPort Out, Mini DisplayPort
VP2780-4K	27"	3840 x 2160	IPS	350 cd/m ²	14ms	Yes	Pivot, Height, Swivel, Tilt	25.3 x 18.5 x 13.7	USB 3.0 Type A(x4), 3.5mm Audio Out, HDMI In(x2), HDMI 2.0 In, DisplayPort, Mini DisplayPort
VP2785-2K	27"	2560 x 1440	IPS	300 cd/m ²	5ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 21.5 x 8.5	USB Type A(x2), USB Type B, USB Type C, 1 (15W), 3.5mm Audio Out, HDMI 1.4 In, DisplayPort, DisplayPort Out
VP2785-4K	27"	3840 x 2160	IPS	350 cd/m ²	7ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 21.5 x 8.5	USB Type A(x3), USB Type B, USB Type C, 3.5mm Audio Out, HDMI 2.0 (with HDCP 2.2)(x2), DisplayPort, Mini DisplayPort
VP2458	24"	1920 x 1080	IPS	250 cd/m ²	7ms	Yes	Pivot, Height, Swivel, Tilt	21.2 x 16.7 x 8.5	USB Type A(x2), USB Type B, VGA, HDMI 1.4 In, DisplayPort
VP2468	24"	1920 x 1080	IPS	250 cd/m ²	7ms	Yes	Pivot, Height, Swivel, Tilt	21.2 x 20.5 x 8.5	USB Type A(x4), USB Type B, 3.5mm Audio Out, HDMI 1.4 In(x2), DisplayPort, DisplayPort Out, Mini DisplayPort, 3-pin plug (CEE22)
VP2468A	24"	1920 x 1080	IPS	250 cd/m ²	5ms	Yes	Height, Swivel, Tilt	21.2 x 16.6 x 8.5	USB Type A(x2), USB Type B, USB Type C, Ethernet LAN (RJ45), HDMI 1.4 In, DisplayPort, DisplayPort Out
VP2468_H2	24"	1920 x 1080	IPS	250 cd/m ²	7ms	Yes	-	21.2 x 12.2 x 1.9	USB Type A(x4), USB Type B, HDMI 1.4 In(x2), DisplayPort, DisplayPort Out, Mini DisplayPort

VX - Entertainment Series: Stunning Resolution & Performance

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VX4380-4K	43"	3840 x 2160	IPS	350 cd/m ²	12ms	Yes	Tilt	38 x 25.7 x 9.5	USB 3.0 Type A(x3), USB 3.0 Type B, 3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort, DisplayPort Out, Mini DisplayPort
VX4381-4K	43"	3840 x 2160	MVA	450 cd/m ²	3ms	Yes	Tilt	38.5 x 26.0 x 13.6	USB Type A(x4), USB Type B, HDMI 2.0 In(x2), DisplayPort, DisplayPort Out, Mini DisplayPort
VX3418-2KPC	34"	3440 x 1440	MVA	300 cd/m ²	-	Yes	Height, Tilt	31.8 x 18.2~21.3 x 13.0	3.5mm Audio In, HDMI 2.0 In(x2), DisplayPort(x2)
VX3211-2K-MHD	32"	2560 x 1440	IPS	250 cd/m ²	3ms	Yes	Tilt	28.7 x 19.5 x 9.1	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort
VX3211-4K-MHD	32"	3840 x 2160	MVA	300 cd/m ²	3ms	Yes	Tilt	28.7 x 19.5 x 9.1	3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort
VX3216-SCMH-W	32"	1920 x 1080	MVA	280 cd/m ²	5ms	-	Tilt	28.0 x 19.8 x 6.9	3.5mm Audio In, 3.5mm Audio Out, VGA, DVI-D, HDMI 1.4 In
VX3218-PC-MHD	32"	1920 x 1080	MVA	300 cd/m ²	6ms	Yes	Tilt	27.9 x 20.2 x 9.0	3.5mm Audio Out, HDMI 1.4 In(x2), DisplayPort
VX3258-2K-MHD	32"	2560 x 1440	MVA	250 cd/m ²	5ms	-	Tilt	28.1 x 19.4 x 8.5	3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort(x2)
VX3258-PC-MHD	32"	1920 x 1080	MVA	250 cd/m ²	5ms/1ms MPRT	-	Tilt	28.1 x 19.3 x 8.6	3.5mm Audio Out, HDMI 1.4 In(x2), DisplayPort
VX3268-2KPC-MHD	32"	2560 x 1440	MVA	250 cd/m ²	3ms	Yes	Tilt	27.9 x 20.1 x 9.7	3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort
VX3268-PC-MHD	32"	1920 x 1080	MVA	250 cd/m ²	3ms	Yes	Tilt	27.9 x 20.1 x 9.7	3.5mm Audio Out, HDMI 1.4 In(x2), DisplayPort
VX3276-2K-MHD	32"	2560 x 1440	IPS	250 cd/m ²	4ms	-	Tilt	28.1 x 19.8 x 9.1	3.5mm Audio Out, HDMI 1.4 In(x2), DisplayPort, Mini DisplayPort
VX3276-4K-MHD	32"	3840 x 2160	MVA	300 cd/m ²	3ms	Yes	Tilt	28.1 x 19.9 x 9.1	3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort, Mini DisplayPort
VX3276-MHD	32"	1920 x 1080	IPS	250 cd/m ²	8ms	Yes	Tilt	28.1 x 19.8 x 9.1	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort
VX2718-2KPC-MHD	27"	2560 x 1440	MVA	250 cd/m ²	5ms	Yes	Tilt	24.0 x 18.7 x 8.8	3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort
VX2718-P-MHD	27"	1920 x 1080	MVA	250 cd/m ²	5ms	Yes	Tilt	24.2 x 18.0 x 8.9	3.5mm Audio Out, HDMI 1.4 In(x2), DisplayPort
VX2718-PC-MHD	27"	1920 x 1080	MVA	250 cd/m ²	5ms	Yes	Tilt	24.0 x 18.7 x 8.8	3.5mm Audio Out, HDMI 1.4 In(x2), DisplayPort
VX2757-MHD	27"	1920 x 1080	TN	300 cd/m ²	2ms	Yes	Tilt	25.2 x 19.3 x 9.8	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, DisplayPort
VX2758-2KP-MHD	27"	2560 x 1440	IPS	350 cd/m ²	3ms/1ms MPRT	Yes	Tilt	24.2 x 17.7 x 7.4	3.5mm Audio Out, HDMI 1.4 In, HDMI 2.0 In, DisplayPort
VX2758-C-MH	27"	1920 x 1080	MVA	280 cd/m ²	4ms	-	Tilt	24.0 x 17.2 x 7.6	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, HDMI 2.0 In
VX2758-P-MHD	27"	1920 x 1080	TN	300 cd/m ²	1ms/1ms MPRT	Yes	Tilt	24.2 x 17.7 x 7.4	3.5mm Audio Out, HDMI 1.4 In, HDMI 2.0 In, DisplayPort
VX2768-2KP-MHD	27"	2560 x 1440	IPS	350 cd/m ²	3ms	Yes	Tilt	24.1 x 17.7 x 7.9	3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort
VX2768-2KPC-MHD	27"	2560 x 1440	MVA	250 cd/m ²	3ms	Yes	Tilt	24.0 x 17.8 x 8.6	3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort
VX2768-PC-MHD	27"	1920 x 1080	MVA	250 cd/m ²	3ms	Yes	Tilt	24.0 x 17.8 x 8.6	3.5mm Audio Out, HDMI 1.4 In(x2), DisplayPort

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VX2776-4K-MHD	27"	3840 x 2160	IPS	350 cd/m ²	4ms	Yes	Tilt	24.3 x 17.8 x 7.2	3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort
VX2776-SMHD	27"	1920 x 1080	IPS	250 cd/m ²	7ms	-	Tilt	24.5 x 18.2 x 8.2	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, DisplayPort
VX2778-SMHD	27"	2560 x 1440	IPS	350 cd/m ²	7ms	Yes	Tilt	24.1 x 17.9 x 7.5	3.5mm Audio Out, HDMI 1.4 In, DisplayPort, Mini DisplayPort
VX2785-2K-MHDU	27"	2560 x 1440	IPS	300 cd/m ²	5ms	-	Swivel, Tilt	24.1 x 17.6 x 9.8	USB 3.2 Gen 1 Type C, 3.5mm Audio Out, HDMI 1.4 (with HDCP 1.4), DisplayPort
VX2418-P-MHD	24"	1920 x 1080	MVA	250 cd/m ²	4ms	Yes	Tilt	21.2 x 16.8 x 8.9	3.5mm Audio Out, HDMI 1.4 In(x2), DisplayPort
VX2452MH	24"	1920 x 1080	TN	300 cd/m ²	2ms	Yes	Tilt	22.0 x 17.0 x 8.8	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, DVI-D
VX2457-MHD	24"	1920 x 1080	TN	300 cd/m ²	2ms	Yes	Tilt	23.2 x 16.6 x 9.0	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, DisplayPort, 3-pin plug (CEE22)
VX2458-C-MHD	24"	1920 x 1080	MVA	280 cd/m ²	3ms/1ms MPRT	-	Tilt	21.5 x 15.9 x 7.6	3.5mm Audio Out, DVI-D, HDMI 1.4 In, DisplayPort
VX2458-MHD	24"	1920 x 1080	TN	300 cd/m ²	1ms	Yes	-	23.2 x 16.6 x 9.0	3.5mm Audio Out, HDMI 1.4 In(x2), DisplayPort
VX2467-MHD	24"	1920 x 1080	MVA	250 cd/m ²	1ms	Yes	Tilt	21.2 x 16.1 x 8.0	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort
VX2468-PC-MHD	24"	1920 x 1080	MVA	250 cd/m ²	2ms	Yes	Tilt	21.1 x 16.1 x 7.4	3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort
VX2476-SMHD	24"	1920 x 1080	IPS	250 cd/m ²	7ms	-	Tilt	21.3 x 16.3 x 8.2	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort
VX2478-SMHD	24"	2560 x 1440	IPS	300 cd/m ²	4ms	Yes	Tilt	21.3 x 16.6 x 7.5	3.5mm Audio Out, HDMI 1.4 In, DisplayPort, Mini DisplayPort
VX2485-MHU	24"	1920 x 1080	IPS	250 cd/m ²	5ms	Yes	Swivel, Tilt	21.2 x 15.9 x 9.8	USB Type C, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In
VX2370SMH-LED	23"	1920 x 1080	IPS	250 cd/m ²	7ms	-	Tilt	21.0 x 16.1 x 7.1	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, DVI-D
VX2376-SMHD	23"	1920 x 1080	IPS	250 cd/m ²	7ms	-	-	20.9 x 16.2 x 8.2	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, DisplayPort, External Power Adapter
VX2252MH	22"	1920 x 1080	TN	250 cd/m ²	2ms	Yes	Tilt	20.1 x 15.8 x 8.8	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, DVI-D
VX2257-MHD	22"	1920 x 1080	TN	250 cd/m ²	2ms	Yes	Tilt	20.1 x 15.5 x 9.0	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, DisplayPort, 3-pin plug (CEE22)
VX2270SMH-LED	22"	1920 x 1080	IPS	250 cd/m ²	7ms	-	Tilt	19.7 x 15.4 x 7.1	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, DVI-D
VX2276-SMHD	22"	1920 x 1080	IPS	250 cd/m ²	7ms	-	Tilt	19.6 x 15.5 x 8.2	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, DisplayPort

XG - Gaming Series: For Enthusiasts, Diehards & Pros

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
XG350R-C	35"	3440 x 1440	MVA	300 cd/m ²	3ms	Yes	Height, Swivel, Tilt	33.4 x 17.1 x 12.0	USB 3.0 Type A(x3), USB 3.0 Type B, 3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort
XG3202-C	32"	1920 x 1080	MVA	300 cd/m ²	6ms	Yes	Tilt	28.4 x 19.5 x 9.1	USB 2.0 Type A, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort, DVI-I
XG3220	32"	3840 x 2160	MVA	300 cd/m ²	5ms	Yes	Pivot, Height, Swivel, Tilt	28.6 x 18.1 x 10.3	USB 3.0 Type A(x4), USB 3.0 Type B, 3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort
XG3240C	32"	2560 x 1440	MVA	300 cd/m ²	3ms	Yes	Height, Swivel, Tilt	28.1 x 21.7 x 10.2	3.5mm Audio In, HDMI 2.0 In(x2), DisplayPort
XG270	27"	1920 x 1080	IPS	400 cd/m ²	1ms	Yes	Pivot, Height, Swivel, Tilt	24.2 x 18.06~22.5 x 10.4	USB 3.1 Type A(x3), USB 3.1 Type B, 3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort
XG2700-4K	27"	3840 x 2160	IPS	300 cd/m ²	5ms	-	Pivot, Height, Swivel, Tilt	25.3 x 21.9 x 9.1	USB 2.0 Type B, USB 3.0 Type A(x4), 3.5mm Audio Out, HDMI In(x2), HDMI 2.0 In, DisplayPort, Mini DisplayPort, DC In
XG2702	27"	1920 x 1080	TN	400 cd/m ²	1ms	Yes	Pivot, Height, Swivel, Tilt	25.3 x 17.2 x 9.4	USB 3.0 Type A(x4), USB 3.0 Type B, 3.5mm Audio Out, HDMI 1.4 In, HDMI 2.0 In, DisplayPort
XG2703-GS	27"	2560 x 1440	IPS	350 cd/m ²	4ms	Yes	Pivot, Height, Swivel, Tilt	24.6 x 21.0 x 9.9	USB 2.0 Type A(x2), USB 2.0 Type B, USB 3.0 Type A(x2), 3.5mm Audio Out, HDMI 1.4 In, DisplayPort, DC In
XG2705	27"	1920 x 1080	IPS	250 cd/m ²	2ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 17.08~21.35 x 9.4	3.5mm Audio Out, HDMI 1.4 In(x2), DisplayPort
XG2705-2K	27"	2560 x 1440	IPS	350 cd/m ²	3ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 17.08~21.3 x 9.4	3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort
XG270Q	27"	2560 x 1440	IPS	400 cd/m ²	1ms	Yes	Pivot, Height, Swivel, Tilt	24.2 x 18.06~22.5 x 10.4	USB 3.2 Gen 1 Type A(x3), USB 3.2 Gen 1 Type B, 3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort
XG270QC	27"	2560 x 1440	MVA	550 cd/m ²	3ms	-	Height, Swivel, Tilt	24.1 x 18.97~23.69 x 14.0	USB 3.2 Gen 1 Type A(x3), USB 3.2 Gen 1 Type B, Micro USB, 3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort
XG270QG	27"	2560 x 1440	IPS	350 cd/m ²	1ms	Yes	Pivot, Height, Swivel, Tilt	24.2 x 18.1~22.5 x 10.4	USB 3.1 Type A(x3), USB 3.1 Type B, 3.5mm Audio Out, HDMI 1.4 In, DisplayPort
XG2730	27"	2560 x 1440	TN	350 cd/m ²	1ms	Yes	Pivot, Height, Swivel, Tilt	24.6 x 21.0 x 9.9	3.5mm Audio Out, HDMI 1.4 In, HDMI 2.0 In, DisplayPort
XG2760	27"	2560 x 1440	TN	350 cd/m ²	1ms	Yes	Pivot, Height, Swivel, Tilt	24.6 x 17.1 x 10.3	USB 2.0 Type A(x2), USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio Out, HDMI 1.4 In, DisplayPort
XG2530	25"	1920 x 1080	TN	400 cd/m ²	1ms	Yes	Pivot, Height, Swivel, Tilt	22.3 x 17.1 x 9.4	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio Out, HDMI 1.4 In, HDMI 2.0 In, DisplayPort
XG2560	25"	1920 x 1080	TN	400 cd/m ²	1ms	Yes	Pivot, Height, Swivel, Tilt	22.3 x 16.1 x 10.2	USB 3.0 Type A(x4), USB 3.0 Type B, 3.5mm Audio Out, HDMI 1.4 In, DisplayPort
XG2402	24"	1920 x 1080	TN	350 cd/m ²	1ms	Yes	Pivot, Height, Swivel, Tilt	22.3 x 17.1 x 9.4	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio Out, HDMI 1.4 In(x2), DisplayPort
XG2405	24"	1920 x 1080	IPS	250 cd/m ²	2ms	Yes	Pivot, Height, Swivel, Tilt	21.3 x 17.08~20.51 x 9.4	3.5mm Audio Out, HDMI 1.4 In(x2), DisplayPort
XG240R	24"	1920 x 1080	TN	350 cd/m ²	1ms	Yes	Pivot, Height, Swivel, Tilt	22.3 x 17.1 x 9.4	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio Out, HDMI 1.4 In(x2), DisplayPort

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
XG2431	24"	1920 x 1080	IPS	350 cd/m ²	1ms	Yes	Height, Swivel, Tilt	21.3 x 17.1~20.5 x 9.4	USB Type A(x2), USB Type B, 3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort

TD - Touch Display Series: Intuitive Touch

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
TD2760	27"	1920 x 1080	MVA	230 cd/m ²	6ms	Yes	Height, Tilt	26.0 x 17.5 x 9.4	USB Type A(x2), USB Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort, RS232
TD2421	24"	1920 x 1080	MVA	250 cd/m ²	5ms	Yes	Tilt	22.5 x 15.4 x 9.5	USB Type A(x2), USB Type B, VGA, HDMI 1.4 In, DVI-I
TD2423D	24"	1920 x 1080	MVA	250 cd/m ²	7ms	Yes	Tilt	22.5 x 13.7 x 4.0	USB Type A(x2), USB Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort
TD2430	24"	1920 x 1080	MVA	250 cd/m ²	25ms	Yes	Tilt	22.6 x 13.9 x 1.9	USB Type A(x2), USB Type B, VGA, HDMI 1.4 In, DisplayPort
TD2455	24"	1920 x 1080	IPS	250 cd/m ²	6ms	Yes	Tilt	21.2 x 16.8 x 11.3	USB Type A(x2), USB Type B, USB Type C, HDMI 1.4 In, DisplayPort, DisplayPort Out
TD2210	22"	1920 x 1080	TN	250 cd/m ²	5ms	Yes	Tilt	20.1 x 14.3 x 9.5	USB Type A, USB Type B, VGA, DVI-I
TD2220	22"	1920 x 1080	TN	200 cd/m ²	5ms	Yes	Tilt	20.1 x 14.4 x 9.5	USB Type A(x2), 3.5mm Audio In, VGA, DVI-D
TD2223	22"	1920 x 1080	TN	250 cd/m ²	5ms	Yes	Tilt	20.5 x 13.1 x 4.0	USB Type A(x2), USB Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, DVI-D, HDMI 1.4 In
TD2230	22"	1920 x 1080	IPS	250 cd/m ²	14ms	Yes	Tilt	19.3 x 11.8 x 5.1	USB Type A(x2), USB Type B, 3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, DisplayPort, DC 19V/2.37A
TD1711	17"	1280 x 1024	TN	250 cd/m ²	5ms	Yes	Tilt	14.5 x 13.7 x 8.2	USB Type A(x2), USB Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 (with CEC), RS232 In
TD1655	15.6"	1920 x 1080	IPS	250 cd/m ²	6.5ms	-	Tilt	14.0 x 8.8 x 0.6	USB Type C(x2), Mini HDMI

VSD - Smart Displays for Android: Versatile Touch

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VSD242	24"	1920 x 1080	-	250 cd/m ²	16ms	Yes	Tilt	22.6 x 13.9 x 1.9	3.5mm Mic In, 3.5mm Audio In, 3.5mm Audio Out, SD Card, Mini USB, Ethernet LAN (RJ45), HDMI MHL, USB 2.0 Type A(x4), USB 2.0 Type B
VSD220	22"	1920 x 1080	-	250 cd/m ²	5ms	-	-	13.9 x 2.2 x 20.2	-