



# HP 138X High Yield Black Original LaserJet Toner Cartridge (W1380X)

## Overview

### Original HP Toner delivers printing performance



HP Original LaserJet Toner Cartridges with Jet Intelligence produce high-quality business documents. Maintain productivity with easy-to-manage cartridges offered in two sizes[2] designed with security[8,9] in mind.

### Stay productive with reliable cartridges

The choice you can trust—help avoid frustrating reprints, wasted supplies, and service calls.

### Recycle your HP cartridges [4] and save energy[1]

Use an average of 20% less energy when printing with Original HP EcoSmart black toner.[1]

### Print high-quality documents every page

Print crisp black text and professional-quality graphics with HP EcoSmart black toner.[1]

### Manage your printing with time-saving solutions

Print gauge technology intelligently tracks toner levels, so you know when the toner is running low.

---

[1] HP calculations based on Energy Star® normalized TEC data comparing the HP LaserJet 200-500 series with predecessor printing systems not using HP EcoSmart. See [www.hp.com/ecosmart](http://www.hp.com/ecosmart).

[2] High-yield cartridges are not included in printer purchase; purchase separately. HP 138X High-Yield Original LaserJet Toner Cartridge compared to HP 138A Original LaserJet Toner Cartridges. Learn more at [www.hp.com/go/learnaboutsupplies](http://www.hp.com/go/learnaboutsupplies).

[4] HP Planet Partners Program availability varies. For more information, visit <http://hp.com/hprecycle>.

[8] HP office-class printing systems are select Enterprise and Managed devices with FutureSmart firmware 4.5 and up, Pro devices, LaserJet models 200 and up, with respective Original HP Toner, PageWide and Ink Cartridges. Does not include HP integrated printhead cartridges. Digital supply-chain tracking, hardware, chips, and packaging security features vary locally by SKU. See [www.hp.com/cartridgesecurity](http://www.hp.com/cartridgesecurity).

[9] See ISO/IEC 20243:2018 Open Trusted Technology Provider™ Standard Certification Register certification. [certification.opengroup.org/register/ottps-certification](https://certification.opengroup.org/register/ottps-certification)

## Specifications

|                                                          |                                                                                                                                                                                                                    |
|----------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Print Cartridge/Bottle, Color(s)</b>                  | Black                                                                                                                                                                                                              |
| <b>Technology</b>                                        | Laser                                                                                                                                                                                                              |
| <b>Supply Type</b>                                       | Cartridges                                                                                                                                                                                                         |
| <b>Operating Temperature Range (celsius)</b>             | 0 to 35°C                                                                                                                                                                                                          |
| <b>Storage Temperature Range (celsius)</b>               | -20 to 40°C                                                                                                                                                                                                        |
| <b>Operating Humidity Range</b>                          | 20 to 80% RH                                                                                                                                                                                                       |
| <b>Non-operating Humidity Range</b>                      | 10 to 90% RH                                                                                                                                                                                                       |
| <b>Print Resolution Technologies</b>                     | Laser Tank                                                                                                                                                                                                         |
| <b>Compatibility Statement</b>                           | HP LaserJet Pro 3001-3008dn/dw Printer series, HP LaserJet Pro 3001-3008dne/dwe HP+ Printer series, HP LaserJet Pro MFP 3101-3108fdn/fdw Printer series, HP LaserJet Pro MFP 3101-3108fdne/fdwe HP+ Printer series |
| <b>Product Count Per Unit</b>                            | 1                                                                                                                                                                                                                  |
| <b>Case or Master Carton Quantity</b>                    | 1                                                                                                                                                                                                                  |
| <b>Quantity Per Pallet</b>                               | 216                                                                                                                                                                                                                |
| <b>Cartons Per Pallet</b>                                | 216                                                                                                                                                                                                                |
| <b>UPC Number</b>                                        | 194850740930                                                                                                                                                                                                       |
| <b>Product Dimensions (metric)</b>                       | 27.5 x 8 x 8.5 cm                                                                                                                                                                                                  |
| <b>Product Dimensions (imperial)</b>                     | 10.8 x 3 x 3.35 in                                                                                                                                                                                                 |
| <b>Package Dimensions (metric)</b>                       | 109 x 364 x 136 mm                                                                                                                                                                                                 |
| <b>Package Dimensions (imperial)</b>                     | 4.29 x 14.33 x 5.35 in                                                                                                                                                                                             |
| <b>Dimensions (case or master carton, metric)</b>        | 364 x 109 x 136 mm                                                                                                                                                                                                 |
| <b>Case Dimensions (case or master carton, imperial)</b> | 14.33 x 4.29 x 5.35 in                                                                                                                                                                                             |
| <b>Pallet Dimensions (metric)</b>                        | 999 x 1232 x 1098 mm                                                                                                                                                                                               |
| <b>Pallet Dimensions (imperial)</b>                      | 39.3 x 48.5 x 43.2 in                                                                                                                                                                                              |
| <b>Package Weight (metric)</b>                           | ~0.86 kg                                                                                                                                                                                                           |
| <b>Package Weight (imperial)</b>                         | ~1.89 lb                                                                                                                                                                                                           |
| <b>Pallet Weight (metric)</b>                            | 206 kg                                                                                                                                                                                                             |
| <b>Pallet Weight (imperial)</b>                          | 454 lb                                                                                                                                                                                                             |
| <b>Page Yield</b>                                        | 4,000                                                                                                                                                                                                              |
| <b>Average Page Yield For A4 Format, Black and White</b> | Average cartridge yields 4,000 standard pages. Declared yield value in accordance with ISO/IEC 19752.                                                                                                              |



## Additional specifications

|                                          |                                                                                                                                                                                                                                                         |
|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Cartons Per Layer                        | 27                                                                                                                                                                                                                                                      |
| Cartridge Color                          | Black                                                                                                                                                                                                                                                   |
| Cartridge Package Selectability          | 138X                                                                                                                                                                                                                                                    |
| Compatibility Headline                   | HP 138 toner reload kits work with:                                                                                                                                                                                                                     |
| Count of Layers In Pallet                | 8                                                                                                                                                                                                                                                       |
| Geographic Availability of Product       | DM1                                                                                                                                                                                                                                                     |
| Operating Temperature Range (fahrenheit) | 32 to 95°F                                                                                                                                                                                                                                              |
| Package Count                            | 1                                                                                                                                                                                                                                                       |
| Page Yield (black)                       | (~4,000) pages                                                                                                                                                                                                                                          |
| Page Yield Footnote                      | Approximate average yield based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other factors. For details see <a href="http://www.hp.com/go/learnaboutsupplies">http://www.hp.com/go/learnaboutsupplies</a> . |
| Print Technology                         | Laser                                                                                                                                                                                                                                                   |
| Product Subgroup                         | High Capacity Toner Cartridges                                                                                                                                                                                                                          |
| Segment (filter)                         | Laser Tank                                                                                                                                                                                                                                              |
| Storage Temperature Range (fahrenheit)   | -4 to 104°F                                                                                                                                                                                                                                             |
| Subgroup                                 | High Capacity Cartridges                                                                                                                                                                                                                                |
| UNSPSC Code                              | 44103103                                                                                                                                                                                                                                                |
| Weight (imperial)                        | ~1.34 lb                                                                                                                                                                                                                                                |
| Weight (metric)                          | ~0.61 kg                                                                                                                                                                                                                                                |

---

## Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.