ProductSheet

HP 923e EvoMore Black Original Ink Cartridge (4K0T7LN)

HP's most sustainable ink cartridge for your printer[1]

Designed to print two times the pages as standard cartridges,[3] have a lower carbon footprint[2] and be easily recycled,[4] HP EvoMore Original Ink Cartridges combine HP's legendary performance and quality with added sustainability features.



Lower carbon footprint.[2] 2x the pages.[3]

Lower carbon footprint compared to standard cartridges by getting twice the number of pages. [2,3]

Three simple and easy ways to recycle[4,7]

Choose one of three easy ways to recycle your used cartridges through HP Planet Partners.[4,7]

Let's help restore our forests together [10] $\label{eq:lemma:equation} % \[\[\] \] = \[\] \[\] \[\$

Join the EvoMore Community to help restore forests by planting trees.[10] See how at http://hp.com/EvoMoreCommunity .

Specifications

Print Technology Ink Supply type Cartridges Operating temperature range 5 to 40°C Storage temperature range -40 to 70°C Operating humidity range 5 to 80% RH Non-Operating Humidity Range 5 to 80% RH Compatibility HP Officejet Pro 8120 series, HP OfficeJet Pro 8130 series Product count per unit 1 Quantity per pallet 4224 Cartons per pallet 176 UPC number (180) 197497913293; (RFD) 198990536910 Dimensions (W x D x H) 114.8 x 23.9 x 100.1 mm Dimensions (W x D x H) 4.52 x 0.94 x 3.94 in Package dimensions (W x D x H) 114.8 x 23.9 y 100.1 mm Package dimensions (W x D x H) 1016 x 1219.2 x 1333.5 mm Pallet dimensions 40 x 48 x 52.5 in Package weight -0.06 kg Package weight -0.14 lb Pallet weight 719.4 lb	-	
Supply type Cartridges Operating temperature range 5 to 40°C Storage temperature range -40 to 70°C Operating humidity range 5 to 80% RH Non-Operating Humidity Range 5 to 80% RH Compatibility HP Officejet Pro 8120 series, HP OfficeJet Pro 8130 series Product count per unit 1 Quantity per pallet 4224 Cartons per pallet 176 UPC number (180) 197497913293; (RFD) 198990536910 Dimensions (W x D x H) 114.8 x 23.9 x 100.1 mm Dimensions (W x D x H) 4.52 x 0.94 x 3.94 in Package dimensions (W x D x H) 114.8 x 23.9 x 100.1 mm Package dimensions (W x D x H) 1016 x 1219.2 x 1333.5 mm Pallet dimensions (W x D x H) 1016 x 1219.2 x 1333.5 mm Pallet dimensions 40 x 48 x 52.5 in Package weight ~0.06 kg Package weight ~0.14 lb Pallet weight 719.4 lb	Print Cartridge/Bottle, Color(s)	Black
Operating temperature range 5 to 40°C Storage temperature range -40 to 70°C Operating humidity range 5 to 80% RH Non-Operating Humidity Range 5 to 80% RH Compatibility HP Officejet Pro 8120 series, HP OfficeJet Pro 8130 series Product count per unit 1 Quantity per pallet 4224 Cartons per pallet 176 UPC number (180) 197497913293; (RFD) 198990536910 Dimensions (W x D x H) 114.8 x 23.9 x 100.1 mm Dimensions (W x D x H) 4.52 x 0.94 x 3.94 in Package dimensions (W x D x H) 114.8 x 23.9 x 100.1 mm Package dimensions (W x D x H) 1016 x 1219.2 x 1333.5 mm Pallet dimensions 40 x 48 x 52.5 in Package weight -0.06 kg Package weight -0.14 lb Pallet weight 326.6 kg Pallet weight 719.4 lb	Print Technology	Ink
Storage temperature range -40 to 70°C Operating humidity range 5 to 80% RH Non-Operating Humidity Range 5 to 80% RH Compatibility HP Officejet Pro 8120 series, HP OfficeJet Pro 8130 series Product count per unit 1 Quantity per pallet 4224 Cartons per pallet 176 UPC number (180) 197497913293; (RFD) 198990536910 Dimensions (W x D x H) 114.8 x 23.9 x 100.1 mm Dimensions (W x D x H) 4.52 x 0.94 x 3.94 in Package dimensions (W x D x H) 114.8 x 23.9 x 100.1 mm Pallet dimensions (W x D x H) 1016 x 1219.2 x 1333.5 mm Pallet dimensions 40 x 48 x 52.5 in Package weight ~0.06 kg Package weight ~0.14 lb Pallet weight 326.6 kg Pallet weight 719.4 lb	Supply type	Cartridges
Operating humidity range 5 to 80% RH Non-Operating Humidity Range 5 to 80% RH Compatibility HP Officejet Pro 8120 series, HP OfficeJet Pro 8130 series Product count per unit 1 Quantity per pallet 4224 Cartons per pallet 176 UPC number (180) 197497913293; (RFD) 198990536910 Dimensions (W x D x H) 114.8 x 23.9 x 100.1 mm Dimensions (W x D x H) 4.52 x 0.94 x 3.94 in Package dimensions (W x D x H) 114.8 x 23.9 x 100.1 mm Pallet dimensions (W x D x H) 4.52 x 0.94 x 3.94 in Pallet dimensions (W x D x H) 1016 x 1219.2 x 1333.5 mm Pallet dimensions 40 x 48 x 52.5 in Package weight ~0.06 kg Package weight ~0.14 lb Pallet weight 326.6 kg Pallet weight 719.4 lb	Operating temperature range	5 to 40°C
Non-Operating Humidity Range 5 to 80% RH Compatibility HP Officejet Pro 8120 series, HP OfficeJet Pro 8130 series Product count per unit 1 Quantity per pallet 4224 Cartons per pallet 176 UPC number (180) 197497913293; (RFD) 198990536910 Dimensions (W x D x H) 114.8 x 23.9 x 100.1 mm Dimensions (W x D x H) 4.52 x 0.94 x 3.94 in Package dimensions (W x D x H) 4.52 x 0.94 x 3.94 in Pallet dimensions (W x D x H) 1016 x 1219.2 x 1333.5 mm Pallet dimensions 40 x 48 x 52.5 in Package weight ~0.06 kg Package weight ~0.14 lb Pallet weight 326.6 kg Pallet weight 719.4 lb	Storage temperature range	-40 to 70°C
Compatibility HP Officejet Pro 8120 series, HP OfficeJet Pro 8130 series Product count per unit 1 Quantity per pallet 4224 Cartons per pallet 176 UPC number (180) 197497913293; (RFD) 198990536910 Dimensions (W x D x H) 114.8 x 23.9 x 100.1 mm Dimensions (W x D x H) 4.52 x 0.94 x 3.94 in Package dimensions (W x D x H) 114.8 x 23.9 x 100.1 mm Package dimensions (W x D x H) 4.52 x 0.94 x 3.94 in Pallet dimensions (W x D x H) 1016 x 1219.2 x 1333.5 mm Pallet dimensions 40 x 48 x 52.5 in Package weight ~0.06 kg Package weight ~0.14 lb Pallet weight 326.6 kg Pallet weight 719.4 lb	Operating humidity range	5 to 80% RH
Product count per unit 1 Quantity per pallet 4224 Cartons per pallet 176 UPC number (180) 197497913293; (RFD) 198990536910 Dimensions (W x D x H) 114.8 x 23.9 x 100.1 mm Dimensions (W x D x H) 4.52 x 0.94 x 3.94 in Package dimensions (W x D x H) 114.8 x 23.9 x 100.1 mm Package dimensions (W x D x H) 1016 x 1219.2 x 1333.5 mm Pallet dimensions 40 x 48 x 52.5 in Package weight ~0.06 kg Package weight ~0.14 lb Pallet weight 326.6 kg Pallet weight 719.4 lb	Non-Operating Humidity Range	5 to 80% RH
Quantity per pallet 4224 Cartons per pallet 176 UPC number (180) 197497913293; (RFD) 198990536910 Dimensions (W x D x H) 114.8 x 23.9 x 100.1 mm Dimensions (W x D x H) 4.52 x 0.94 x 3.94 in Package dimensions (W x D x H) 4.52 x 0.94 x 3.94 in Pallet dimensions (W x D x H) 1016 x 1219.2 x 1333.5 mm Pallet dimensions 40 x 48 x 52.5 in Package weight ~0.06 kg Package weight ~0.14 lb Pallet weight 326.6 kg Pallet weight 719.4 lb	Compatibility	HP Officejet Pro 8120 series, HP OfficeJet Pro 8130 series
Cartons per pallet 176 UPC number (180) 197497913293; (RFD) 198990536910 Dimensions (W x D x H) 114.8 x 23.9 x 100.1 mm Dimensions (W x D x H) 4.52 x 0.94 x 3.94 in Package dimensions (W x D x H) 114.8 x 23.9 x 100.1 mm Package dimensions (W x D x H) 4.52 x 0.94 x 3.94 in Pallet dimensions (W x D x H) 1016 x 1219.2 x 1333.5 mm Pallet dimensions 40 x 48 x 52.5 in Package weight ~0.06 kg Package weight ~0.14 lb Pallet weight 326.6 kg Pallet weight 719.4 lb	Product count per unit	1
UPC number (180) 197497913293; (RFD) 198990536910 Dimensions (W x D x H) 114.8 x 23.9 x 100.1 mm Dimensions (W x D x H) 4.52 x 0.94 x 3.94 in Package dimensions (W x D x H) 114.8 x 23.9 x 100.1 mm Package dimensions (W x D x H) 4.52 x 0.94 x 3.94 in Pallet dimensions (W x D x H) 1016 x 1219.2 x 13333.5 mm Pallet dimensions 40 x 48 x 52.5 in Package weight ~0.06 kg Package weight ~0.14 lb Pallet weight 326.6 kg Pallet weight 719.4 lb	Quantity per pallet	4224
Dimensions (W x D x H) 114.8 x 23.9 x 100.1 mm Dimensions (W x D x H) 4.52 x 0.94 x 3.94 in Package dimensions (W x D x H) 114.8 x 23.9 x 100.1 mm Package dimensions (W x D x H) 4.52 x 0.94 x 3.94 in Pallet dimensions (W x D x H) 1016 x 1219.2 x 1333.5 mm Pallet dimensions 40 x 48 x 52.5 in Package weight ~0.06 kg Package weight ~0.14 lb Pallet weight 326.6 kg Pallet weight 719.4 lb	Cartons per pallet	176
Dimensions (W x D x H) 4.52 x 0.94 x 3.94 in Package dimensions (W x D x H) 114.8 x 23.9 x 100.1 mm Package dimensions (W x D x H) 4.52 x 0.94 x 3.94 in Pallet dimensions (W x D x H) 1016 x 1219.2 x 1333.5 mm Pallet dimensions 40 x 48 x 52.5 in Package weight ~0.06 kg Package weight ~0.14 lb Pallet weight 326.6 kg Pallet weight 719.4 lb	UPC number	(180) 197497913293; (RFD) 198990536910
Package dimensions (W x D x H) 114.8 x 23.9 x 100.1 mm Package dimensions (W x D x H) 4.52 x 0.94 x 3.94 in Pallet dimensions (W x D x H) 1016 x 1219.2 x 1333.5 mm Pallet dimensions 40 x 48 x 52.5 in Package weight ~0.06 kg Package weight ~0.14 lb Pallet weight 326.6 kg Pallet weight 719.4 lb	Dimensions (W x D x H)	114.8 x 23.9 x 100.1 mm
Package dimensions (W x D x H) 4.52 x 0.94 x 3.94 in Pallet dimensions (W x D x H) 1016 x 1219.2 x 1333.5 mm Pallet dimensions 40 x 48 x 52.5 in Package weight ~0.06 kg Package weight ~0.14 lb Pallet weight 326.6 kg Pallet weight 719.4 lb	Dimensions (W x D x H)	4.52 x 0.94 x 3.94 in
Pallet dimensions (W x D x H) 1016 x 1219.2 x 1333.5 mm Pallet dimensions 40 x 48 x 52.5 in Package weight ~0.06 kg Package weight ~0.14 lb Pallet weight 326.6 kg Pallet weight 719.4 lb	Package dimensions (W x D x H)	114.8 x 23.9 x 100.1 mm
Pallet dimensions40 x 48 x 52.5 inPackage weight~0.06 kgPackage weight~0.14 lbPallet weight326.6 kgPallet weight719.4 lb	Package dimensions (W x D x H)	4.52 x 0.94 x 3.94 in
Package weight~0.06 kgPackage weight~0.14 lbPallet weight326.6 kgPallet weight719.4 lb	Pallet dimensions (W x D x H)	1016 x 1219.2 x 1333.5 mm
Package weight~0.14 lbPallet weight326.6 kgPallet weight719.4 lb	Pallet dimensions	40 x 48 x 52.5 in
Pallet weight326.6 kgPallet weight719.4 lb	Package weight	~0.06 kg
Pallet weight 719.4 lb	Package weight	~0.14 lb
	Pallet weight	326.6 kg
Page Yield 1000	Pallet weight	719.4 lb
	Page Yield	1000
Page yield (black and white) 1,000 pages	Page yield (black and white)	1,000 pages
What's in the box 1 Cartridge	What's in the box	1 Cartridge
Manufacturer Warranty HP's ink cartridges and printheads are warranted to be free from defects in materials and workmanship during the period of the warranty.	Manufacturer Warranty	· · · · · · · · · · · · · · · · · · ·

ProductSheet | HP 923e EvoMore Black Original Ink Cartridge (4K0T7LN)

Top Recommended Displays, Accessories and Services

No Top Recommended Displays, Accessories and Services

Messaging Footnotes

- [1] For OfficeJet and OfficeJet Pro 8120 and 8130 series printers when compared to standard Original HP Ink Cartridges for the same printer. See www.hp.com/EvoMoreLCA.
- [2] HP 923e/924e/925e EvoMore Ink Cartridges have a lower carbon footprint compared to standard 923/924/925 Original Ink Cartridges when normalized to print 1,000 pages. Based on LCA study conforming to ISO 14040/44 and third party verified. See www.hp.com/EvoMoreLCA
- [3] HP 923e/924e/925e EvoMore Original Ink Cartridges compared to HP 923/924/925 standard Original Ink Cartridges. Page yield tested in HP OfficeJet Pro 8120 series. Average continuous printing yield of black and composite (cyan/magenta/yellow) based on ISO/IEC 24711 or HP testing methodology. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/learnaboutsupplies.
- [4] Program availability varies. See www.hp.com/recycle.
- [7] Recycling compared to request-an-envelope process for standard Original HP Ink Cartridges for the same printer. Applies to HP 923e, 924e EvoMore Ink Cartridges. Only available in countries where cartridges can be returned through the mail. See www.hp.com/EvoMore for details. Customers can also drop off cartridges at collection sites. HP Planet Partners Program availability varies. For more information, visit www.hp.com/hprecycle.
- [10] The HP EvoMore Community is a compensation program to help offset the impact of HP's environmental activities by supporting large-scale reforestation efforts to restore high priority forests and wildlife habitats. Purchase and registration of your first HP EvoMore Original Ink Cartridge with EvoMore Community sign up will result in a \$5 contribution, and each subsequent verified purchase will result in a \$1 contribution to the Arbor Day Foundation for the planting of trees.

Technical Specifications Footnotes

No Technical Specifications Footnotes

© Copyright 2025 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

