

ProductSheet

**Poly PoE++ 65W 2.5G Adapter with 3.66m CAT6A Cable and Power Cord (B5NH6AA)**



## Specifications

|                                       |   |
|---------------------------------------|---|
| <b>Dimensions (W x D x H)</b>         | 65 x 140 x 38.5 mm  |
| <b>Dimensions (W x D x H)</b>         | 2.56 x 5.51 x 1.52 in   |
| <b>Weight</b>                         | 250 g   |
| <b>Weight</b>                         | 0.55 lb   |
| <b>Package dimensions (W x D x H)</b> | 153 x 297 x 56 mm   |
| <b>Package weight</b>                 | 800 g   |
| <b>UPC number</b>                     | (AB0) 198990106311; (AB1) 198990106328; (AB2) 198990106335; (ABA) 198990106342; (ABB) 198990106359; (ABG) 198990106366; (ABJ) 4582712587087; (ABM) 198990106373; (ABT) 198990106380; (ABU) 198990106397; (AC4) 198990106403; (ACJ) 198990106410; (ACQ) 198990106427; (AR6) 198990106434; (UUF) 198990106458; (UUZ) 198990106465 |
| <b>Manufacturer Warranty</b>          | Poly three-months limited warranty  |
| <b>What's in the box</b>              | PoE++ Injector; Power cable; Cat 6A Ethernet cable (3.66 m)   |

## Top Recommended Displays, Accessories and Services

No Top Recommended Displays, Accessories and Services

### **Messaging Footnotes**

No Messaging Footnotes

### **Technical Specifications Footnotes**

No Technical Specifications Footnotes

---

© Copyright 2025 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

