

AI-TS06360 3dBi and 5dBi Indoor Tri-band Antenna Technical Specifications

3dBi (2.4 GHz) and 5dBi (5 and 6 GHz) Indoor Dipole Tri-band with RP-SMA connector. It is supported on the AP4020X and AP4020FX. It is supported on the AP5022FX for BLE.

TECHNICAL SPECIFICATIONS

FREQUENCY/MAXIMUM GAIN

- 2.4-2.5 GHz/3 dBi
- 5.15-5.85 GHz/5 dBi
- 5.925-7.125 GHz/5 dBi

DIMENSIONS

- 158 mm x 17.7 mm x 6 mm
(6.22 inches x 0.69 inches x 0.23 inches)

POLARIZATION

- Linear

WEIGHT

- 14.76 g (0.032 lbs)

BEAMWIDTH

- Horizontal plane: 65°/55°
- Vertical plane: 65°/65°

HOUSING

- Housing: ABS

VSWR

- 2 max

IMPEDANCE

- 50 ohms

PIGTAILS

- 158 mm RP-SMA PLUG

MAXIMUM INPUT POWER

- 20 watts


OPERATING TEMPERATURE

- -30° C to +65° C




ANTENNA PATTERN PLOTS


Vertical Patterns



2 GHz




5 GHz




6GHz


Horizontal Patterns



2 GHz



5 GHz



6GHz

PURCHASE INFORMATION**ORDERING INFORMATION**

Part Number	Description
AI-TS06360	3dBi (2.4 GHz) and 5dBi (5 and 6 GHz) Indoor Dipole Tri-band with RP-SMA connector

Legal

Copyright © 2025 Extreme Networks, Inc. All rights reserved.

Legal Notice

Extreme Networks, Inc. reserves the right to make changes in specifications and other information contained in this document and its website without prior notice. The reader should in all cases consult representatives of Extreme Networks to determine whether any such changes have been made. The hardware, firmware, software or any specifications described or referred to in this document are subject to change without notice.

Trademarks

Extreme Networks and the Extreme Networks logo are trademarks or registered trademarks of Extreme Networks, Inc. in the United States and/or other countries. All other names (including any product names) mentioned in this document are the property of their respective owners and may be trademarks or registered trademarks of their respective companies/owners. For additional information on Extreme Networks trademarks, see: <http://www.extremenetworks.com/company/legal/trademarks>.

Open Source Declarations

Some software files have been licensed under certain open source or third-party licenses. End-user license agreements and open source declarations can be found at: [https:// www.extremenetworks.com/support/policies/open-source-declaration/](https://www.extremenetworks.com/support/policies/open-source-declaration/).

Corporate Headquarters

Extreme Networks is 2121 RDU Center Drive in Morrisville, NC