ProductSheet

HP 65W GaN Wall Charger (C90CKUT)

Powerful, portable charging for life on the go.

Power your day with the HP 65W GaN Wall Charger. Smaller, lighter,[6] and designed for efficient, safe charging,[5] it delivers reliable power for most USB-C® devices and protects against surge, overcurrent, overvoltage, and overtemperature.



Powerful, safe USB-C® charging
Experience powerful charging safely. With GaN technology for high efficiency,[1] PD 3.0 compliance, and up to 65W of adaptive power,[2] this charger keeps your USB-C® devices[3,4] running safely and reliably with built-in protection[5] against surges, overheating, and overcharging—all following the latest safety standards.

Smaller design, easier to carry
Travel-ready charging. Built on GaN technology, this adapter is 35% smaller and 15% lighter than before[6], and it includes a detachable plug to pack easily in your bag or pocket and get local compatibility.

Extra length. Extra flexibility.
Start charging straight out of the box. This charger includes a 2 m USB-C® cable, giving you extra length and flexibility, and skipping the extra purchase. Everything you need, included.

Featuring

Detachable plug for local compatibility
Includes a detachable plug for local compatibility, so you can charge your devices wherever you go. Have power and adaptability without limits.

Power that adjusts to your needs
Experience smart charging and get just the right amount of power for your device—providing efficient, safe, and adaptive charge. [2]

Compatible with most USB-C® devices
One charger for your essentials. Compatible with most USB-C® devices, this charger delivers reliable charging for laptops, smartphones, and tablets—designed for everyday versatility. [10]

Built-in hardware protection
Built-in protection against surge, overcurrent, overvoltage and overtemperature. [5]

2 m USB-C® cable included
The 2 m detachable low-halogen 2 m USB-C® cable offers flexibility to charge from your desk, couch, or wherever's convenient. [9]

Specifications

Product Dimensions (metric)	65 x 32 x 32 mm
Product Dimensions (imperial)	2.56 x 1.26 x 1.26 in
Weight (metric)	115 g
Weight (imperial)	0.24 lb
Package Dimensions (metric)	131 x 117 x 56 mm
Package Dimensions (imperial)	5.1 x 4.6 x 2.2 in
Package Weight (metric)	270 g
Package Weight (imperial)	0.6 lb
Sustainability Specifications	FSC Certified Packaging; 90% post-consumer recycled plastic
System Requirements, Minimum	USB Type-C® port
UPC Number	(AB0) 199896947626; (AB1) 199642432307; (AB2) 199642432314; (ABA) 821844102510; (ABB) 199642432321; (ABG) 199642432338; (ABJ) 821844012130; (ABM) 199896947633; (ABU) 199642432345; (AC4) 199642432352; (AC8) 199642432369; (ACJ) 199642432376; (ACQ) 199642432383; (AKH) 199642432390; (AKL) 885981038385; (AR6) 199642432406; (UUF) 199642432413
Manufacturer Warranty	HP standard one-year limited warranty
What Is In The Box	AC power adapter; USB Type-C® cable, Product notice; Warranty card; Quick start guide

Top Recommended Displays, Accessories and Services

No Top Recommended Displays, Accessories and Services

Messaging Footnotes

[1] Compliant with EU Lot7 power efficiency.

[2] Adaptive power output(15W/27W/45W/65W)

[3] Supports USB-C® PD protocol.

[4] Up to 65W max output.

[5] Compliant with the latest safety standards (IEC 62368-1).

[6] Based on dimensions from prior generation product HP 65W USB-C Laptop Charger: L 97 x W 53.5 x H 21 mm. Weight specs exclude detachable plug.

[9] Low-halogen material complies with IEEE 1680.1-2018 Bromine and Chlorine requirement.

[10] Compatible with most devices that charge using USB-C®.

Technical Specifications Footnotes

No Technical Specifications Footnotes

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.