


BIXOLON

Code Page Manual

LINERLESS PRINTER

Ver. 1.00

SRP-S3000



<http://www.bixolon.com>

Table of Contents

1. Notice.....	3
2. 437 (USA, Standard Europe)	5
3. Katakana.....	6
4. 850 (Multilingual).....	7
5. 860 (Portuguese)	8
6. 863 (Canadian-French).....	9
7. 865 (Nordic).....	10
8. 1252 (Latin I)	11
9. 866 (Cyrillic #2).....	12
10. 852 (Latin 2).....	13
11. 858 (Euro)	14
12. 862 (Hebrew DOS code).....	15
13. 864 (Arabic)	16
14. Thai character code 42.....	17
15. 1253 (Greek).....	18
16. 1254 (Turkish)	19
17. 1257 (Baltic).....	20
18. Farsi.....	21
19. 1251 (Cyrillic).....	22
20. 737 (Greek).....	23
21. 775 (Baltic).....	24
22. Thai character code 14.....	25
23. Hebrew Old code	26
24. 1255 (Hebrew New code).....	27
25. Thai character code 11	28
26. Thai character code 18.....	29
27. 855 (Cyrillic)	30
28. 857 (Turkish)	31
29. 928 (Greek).....	32
30. Thai character code 16.....	33
31. 1256 (Arabic)	34
32. 1258 (Vietnam).....	35
33. Khmer (Cambodia).....	36
34. 1250 (Czech)	37
34. Latin 9	37
36. TCVN-3	39
37. TCVN-3 (Capital).....	40
38. 865 + 1252 (European Combined)	41
39. International character code table.....	41

1. Notice

The following pages show the character code tables. To find the character corresponding to a hexadecimal number, count across the top of the table for the left digit and count down the left column of the table for the right digit.

For example, 4A = J. (Page 0)

	HEX	4		
HEX	BIN	0100		
A	1010	<table><tr><td> </td></tr><tr><td>74</td></tr></table>		74
74				

Code Page Manual

Model

Type	Series
A	SRP
B	SPP-R
C	SLP, SPP-L, XD, XL, XM, XQ, XT, SPP-770III, SPP-E770III

Code Page	A	B	C	ESC/P Name
437 (USA, Standard Europe)	•	•	•	Page 0
Katakana	•	•		Page 1
850 (Multilingual)	•	•	•	Page 2
860 (Portuguese)	•	•	•	Page 3
863 (Canadian-French)	•	•	•	Page 4
865 (Nordic)	•	•	•	Page 5
1252 (Latin I)	•	•	•	Page 16
866 (Cyrillic #2)	•	•	•	Page 17
852 (Latin 2)	•	•	•	Page 18
858 (Euro)	•	•	•	Page 19
862 (Hebrew DOS code)	•	•	•	Page 21
864 (Arabic)	•	•	•	Page 22
Thai character code 42	•	•		Page 23
1253 (Greek)	•	•	•	Page 24
1254 (Turkish)	•	•	•	Page 25
1257 (Baltic)	•	•	•	Page 26
Farsi	•	•		Page 27
1251 (Cyrillic)	•	•	•	Page 28
737 (Greek)	•	•	•	Page 29
775 (Baltic)	•	•	•	Page 30
Thai character code 14	•	•		Page 31
Hebrew Old code	•	•		Page 32
1255 (Hebrew New code)	•	•	•	Page 33
Thai character code 11	•	•		Page 34
Thai character code 18	•	•		Page 35
855 (Cyrillic)	•	•	•	Page 36
857 (Turkish)	•	•	•	Page 37
928 (Greek)	•	•	•	Page 38
Thai character code 16	•	•		Page 39
1256 (Arabic)	•	•		Page 40
1258 (Vietnam)	•	•		Page 41
Khmer (Cambodia)	•	•		Page 42
1250 (Czech)	•	•	•	Page 47
Latin 9		•		Page 48
TCVN-3	•			Page 49
TCVN-3 (Capital)	•			Page 50
865 + 1252 (European Combined)			•	

Code Page Manual

2. 437 (USA, Standard Europe)

	HEX	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
HEX	BIN	0000	0001	0010	0011	0100	0101	0110	0111	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	NUL 0	DLE 16	SP 32	0 48	@ 64	P 80	` 96	p 112	C 128	É 144	á 160	 176	L 192	ll 208	α 224	≡ 240
1	0001			! 33	1 49	A 65	O 81	a 97	ɑ 113	ü 129	æ 145	í 161	 177	l 193	≡ 209	β 225	± 241
2	0010			" 34	2 50	B 66	R 82	b 98	r 114	é 130	Æ 146	ó 162	 178	l 194	π 210	Γ 226	≥ 242
3	0011			# 35	3 51	C 67	S 83	c 99	s 115	â 131	ô 147	ú 163	l 179	l 195	ll 211	π 227	≤ 243
4	0100	EOT 4		\$ 36	4 52	D 68	T 84	d 100	t 116	ä 132	ö 148	ñ 164	l 180	— 196	l 212	Σ 228	ƒ 244
5	0101	ENQ 5		% 37	5 53	E 69	U 85	e 101	u 117	à 133	ò 149	Ñ 165	l 181	l 197	l 213	σ 229	l 245
6	0110			& 38	6 54	F 70	V 86	f 102	v 118	å 134	û 150	a 166	ll 182	l 198	π 214	u 230	÷ 246
7	0111			' 39	7 55	G 71	W 87	ɑ 103	w 119	c 135	ù 151	° 167	π 183	ll 199	ll 215	τ 231	≈ 247
8	1000	BS 8	CAN 24	(40	8 56	H 72	X 88	h 104	x 120	ê 136	ÿ 152	¿ 168	l 184	ll 200	≠ 216	Φ 232	° 248
9	1001	HT 9		) 41	9 57	I 73	Y 89	i 105	y 121	ë 137	Ö 153	l 169	ll 185	ll 201	l 217	Θ 233	· 249
A	1010	LF 10		* 42	: 58	l 74	Z 90	i 106	z 122	è 138	Ü 154	l 170	ll 186	ll 202	l 218	Ω 234	· 250
B	1011		ESC 27	+ 43	: 59	K 75	l 91	k 107	{ 123	ï 139	ç 155	½ 171	l 187	ll 203	 219	δ 235	√ 251
C	1100	FF 12	FS 28	 44	< 60	L 76	\ 92	l 108	l 124	î 140	£ 156	¼ 172	ll 188	ll 204	 220	∞ 236	n 252
D	1101	CR 13	GS 29	- 45	= 61	M 77	l 93	m 109	} 125	ì 141	¥ 157	i 173	ll 189	= 205	 221	ω 237	2 253
E	1110			· 46	> 62	N 78	^ 94	n 110	~ 126	Ä 142	Pt 158	« 174	l 190	ll 206	 222	ε 238	■ 254
F	1111			/ 47	? 63	O 79		o 95	SP 127	Å 143	f 159	» 175	l 191	ll 207	 223	∩ 239	SP 255

Code Page Manual

3. Katakana

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	一 128	上 144	SP 160	一 176	タ 192	ミ 208	= 224	× 240
1	0001	- 129	下 145	。 161	ア 177	チ 193	ム 209	ト 225	円 241
2	0010	- 130	下 146	「 162	イ 178	ツ 194	メ 210	キ 226	年 242
3	0011	- 131	ト 147	、 163	ウ 179	テ 195	モ 211	ト 227	月 243
4	0100	■ 132	一 148	、 164	エ 180	ト 196	ヤ 212	▲ 228	日 244
5	0101	■ 133	一 149	・ 165	オ 181	ナ 197	ユ 213	▲ 229	時 245
6	0110	■ 134	一 150	ヲ 166	カ 182	ニ 198	ヨ 214	▲ 230	分 246
7	0111	■ 135	一 151	ア 167	キ 183	ヌ 199	ラ 215	▲ 231	秒 247
8	1000	一 136	「 152	イ 168	ク 184	ネ 200	リ 216	♠ 232	〒 248
9	1001	一 137	「 153	ウ 169	ケ 185	ノ 201	ル 217	♥ 233	市 249
A	1010	一 138	「 154	エ 170	コ 186	ハ 202	レ 218	♦ 234	区 250
B	1011	一 139	「 155	オ 171	サ 187	ヒ 203	ロ 219	♣ 235	町 251
C	1100	一 140	「 156	ヤ 172	シ 188	フ 204	ワ 220	● 236	村 252
D	1101	一 141	「 157	ユ 173	ス 189	ヘ 205	ン 221	○ 237	人 253
E	1110	一 142	「 158	ヨ 174	セ 190	ホ 206	、 222	/ 238	■ 254
F	1111	一 143	「 159	ツ 175	ソ 191	マ 207	。 223	\ 239	SP 255

Code Page Manual

4. 850 (Multilingual)

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	Ç 128	É 144	á 160	░ 176	Ł 192	đ 208	Ó 224	- 240
1	0001	Ü 129	æ 145	í 161	▒ 177	ł 193	Đ 209	ß 225	± 241
2	0010	é 130	Æ 146	ó 162	▓ 178	ṽ 194	Ê 210	Ô 226	242
3	0011	â 131	ô 147	ú 163	179	ṽ 195	Ë 211	Ò 227	¾ 243
4	0100	ä 132	ö 148	ñ 164	┆ 180	— 196	È 212	õ 228	¶ 244
5	0101	à 133	ò 149	Ñ 165	Á 181	† 197	ı 213	Õ 229	§ 245
6	0110	å 134	û 150	ª 166	Â 182	ã 198	Í 214	u 230	÷ 246
7	0111	ç 135	ù 151	º 167	À 183	Ã 199	Î 215	b 231	· 247
8	1000	ê 136	ÿ 152	; 168	© 184	ℒ 200	İ 216	þ 232	° 248
9	1001	ë 137	Ö 153	® 169	≡ 185	℞ 201	Ј 217	Ú 233	¨ 249
A	1010	è 138	Ü 154	¬ 170	∥ 186	ℒ 202	ƒ 218	Û 234	˙ 250
B	1011	ï 139	ø 155	½ 171	¬ 187	℞ 203	■ 219	Ù 235	¹ 251
C	1100	î 140	£ 156	¼ 172	⌋ 188	ℒ 204	■ 220	Ý 236	³ 252
D	1101	ì 141	Ø 157	ı 173	ç 189	= 205	! 221	Ý 237	² 253
E	1110	Ä 142	× 158	« 174	¥ 190	≡ 206	Ì 222	- 238	■ 254
F	1111	Å 143	f 159	« 175	¬ 191	¤ 207	■ 223	' 239	SP 255

Code Page Manual

5. 860 (Portuguese)

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	C 128	É 144	á 160	 176	L 192	⌌ 208	α 224	≡ 240
1	0001	ü 129	À 145	í 161	 177	⊥ 193	⌑ 209	β 225	± 241
2	0010	é 130	È 146	ó 162	 178	⊥ 194	π 210	Γ 226	≥ 242
3	0011	â 131	ô 147	ú 163	179	⊥ 195	⌌ 211	π 227	≤ 243
4	0100	ã 132	õ 148	ñ 164	⊥ 180	— 196	⌌ 212	Σ 228	∫ 244
5	0101	à 133	ò 149	Ñ 165	⊥ 181	⊥ 197	⌌ 213	σ 229	245
6	0110	Á 134	Ú 150	a 166	⌌ 182	⌌ 198	π 214	μ 230	÷ 246
7	0111	c 135	ù 151	o 167	π 183	⌌ 199	⌌ 215	τ 231	≈ 247
8	1000	ê 136	ì 152	; 168	⌌ 184	⌌ 200	⌌ 216	Φ 232	° 248
9	1001	Ê 137	Õ 153	Ò 169	⌌ 185	⌌ 201	— 217	Θ 233	· 249
A	1010	è 138	Ü 154	¬ 170	⌌ 186	⌌ 202	⌌ 218	Ω 234	· 250
B	1011	Í 139	ç 155	½ 171	⌌ 187	⌌ 203	 219	δ 235	√ 251
C	1100	Ô 140	£ 156	¼ 172	⌌ 188	⌌ 204	 220	∞ 236	n 252
D	1101	ì 141	Ù 157	i 173	⌌ 189	= 205	 221	ϖ 237	² 253
E	1110	Ã 142	Pt 158	« 174	⌌ 190	⌌ 206	 222	ε 238	■ 254
F	1111	Â 143	Ó 159	« 175	¬ 191	⌌ 207	 223	∩ 239	SP 255

Code Page Manual

6. 863 (Canadian-French)

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	Ç 128	É 144	Ì 160	Ñ 176	Ł 192	ǀ 208	α 224	≡ 240
1	0001	Ü 129	È 145	´ 161	Ñ 177	Ł 193	ǁ 209	β 225	± 241
2	0010	é 130	Ê 146	Ó 162	Ñ 178	Ŧ 194	π 210	Γ 226	≥ 242
3	0011	â 131	ô 147	ú 163	ı 179	ƒ 195	ǂ 211	π 227	≤ 243
4	0100	Â 132	È 148	¨ 164	ı 180	— 196	Ł 212	Σ 228	ƒ 244
5	0101	à 133	Ï 149	· 165	ƒ 181	† 197	Ƒ 213	σ 229	ı 245
6	0110	¶ 134	û 150	³ 166	ƒ 182	ƒ 198	π 214	υ 230	÷ 246
7	0111	ç 135	ù 151	- 167	π 183	ƒ 199	ƒ 215	τ 231	≈ 247
8	1000	ê 136	α 152	Î 168	ƒ 184	Ł 200	≠ 216	Φ 232	° 248
9	1001	ë 137	Ô 153	ƒ 169	ƒ 185	ƒ 201	— 217	Θ 233	· 249
A	1010	è 138	Ü 154	ƒ 170	ƒ 186	Ł 202	ƒ 218	Ω 234	· 250
B	1011	ï 139	Ç 155	½ 171	ƒ 187	ƒ 203	■ 219	δ 235	√ 251
C	1100	î 140	£ 156	¼ 172	ƒ 188	ƒ 204	■ 220	∞ 236	ⁿ 252
D	1101	141	Ù 157	¾ 173	ƒ 189	= 205	■ 221	ω 237	² 253
E	1110	À 142	Û 158	« 174	ƒ 190	ƒ 206	■ 222	ε 238	■ 254
F	1111	§ 143	ƒ 159	« 175	ƒ 191	ƒ 207	■ 223	∩ 239	SP 255

Code Page Manual

7. 865 (Nordic)

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	Ç 128	É 144	á 160	 176	Ł 192	ll 208	α 224	≡ 240
1	0001	Ü 129	æ 145	í 161	 177	ł 193	ŧ 209	ß 225	± 241
2	0010	é 130	Æ 146	ó 162	 178	ṽ 194	π 210	Γ 226	≥ 242
3	0011	â 131	ô 147	ú 163	179	ṽ 195	ll 211	π 227	≤ 243
4	0100	ä 132	ö 148	ñ 164	† 180	— 196	Ł 212	Σ 228	ƒ 244
5	0101	à 133	ò 149	Ñ 165	‡ 181	† 197	Ɔ 213	σ 229	245
6	0110	å 134	û 150	ª 166	‡ 182	ṽ 198	π 214	u 230	÷ 246
7	0111	ç 135	ù 151	º 167	π 183	ll 199	ll 215	τ 231	≈ 247
8	1000	ê 136	ÿ 152	; 168	‡ 184	Ł 200	≠ 216	Φ 232	° 248
9	1001	ë 137	Ö 153	ƒ 169	ll 185	Ɔ 201	— 217	Θ 233	· 249
A	1010	è 138	Ü 154	ƒ 170	ll 186	ll 202	ƒ 218	Ω 234	· 250
B	1011	ï 139	ø 155	½ 171	ƒ 187	ŧ 203	 219	δ 235	√ 251
C	1100	î 140	£ 156	¼ 172	ll 188	ll 204	 220	∞ 236	ⁿ 252
D	1101	ì 141	Ø 157	ı 173	ll 189	= 205	 221	ω 237	² 253
E	1110	Ä 142	Pt 158	« 174	ll 190	ll 206	 222	ε 238	■ 254
F	1111	Å 143	f 159	α 175	ƒ 191	ll 207	 223	∩ 239	SP 255

Code Page Manual

8. 1252 (Latin I)

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	€ 128			° 176	À 192	Ð 208	à 224	ð 240
1	0001		' 145	í 161	± 177	Á 193	Ñ 209	á 225	ñ 241
2	0010	· 130	' 146	ç 162	² 178	Â 194	Ò 210	â 226	ò 242
3	0011	f 131	" 147	£ 163	³ 179	Ã 195	Ó 211	ã 227	ó 243
4	0100	" 132	" 148	¤ 164	' 180	Ä 196	Ô 212	ä 228	ô 244
5	0101	... 133	• 149	¥ 165	µ 181	Å 197	Õ 213	å 229	õ 245
6	0110	† 134	– 150	! 166	¶ 182	Æ 198	Ö 214	æ 230	ö 246
7	0111	‡ 135	— 151	§ 167	· 183	Ç 199	× 215	ç 231	÷ 247
8	1000	^ 136	~ 152	.. 168		È 200	Ø 216	è 232	ø 248
9	1001	‰ 137	™ 153	© 169	¹ 185	É 201	Ù 217	é 233	ù 249
A	1010	Š 138	š 154	ª 170	º 186	Ê 202	Ú 218	ê 234	ú 250
B	1011	< 139	> 155	« 171	» 187	Ë 203	Û 219	ë 235	û 251
C	1100	Œ 140	œ 156	¬ 172	¼ 188	Ì 204	Ü 220	ì 236	ü 252
D	1101		- 157	- 173	½ 189	Í 205	Ý 221	í 237	ý 253
E	1110	Ž 142	ž 158	® 174	¾ 190	Î 206	Þ 222	î 238	þ 254
F	1111		ÿ 159	- 175	; 191	Ï 207	ß 223	ï 239	ÿ 255

Code Page Manual

9. 866 (Cyrillic #2)

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	А 128	Р 144	а 160	 176	Л 192	л 208	р 224	ё 240
1	0001	Б 129	С 145	б 161	 177	Л 193	л 209	с 225	ё 241
2	0010	В 130	Т 146	в 162	 178	Т 194	т 210	т 226	ё 242
3	0011	Г 131	У 147	г 163	Г 179	Т 195	л 211	у 227	ё 243
4	0100	Д 132	Ф 148	д 164	Г 180	— 196	л 212	ф 228	й 244
5	0101	Е 133	Х 149	е 165	Г 181	Г 197	ф 213	х 229	й 245
6	0110	Ж 134	Ц 150	ж 166	Г 182	Г 198	г 214	ц 230	й 246
7	0111	З 135	Ч 151	з 167	Г 183	Г 199	Г 215	ч 231	й 247
8	1000	И 136	Ш 152	и 168	Г 184	л 200	Г 216	ш 232	° 248
9	1001	Й 137	Щ 153	й 169	Г 185	Г 201	Г 217	щ 233	° 249
A	1010	К 138	Ъ 154	к 170	Г 186	л 202	Г 218	ъ 234	° 250
B	1011	Л 139	Ы 155	л 171	Г 187	Г 203	 219	ы 235	√ 251
C	1100	М 140	Ь 156	м 172	Г 188	Г 204	 220	ь 236	№ 252
D	1101	Н 141	Э 157	н 173	Г 189	= 205	 221	э 237	α 253
E	1110	О 142	Ю 158	о 174	Г 190	Г 206	 222	ю 238	■ 254
F	1111	П 143	Я 159	п 175	Г 191	Г 207	 223	я 239	SP 255

10. 852 (Latin 2)

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	C 128	É 144	á 160	 176	L 192	đ 208	Ó 224	- 240
1	0001	ü 129	Í 145	í 161	 177	Ł 193	Đ 209	ß 225	” 241
2	0010	é 130	Í 146	ó 162	 178	Ṭ 194	Ǧ 210	Ô 226	242
3	0011	â 131	ô 147	ú 163	l 179	Ṭ 195	Ě 211	Ň 227	ˇ 243
4	0100	ä 132	ö 148	À 164	ł 180	— 196	d' 212	ń 228	ˇ 244
5	0101	ű 133	Ĺ 149	a 165	Á 181	† 197	Ň 213	ň 229	§ 245
6	0110	ć 134	ĺ 150	ž 166	Â 182	Ǻ 198	Í 214	Š 230	÷ 246
7	0111	c 135	Ś 151	ž 167	Ě 183	ǻ 199	Î 215	š 231	· 247
8	1000	ł 136	ś 152	E 168	S 184	Ł 200	ě 216	Ř 232	° 248
9	1001	ë 137	Ö 153	e 169	ł 185	Ṭ 201	Ĳ 217	Ú 233	¨ 249
A	1010	Ő 138	Ü 154	¬ 170	ll 186	Ṭ 202	Ṭ 218	ú 234	· 250
B	1011	ő 139	ť 155	ž 171	ł 187	Ṭ 203	 219	Ů 235	ů 251
C	1100	î 140	ť 156	č 172	ł 188	Ṭ 204	 220	ý 236	ř 252
D	1101	ž 141	ł 157	s 173	ž 189	= 205	T 221	Ý 237	ř 253
E	1110	Ä 142	× 158	« 174	ž 190	Ṭ 206	Ů 222	t 238	■ 254
F	1111	Ć 143	č 159	» 175	ł 191	Ṭ 207	 223	’ 239	SP 255

Code Page Manual

11. 858 (Euro)

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	Ç128	É144	á160	░176	Ł192	đ208	Ó224	-240
1	0001	Ü129	æ145	í161	▒177	┴193	Đ209	ß225	±241
2	0010	é130	Æ146	ó162	▓178	┴194	Ê210	Ô226	242
3	0011	â131	ô147	ú163	179	┴195	Ë211	Ò227	¾243
4	0100	ä132	ö148	ñ164	┴180	—196	È212	õ228	¶244
5	0101	à133	ò149	Ñ165	Á181	†197	€213	Õ229	§245
6	0110	å134	û150	ª166	Â182	ã198	Í214	u230	÷246
7	0111	ç135	ù151	º167	À183	Ã199	Î215	b231	·247
8	1000	ê136	ÿ152	¸168	©184	ℒ200	İ216	þ232	°248
9	1001	ë137	Ö153	®169	≡185	℞201	Ј217	Ú233	¨249
A	1010	è138	Ü154	¬170	∥186	℔202	Г218	Û234	·250
B	1011	ï139	ø155	½171	¬187	℥203	■219	Ù235	¹251
C	1100	î140	£156	¼172	⌋188	℔204	■220	Ý236	³252
D	1101	ì141	Ø157	ı173	ç189	=205	!221	Ý237	²253
E	1110	Ä142	×158	«174	¥190	≡206	Ì222	-238	■254
F	1111	Å143	ƒ159	«175	¬191	¤207	■223	´239	SP255

Code Page Manual

12. 862 (Hebrew DOS code)

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	א 128	ב 144	א 160	א 176	ל 192	ל 208	א 224	א 240
1	0001	ב 129	ב 145	א 161	א 177	ל 193	ל 209	א 225	א 241
2	0010	א 130	ב 146	א 162	א 178	ל 194	ל 210	א 226	א 242
3	0011	א 131	ב 147	א 163	א 179	ל 195	ל 211	א 227	א 243
4	0100	א 132	ב 148	א 164	א 180	ל 196	ל 212	א 228	א 244
5	0101	א 133	ב 149	א 165	א 181	ל 197	ל 213	א 229	א 245
6	0110	א 134	ב 150	א 166	א 182	ל 198	ל 214	א 230	א 246
7	0111	א 135	ב 151	א 167	א 183	ל 199	ל 215	א 231	א 247
8	1000	א 136	ב 152	א 168	א 184	ל 200	ל 216	א 232	א 248
9	1001	א 137	ב 153	א 169	א 185	ל 201	ל 217	א 233	א 249
A	1010	א 138	ב 154	א 170	א 186	ל 202	ל 218	א 234	א 250
B	1011	א 139	ב 155	א 171	א 187	ל 203	ל 219	א 235	א 251
C	1100	א 140	ב 156	א 172	א 188	ל 204	ל 220	א 236	א 252
D	1101	א 141	ב 157	א 173	א 189	ל 205	ל 221	א 237	א 253
E	1110	א 142	ב 158	א 174	א 190	ל 206	ל 222	א 238	א 254
F	1111	א 143	ב 159	א 175	א 191	ל 207	ל 223	א 239	א 255

Code Page Manual

13. 864 (Arabic)

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	° 128	β 144	SP 160	° 176	ç 192	ذ 208	- 224	ـ 240
1	0001	· 129	∞ 145	- 161	١ 177	ء 193	ر 209	ف 225	ّ 241
2	0010	· 130	ω 146	آ 162	٢ 178	آ 194	ز 210	ق 226	ن 242
3	0011	√ 131	± 147	£ 163	٣ 179	أ 195	س 211	ك 227	ه 243
4	0100	 132	½ 148	α 164	٤ 180	ؤ 196	شد 212	ل 228	ه 244
5	0101	— 133	¼ 149	أ 165	٥ 181	ع 197	ص 213	م 229	ى 245
6	0110	 134	≈ 150	 166	٦ 182	ئ 198	ض 214	ن 230	ي 246
7	0111	÷ 135	« 151	€ 167	٧ 183	ا 199	ط 215	ه 231	غ 247
8	1000	‡ 136	» 152	ل 168	٨ 184	ب 200	ظ 216	و 232	ق 248
9	1001	‡ 137	لا 153	ب 169	٩ 185	ة 201	ع 217	ى 233	لا 249
A	1010	‡ 138	لا 154	ت 170	ف 186	ت 202	غ 218	ي 234	لا 250
B	1011	‡ 139	 155	ث 171	؛ 187	ث 203	؛ 219	ض 235	ل 251
C	1100	‡ 140	 156	، 172	س 188	ج 204	‡ 220	ع 236	ك 252
D	1101	‡ 141	لا 157	ج 173	ش 189	ح 205	÷ 221	غ 237	ي 253
E	1110	‡ 142	لا 158	ح 174	ص 190	خ 206	× 222	غ 238	■ 254
F	1111	‡ 143	، 159	خ 175	؟ 191	د 207	ع 223	م 239	SP 255

Code Page Manual

14. Thai character code 42

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	┐ 128	○ 144	SP 160	ฒ 176	ย 192	เ 208	็ 224	๒ 240
1	0001	└ 129	๑ 145	ก 161	ณ 177	ร 193	แ 209	ั 225	๓ 241
2	0010	┌ 130	๒ 146	ข 162	ด 178	ถ 194	โ 210	ุ 226	๔ 242
3	0011	┐ 131	๓ 147	ค 163	ต 179	ล 195	ใ 211	ู 227	๕ 243
4	0100	└ 132	๔ 148	ฆ 164	ถ 180	ว 196	ไ 212	ุ 228	๖ 244
5	0101	— 133	๕ 149	ง 165	ท 181	ศ 197	ๆ 213		๗ 245
6	0110	└ 134	๖ 150	จ 166	ธ 182	ช 198	ๆ 214	่ 230	๘ 246
7	0111	└ 135	๗ 151	ฉ 167	น 183	ส 199	อ 215	้ 231	๙ 247
8	1000	┐ 136	๘ 152	ช 168	บ 184	ห 200	อ 216	๒ 232	๑๐ 248
9	1001	└ 137	๙ 153	ช 169	ป 185	พ 201	อ 217	๓ 233	๑๑ 249
A	1010	┐ 138	๑๐ 154	ฌ 170	ผ 186	อ 202	อ 218	๔ 234	๑๒ 250
B	1011	■ 139	๑๑ 155	ญ 171	ฝ 187	ฮ 203	อ 219	๕ 235	๑๓ 251
C	1100	← 140	๑๒ 156	ฉ 172	พ 188	ะ 204	อ 220	๖ 236	๑๔ 252
D	1101	↑ 141	๑๓ 157	ฉ 173	ฟ 189	ภ 205	อ 221	๗ 237	๑๕ 253
E	1110	→ 142	๑๔ 158	ฌ 174	ภ 190	า 206	อ 222	๘ 238	๑๖ 254
F	1111	↓ 143	๑๕ 159	ท 175	ม 191	ำ 207	อ 223	๙ 239	๑๗ 255

Code Page Manual

15. 1253 (Greek)

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	€ 128	144	SP 160	° 176	ı 192	Π 208	Ů 224	π 240
1	0001	129	' 145	ˆ 161	± 177	Α 193	Ρ 209	α 225	ο 241
2	0010	. 130	' 146	Ά 162	² 178	Β 194	210	β 226	ς 242
3	0011	f 131	“ 147	£ 163	³ 179	Γ 195	Σ 211	ν 227	σ 243
4	0100	” 132	” 148	α 164	' 180	Δ 196	Τ 212	δ 228	τ 244
5	0101	… 133	• 149	¥ 165	μ 181	Ε 197	Υ 213	ε 229	υ 245
6	0110	† 134	– 150	! 166	¶ 182	Ζ 198	Φ 214	ζ 230	ω 246
7	0111	‡ 135	— 151	§ 167	· 183	Η 199	Χ 215	η 231	χ 247
8	1000	136	152	“ 168	Έ 184	Θ 200	Ψ 216	θ 232	ψ 248
9	1001	‰ 137	™ 153	© 169	Ή 185	Ι 201	Ω 217	ι 233	ω 249
A	1010	138	154	170	Ί 186	Κ 202	Ϊ 218	κ 234	ϊ 250
B	1011	< 139	> 155	« 171	» 187	Λ 203	Ϋ 219	λ 235	ϋ 251
C	1100	140	156	¬ 172	Ό 188	Μ 204	ά 220	μ 236	ό 252
D	1101	141	157	- 173	½ 189	Ν 205	έ 221	ν 237	ύ 253
E	1110	142	158	® 174	Ύ 190	Ξ 206	ή 222	ξ 238	ώ 254
F	1111	143	159	— 175	Ω 191	Ο 207	ί 223	ο 239	255

Code Page Manual

16. 1254 (Turkish)

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	€ 128		SP 160	° 176	À 192	Ğ 208	à 224	ă 240
1	0001		' 145	ı 161	± 177	Á 193	Ñ 209	á 225	ñ 241
2	0010	· 130	' 146	Ç 162	² 178	Â 194	Ò 210	â 226	ò 242
3	0011	f 131	" 147	£ 163	³ 179	Ã 195	Ó 211	ã 227	ó 243
4	0100	" 132	" 148	¤ 164	' 180	Ä 196	Ô 212	ä 228	ô 244
5	0101	... 133	• 149	¥ 165	µ 181	Å 197	Õ 213	å 229	õ 245
6	0110	† 134	– 150	! 166	¶ 182	Æ 198	Ö 214	æ 230	ö 246
7	0111	‡ 135	— 151	§ 167	· 183	Ç 199	× 215	ç 231	÷ 247
8	1000	^ 136	~ 152	.. 168		È 200	Ø 216	è 232	ø 248
9	1001	‰ 137	™ 153	© 169	¹ 185	É 201	Ù 217	é 233	ù 249
A	1010	Š 138	š 154	ª 170	º 186	Ê 202	Ú 218	ê 234	ú 250
B	1011	< 139	> 155	« 171	» 187	Ë 203	Û 219	ë 235	û 251
C	1100	Œ 140	œ 156	¬ 172	¼ 188	Ì 204	Ü 220	ì 236	ü 252
D	1101		- 157		½ 189	Í 205	İ 221	í 237	ı 253
E	1110			® 174	¾ 190	Î 206	Ş 222	î 238	ş 254
F	1111		ÿ 159	- 175	; 191	Ï 207	ß 223	ï 239	ÿ 255

Code Page Manual

17. 1257 (Baltic)

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	€ 128		SP 160	° 176	À 192	Š 208	a 224	š 240
1	0001		' 145		± 177	Í 193	Ń 209	i 225	ń 241
2	0010	· 130	' 146	Ç 162	² 178	Ā 194	Ņ 210	ā 226	ņ 242
3	0011		" 147	£ 163	³ 179	Ć 195	Ó 211	ć 227	ó 243
4	0100	“ 132	” 148	¤ 164	´ 180	Ä 196	Õ 212	ä 228	õ 244
5	0101	… 133	• 149		µ 181	Å 197	Ö 213	å 229	ö 245
6	0110	† 134	– 150	! 166	¶ 182	È 198	Ö 214	e 230	ö 246
7	0111	‡ 135	— 151	§ 167	· 183	Ē 199	× 215	ē 231	÷ 247
8	1000			Ø 168	ø 184	Č 200	U 216	č 232	u 248
9	1001	‰ 137	™ 153	© 169	¹ 185	É 201	Ł 217	é 233	ł 249
A	1010			Ŕ 170	ŗ 186	Ž 202	Ś 218	ž 234	ś 250
B	1011	< 139	> 155	« 171	» 187	Ê 203	Ū 219	è 235	ū 251
C	1100			¬ 172	¼ 188	Ģ 204	Ü 220	á 236	ü 252
D	1101	“ 141	- 157	- 173	½ 189	Ķ 205	Ž 221	k 237	ž 253
E	1110	˘ 142		® 174	¾ 190	Ī 206	Ž 222	ī 238	ž 254
F	1111			Æ 175	æ 191	Ļ 207	ß 223	l 239	· 255

Code Page Manual

18. Farsi

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	۰ 128	۱ 144	خ 160	 176	ل 192	ل 208	ظ 224	گ 240
1	0001	۱ 129	۲ 145	ذ 161	 177	ل 193	ل 209	ع 225	ل 241
2	0010	۲ 130	ب 146	د 162	 178	ل 194	ل 210	ع 226	لا 242
3	0011	۳ 131	ب 147	ذ 163	ل 179	ل 195	ل 211	ع 227	ل 243
4	0100	۴ 132	پ 148	ر 164	ل 180	ل 196	ل 212	ع 228	م 244
5	0101	۵ 133	پ 149	ز 165	ل 181	ل 197	ل 213	غ 229	م 245
6	0110	۶ 134	ن 150	ژ 166	ل 182	ل 198	ل 214	غ 230	ن 246
7	0111	۷ 135	ت 151	س 167	ل 183	ل 199	ل 215	غ 231	ن 247
8	1000	۸ 136	ث 152	س 168	ل 184	ل 200	ل 216	غ 232	و 248
9	1001	۹ 137	ث 153	ش 169	ل 185	ل 201	ل 217	ف 233	ه 249
A	1010	، 138	ج 154	ث 170	ل 186	ل 202	ل 218	ف 234	ه 250
B	1011	- 139	ج 155	ص 171	ل 187	ل 203	 219	ق 235	ه 251
C	1100	؟ 140	چ 156	ط 172	ل 188	ل 204	 220	ق 236	ی 252
D	1101	آ 141	چ 157	ض 173	ل 189	= 205	 221	ک 237	ی 253
E	1110	ئ 142	ح 158	ض 174	ل 190	ل 206	 222	ک 238	پ 254
F	1111	ء 143	ح 159	ط 175	ل 191	ل 207	 223	گ 239	SP 255

Code Page Manual

19. 1251 (Cyrillic)

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	Ђ 128	ђ 144	SP 160	° 176	А 192	Р 208	а 224	р 240
1	0001	Ѓ 129	‘ 145	Ў 161	± 177	Б 193	С 209	б 225	с 241
2	0010	. 130	’ 146	Ў 162	Ї 178	В 194	Т 210	в 226	т 242
3	0011	Ѕ 131	” 147	І 163	і 179	Г 195	У 211	г 227	у 243
4	0100	” 132	” 148	Ѧ 164	ѓ 180	Д 196	Ф 212	д 228	ф 244
5	0101	... 133	• 149	Ѓ 165	Ѣ 181	Е 197	Х 213	е 229	х 245
6	0110	† 134	– 150	! 166	ђ 182	Ж 198	Ц 214	ж 230	ц 246
7	0111	‡ 135	— 151	§ 167	· 183	З 199	Ч 215	з 231	ч 247
8	1000	€ 136	152	Ё 168	ё 184	И 200	Ш 216	и 232	ш 248
9	1001	‰ 137	™ 153	© 169	№ 185	Й 201	Щ 217	й 233	щ 249
A	1010	Љ 138	љ 154	Є 170	є 186	К 202	Ъ 218	к 234	ъ 250
B	1011	‹ 139	› 155	« 171	» 187	Л 203	Ы 219	л 235	ы 251
C	1100	Њ 140	њ 156	Ѣ 172	і 188	М 204	Ь 220	м 236	ь 252
D	1101	Ќ 141	ќ 157	- 173	Ѕ 189	Н 205	Э 221	н 237	э 253
E	1110	Ћ 142	ћ 158	® 174	Ѕ 190	О 206	Ю 222	о 238	ю 254
F	1111	Ѣ 143	ѣ 159	İ 175	ï 191	П 207	Я 223	п 239	я 255

Code Page Manual

20. 737 (Greek)

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	Α 128	Ρ 144	ι 160	 176	Λ 192	⋈ 208	ω 224	Ω 240
1	0001	Β 129	Σ 145	Κ 161	 177	⊥ 193	≡ 209	ά 225	± 241
2	0010	Γ 130	Τ 146	λ 162	 178	⊥ 194	π 210	έ 226	≥ 242
3	0011	Δ 131	Υ 147	υ 163	179	⊥ 195	⋈ 211	ή 227	≤ 243
4	0100	Ε 132	Φ 148	ν 164	⊥ 180	— 196	⊥ 212	ϊ 228	İ 244
5	0101	Ζ 133	Χ 149	ξ 165	≡ 181	⊥ 197	⊥ 213	ί 229	ÿ 245
6	0110	Η 134	Ψ 150	ο 166	⊥ 182	⊥ 198	π 214	ό 230	÷ 246
7	0111	Θ 135	Ω 151	π 167	π 183	⊥ 199	⊥ 215	ύ 231	≈ 247
8	1000	Ι 136	α 152	ο 168	≡ 184	⊥ 200	≡ 216	Ü 232	° 248
9	1001	Κ 137	β 153	σ 169	⊥ 185	⊥ 201	⊥ 217	ώ 233	· 249
A	1010	Λ 138	ν 154	ς 170	⊥ 186	⊥ 202	⊥ 218	Ά 234	· 250
B	1011	Μ 139	δ 155	τ 171	⊥ 187	≡ 203	 219	Έ 235	√ 251
C	1100	Ν 140	ε 156	υ 172	⊥ 188	⊥ 204	 220	Ή 236	ⁿ 252
D	1101	Ξ 141	ζ 157	ω 173	⊥ 189	= 205	⊥ 221	Ί 237	² 253
E	1110	Ο 142	η 158	χ 174	≡ 190	⊥ 206	⊥ 222	Ό 238	■ 254
F	1111	Π 143	θ 159	ψ 175	⊥ 191	⊥ 207	 223	Υ 239	SP 255

21. 775 (Baltic)

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	Ć 128	É 144	Ā 160	 176	Ł 192	ą 208	Ó 224	- 240
1	0001	Ü 129	æ 145	Ī 161	 177	Ł̇ 193	č 209	ß 225	± 241
2	0010	é 130	Æ 146	ó 162	 178	Ṭ 194	e 210	Ō 226	" 242
3	0011	ā 131	ō 147	ž 163	Į 179	Ṭ̇ 195	è 211	Ŋ 227	¾ 243
4	0100	ä 132	ö 148	ž 164	Į̇ 180	— 196	i 212	õ 228	¶ 244
5	0101	á 133	G 149	ž 165	A 181	† 197	š 213	Õ 229	§ 245
6	0110	å 134	č 150	" 166	Č 182	U 198	u 214	u 230	÷ 246
7	0111	ć 135	ś 151	! 167	E 183	Ū 199	ū 215	ń 231	.. 247
8	1000	ł 136	ś 152	© 168	É 184	Ł̈ 200	ž 216	K 232	° 248
9	1001	ē 137	Ö 153	® 169	Ł̈̇ 185	Ł̈̈ 201	ł̈ 217	k 233	· 249
A	1010	R 138	Ü 154	¬ 170	186	Ł̈̈̈ 202	ŗ 218	L 234	· 250
B	1011	r 139	ø 155	½ 171	¬̇ 187	Ł̈̈̈̇ 203	 219	l 235	1 251
C	1100	ī 140	£ 156	¼ 172	Ł̈̈̈̈ 188	Ł̈̈̈̈̈ 204	 220	n 236	3 252
D	1101	ž 141	Ø 157	Ł 173	I 189	= 205	 221	Ē 237	2 253
E	1110	Ä 142	× 158	« 174	Š 190	Ł̈̈̈̈̈̈ 206	 222	N 238	■ 254
F	1111	Å 143	¤ 159	» 175	¬̈ 191	Ž 207	 223	' 239	SP 255

Code Page Manual

22. Thai character code 14

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	ั 128	ร 144	SP 160	ล 176	ภ 192	ะ 208	เ 224	อ 240
1	0001	ํ 129	า 145	ก 161	ท 177	ม 193	ั 209	แ 225	ด 241
2	0010	ล 130	ะ 146	ข 162	ฌ 178	ย 194	า 210	โ 226	๒ 242
3	0011	จ 131	ะ 147	ข 163	ณ 179	ร 195	า 211	ใ 227	๓ 243
4	0100	ี 132	ะ 148	ค 164	ด 180	ถ 196	ั 212	ไ 228	๔ 244
5	0101	เ 133	ะ 149	ค 165	ด 181	ล 197	ั 213	า 229	๕ 245
6	0110	๓ 134	ะ 150	ฆ 166	ถ 182	ภ 198	ั 214	า 230	๖ 246
7	0111	๔ 135	ะ 151	ง 167	ท 183	ว 199	ั 215	ั 231	๗ 247
8	1000	๕ 136	ะ 152	จ 168	ธ 184	ศ 200	ั 216	ั 232	๘ 248
9	1001	๖ 137	ะ 153	ฉ 169	น 185	ษ 201	ั 217	ั 233	๙ 249
A	1010	๗ 138	ะ 154	ช 170	บ 186	ส 202	ั 218	ั 234	๐ 250
B	1011	๘ 139	ะ 155	ช 171	ป 187	ห 203	ะ 219	ั 235	๑ 251
C	1100	ะ 140	ะ 156	ฌ 172	ผ 188	พ 204	ะ 220	ั 236	๒ 252
D	1101	ะ 141	ะ 157	ญ 173	ฝ 189	อ 205	ะ 221	ั 237	๓ 253
E	1110	ะ 142	ะ 158	ฎ 174	พ 190	ฮ 206	ะ 222	ั 238	๔ 254
F	1111	ะ 143	เ 159	ฎ 175	ฟ 191	า 207	฿ 223	อ 239	๕ 255

Code Page Manual

23. Hebrew Old code

	HEX	0	1	2	3	4	5	6	7
HEX	BIN	0000	0001	0010	0011	0100	0101	0110	0111
0	0000	0	16	SP 32	0 48	@ 64	P 80	א 96	ב 112
1	0001	1	17	! 33	1 49	A 65	O 81	ב 97	א 113
2	0010	2	18	" 34	2 50	B 66	R 82	ג 98	ב 114
3	0011	3	19	# 35	3 51	C 67	S 83	ד 99	ב 115
4	0100	4	20	\$ 36	4 52	D 68	T 84	ה 100	פ 116
5	0101	5	21	% 37	5 53	E 69	U 85	ו 101	ץ 117
6	0110	6	22	& 38	6 54	F 70	V 86	ז 102	צ 118
7	0111	7	23	' 39	7 55	G 71	W 87	ח 103	ק 119
8	1000	8	24	(40	8 56	H 72	X 88	ט 104	ר 120
9	1001	9	25	) 41	9 57	I 73	Y 89	י 105	ש 121
A	1010	10	26	* 42	: 58	I 74	Z 90	ך 106	ת 122
B	1011	11	27	+ 43	: 59	K 75	י 91	כ 107	{ 123
C	1100	12	28	, 44	< 60	L 76	\div>92	ל 108	I 124
D	1101	13	29	- 45	= 61	M 77	י 93	ם 109	} 125
E	1110	14	30	. 46	> 62	N 78	^div>94	נ 110	~ 126
F	1111	15	31	/div>47	?div>63	O 79	95	י 111	127

Code Page Manual

24. 1255 (Hebrew New code)

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	€ 128	 144	SP 160	° 176	· 192	। 208	א 224	נ 240
1	0001	 129	' 145	ı 161	± 177	™ 193	◌ 209	ב 225	ו 241
2	0010	· 130	' 146	ç 162	² 178	™ 194	◌ 210	ג 226	ע 242
3	0011	f 131	" 147	£ 163	³ 179	™ 195	· 211	ד 227	ף 243
4	0100	" 132	" 148	₪ 164	' 180	· 196	 212	ה 228	פ 244
5	0101	... 133	· 149	¥ 165	μ 181	· 197	י 213	ו 229	ץ 245
6	0110	† 134	— 150	! 166	¶ 182	· 198	" 214	ז 230	צ 246
7	0111	‡ 135	— 151	§ 167	· 183	· 199	' 215	ח 231	ק 247
8	1000	^ 136	~ 152	.. 168	 184	· 200	" 216	ט 232	ר 248
9	1001	‰ 137	™ 153	© 169	¹ 185	· 201	 217	י 233	ש 249
A	1010	 138	 154	× 170	÷ 186	· 202	 218	ך 234	ת 250
B	1011	< 139	> 155	« 171	» 187	™ 203	 219	כ 235	 251
C	1100	 140	 156	¬ 172	¼ 188	· 204	 220	ל 236	 252
D	1101	 141	 157	- 173	½ 189	· 205	 221	ם 237	LRM 253
E	1110	 142	 158	® 174	¾ 190	- 206	 222	נ 238	RLM 254
F	1111	 143	 159	- 175	; 191	- 207	 223	י 239	 255

Code Page Manual

25. Thai character code 11

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	๕- 128	๕+ 144	 160	๕ 176	ภ 192	ะ 208	เ 224	อ 240
1	0001	๕๕ 129	๕- 145	ก 161	๗ 177	ม 193	ั 209	แ 225	ด 241
2	0010	๕๕ 130	๕๕ 146	ข 162	ฅ 178	ย 194	า 210	โ 226	๒ 242
3	0011	๕+ 131	๕๕ 147	ข 163	ณ 179	ร 195	ำ 211	ใ 227	๓ 243
4	0100	๕- 132	๕+ 148	ค 164	ด 180	ถ 196	ั 212	ใ 228	๔ 244
5	0101	๕๕ 133	๕- 149	ค 165	ด 181	ล 197	ั 213	า 229	๕ 245
6	0110	๕๕ 134	๕๕ 150	ฃ 166	ถ 182	ภ 198	ั 214	า 230	๖ 246
7	0111	๕+ 135	๕๕ 151	ง 167	ท 183	ว 199	ั 215	ั 231	๗ 247
8	1000	๕๕ 136	๕+ 152	จ 168	ธ 184	ศ 200	ั 216	ั 232	๘ 248
9	1001	๕- 137	๕ 153	ฉ 169	น 185	ช 201	ั 217	ั 233	๙ 249
A	1010	๕๕ 138	๕ 154	ช 170	บ 186	ส 202	ั 218	ั 234	๙ 250
B	1011	๕๕ 139	๕ 155	ช 171	ป 187	ห 203	- 219	ั 235	๙ 251
C	1100	๕+ 140	๕ 156	ฅ 172	ผ 188	พ 204	๕ 220	ั 236	โ 252
D	1101	๕- 141	๕ 157	ญ 173	ฝ 189	อ 205	๕ 221	ั 237	ใ 253
E	1110	๕๕ 142	๕ 158	ฉ 174	พ 190	ฮ 206	๕ 222	ั 238	ใ 254
F	1111	๕๕ 143	๕ 159	ฉ 175	ฟ 191	๕ 207	๕ 223	๕ 239	 255

Code Page Manual

26. Thai character code 18

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	ร 128	ร 144	SP 160	ร 176	ร 192	ร 208	ร 224	ร 240
1	0001	ร 129	ร 145	ร 161	ร 177	ร 193	ร 209	ร 225	ร 241
2	0010	ร 130	ร 146	ร 162	ร 178	ร 194	ร 210	ร 226	ร 242
3	0011	ร 131	ร 147	ร 163	ร 179	ร 195	ร 211	ร 227	ร 243
4	0100	ร 132	ร 148	ร 164	ร 180	ร 196	ร 212	ร 228	ร 244
5	0101	ร 133	ร 149	ร 165	ร 181	ร 197	ร 213	ร 229	ร 245
6	0110	ร 134	ร 150	ร 166	ร 182	ร 198	ร 214	ร 230	ร 246
7	0111	ร 135	ร 151	ร 167	ร 183	ร 199	ร 215	ร 231	ร 247
8	1000	ร 136	ร 152	ร 168	ร 184	ร 200	ร 216	ร 232	ร 248
9	1001	ร 137	ร 153	ร 169	ร 185	ร 201	ร 217	ร 233	ร 249
A	1010	ร 138	ร 154	ร 170	ร 186	ร 202	ร 218	ร 234	ร 250
B	1011	ร 139	ร 155	ร 171	ร 187	ร 203	ร 219	ร 235	ร 251
C	1100	ร 140	ร 156	ร 172	ร 188	ร 204	ร 220	ร 236	ร 252
D	1101	ร 141	ร 157	ร 173	ร 189	ร 205	ร 221	ร 237	ร 253
E	1110	ร 142	ร 158	ร 174	ร 190	ร 206	ร 222	ร 238	ร 254
F	1111	ร 143	ร 159	ร 175	ร 191	ร 207	ร 223	ร 239	ร 255

27. 855 (Cyrillic)

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	ђ 128	љ 144	а 160	ѣ 176	Л 192	л 208	Я 224	- 240
1	0001	Ђ 129	Љ 145	А 161	Ј 177	Љ 193	Л 209	Ѧ 225	Ы 241
2	0010	ѓ 130	њ 146	б 162	Ѥ 178	т 194	м 210	Р 226	Ѣ 242
3	0011	ђ 131	њ 147	Б 163	Ї 179	Ѧ 195	М 211	С 227	З 243
4	0100	ё 132	ђ 148	ц 164	ѧ 180	— 196	н 212	С 228	З 244
5	0101	Ё 133	Ђ 149	Ц 165	Х 181	ѧ 197	Н 213	Т 229	Ш 245
6	0110	€ 134	Ѓ 150	Д 166	Х 182	К 198	О 214	Т 230	Ш 246
7	0111	€ 135	Ѓ 151	Д 167	И 183	К 199	О 215	У 231	Э 247
8	1000	Ѕ 136	Ѕ 152	е 168	И 184	Љ 200	П 216	У 232	Э 248
9	1001	Ѕ 137	Ѕ 153	Е 169	Ј 185	Љ 201	Ј 217	Ж 233	Ш 249
A	1010	і 138	ц 154	Ф 170	Ј 186	Љ 202	Г 218	Ж 234	Ш 250
B	1011	І 139	Ц 155	Ф 171	Ї 187	Љ 203	■ 219	В 235	Ч 251
C	1100	і 140	Ю 156	Г 172	Ј 188	Љ 204	■ 220	В 236	Ч 252
D	1101	İ 141	Ю 157	Г 173	Й 189	= 205	П 221	Ь 237	§ 253
E	1110	і 142	Ђ 158	« 174	Й 190	Ѧ 206	Я 222	Ь 238	■ 254
F	1111	І 143	Ђ 159	» 175	Ѧ 191	Ѧ 207	■ 223	№ 239	SP 255

28. 857 (Turkish)

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	Ç 128	É 144	á 160	•••• 176	Ł 192	ó 208	Ó 224	- 240
1	0001	Ü 129	æ 145	í 161	•••• 177	ł 193	ª 209	ß 225	± 241
2	0010	é 130	Æ 146	ó 162	•••• 178	Ṭ 194	Ê 210	Ô 226	242
3	0011	â 131	ô 147	ú 163	ı 179	ţ 195	Ë 211	Ò 227	¾ 243
4	0100	ä 132	ö 148	ñ 164	ı 180	— 196	È 212	õ 228	¶ 244
5	0101	à 133	ò 149	Ñ 165	Á 181	† 197	€ 213	Õ 229	§ 245
6	0110	å 134	û 150	Ğ 166	Â 182	ã 198	Í 214	u 230	÷ 246
7	0111	ç 135	ù 151	ă 167	À 183	Ã 199	Î 215	231	· 247
8	1000	ê 136	ï 152	ı 168	© 184	Ł 200	İ 216	× 232	° 248
9	1001	ë 137	Ö 153	® 169	ƒ 185	ŕ 201	Ј 217	Ú 233	¨ 249
A	1010	è 138	Ü 154	¬ 170	186	ℒ 202	ƒ 218	Û 234	· 250
B	1011	ï 139	ø 155	½ 171	ƒ 187	ŕ 203	■ 219	Ù 235	¹ 251
C	1100	î 140	£ 156	¼ 172	ƒ 188	ℒ 204	■ 220	ì 236	³ 252
D	1101	ı 141	Ø 157	ı 173	Ç 189	= 205	ı 221	ÿ 237	² 253
E	1110	Ä 142	Š 158	« 174	¥ 190	ƒ 206	İ 222	- 238	■ 254
F	1111	Å 143	Š 159	» 175	ƒ 191	¤ 207	■ 223	‘ 239	SP 255

Code Page Manual

29. 928 (Greek)

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000			SP	°	ı	Π	Ό	π
1	0001			'	±	Α	Ρ	α	ρ
2	0010			'	²	Β		β	ς
3	0011			£	³	Γ	Σ	ν	σ
4	0100				'	Δ	Τ	δ	τ
5	0101				“	Ε	Υ	ε	υ
6	0110			!	Ά	Ζ	Φ	ζ	ω
7	0111			§	·	Η	Χ	η	χ
8	1000			“	Έ	Θ	Ψ	θ	ψ
9	1001			©	Ή	Ι	Ω	ι	ω
A	1010				Ί	Κ	Ϊ	κ	ϊ
B	1011			«	»	Λ	Ϋ	λ	ϋ
C	1100			¬	Ό	Μ	ά	μ	ό
D	1101			-	½	Ν	έ	ν	ύ
E	1110				Ύ	Ξ	ή	ξ	ώ
F	1111			—	Ω	Ο	ί	ο	

Code Page Manual

30. Thai character code 16

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	┐ 128	โ 144	SP 160	ล 176	ภ 192	ะ 208	เ 224	อ 240
1	0001	┐ 129	ใ 145	ก 161	ท 177	ม 193	ั 209	แ 225	ด 241
2	0010	┐ 130	เ 146	ข 162	ฒ 178	ย 194	า 210	โ 226	๒ 242
3	0011	┐ 131	ะ 147	ข 163	ณ 179	ร 195	า 211	ใ 227	๓ 243
4	0100	┐ 132	ะ 148	ค 164	ด 180	ถ 196	ิ 212	ใ 228	๔ 244
5	0101	┐ 133	ะ 149	ค 165	ด 181	ล 197	ิ 213	า 229	๕ 245
6	0110	┐ 134	ะ 150	ฆ 166	ถ 182	ภ 198	ิ 214	า 230	๖ 246
7	0111	┐ 135	ะ 151	ง 167	ท 183	ว 199	ิ 215	ิ 231	๗ 247
8	1000	┐ 136	ะ 152	จ 168	ธ 184	ศ 200	ิ 216	ิ 232	๘ 248
9	1001	┐ 137	ะ 153	ฉ 169	น 185	ษ 201	ิ 217	ิ 233	๙ 249
A	1010	┐ 138	ะ 154	ช 170	บ 186	ส 202	ิ 218	ิ 234	๐ 250
B	1011	█ 139	ะ 155	ช 171	ป 187	ห 203	ะ 219	ิ 235	๑ 251
C	1100	← 140	ะ 156	ฌ 172	ผ 188	พ 204	ะ 220	ิ 236	๒ 252
D	1101	↑ 141	ะ 157	ญ 173	ฝ 189	อ 205	ะ 221	ิ 237	๓ 253
E	1110	→ 142	ะ 158	ฎ 174	พ 190	ฮ 206	ะ 222	ใ 238	๔ 254
F	1111	↓ 143	เ 159	ฎ 175	ฟ 191	ฯ 207	฿ 223	อ 239	๕ 255

Code Page Manual

31. 1256 (Arabic)

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	€ 128	گ 144	SP 160	° 176	ه 192	ذ 208	à 224	ؤ 240
1	0001	پ 129	، 145	‘ 161	± 177	ء 193	ر 209	ل 225	ُ 241
2	0010	. 130	’ 146	ç 162	2 178	آ 194	ز 210	â 226	ِ 242
3	0011	f 131	” 147	£ 163	3 179	أ 195	س 211	م 227	َ 243
4	0100	” 132	” 148	¤ 164	’ 180	ؤ 196	ش 212	ن 228	ô 244
5	0101	... 133	• 149	¥ 165	u 181	إ 197	ص 213	ه 229	ُ 245
6	0110	† 134	- 150	! 166	¶ 182	ئ 198	ض 214	و 230	ِ 246
7	0111	‡ 135	— 151	§ 167	• 183	ا 199	× 215	c 231	÷ 247
8	1000	^ 136	ک 152	.. 168	 184	ب 200	ط 216	è 232	ؤ 248
9	1001	‰ 137	™ 153	© 169	1 185	ة 201	ظ 217	é 233	ù 249
A	1010	ٹ 138	ڑ 154	ھ 170	؛ 186	ت 202	ع 218	ê 234	ؤ 250
B	1011	< 139	> 155	« 171	» 187	ث 203	غ 219	ë 235	û 251
C	1100	Œ 140	œ 156	¬ 172	¼ 188	ج 204	- 220	ی 236	ü 252
D	1101	چ 141	 157	- 173	½ 189	ح 205	ف 221	ي 237	 253
E	1110	ژ 142	 158	® 174	¾ 190	خ 206	ق 222	î 238	 254
F	1111	ڈ 143	ں 159	- 175	؟ 191	د 207	ك 223	ï 239	ے 255

Code Page Manual

32. 1258 (Vietnam)

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	€ 128	 144	SP 160	° 176	À 192	Đ 208	à 224	đ 240
1	0001	 129	' 145	ı 161	± 177	Á 193	Ñ 209	á 225	ñ 241
2	0010	· 130	' 146	Ç 162	² 178	Â 194	’ 210	â 226	 242
3	0011	f 131	“ 147	£ 163	³ 179	Ă 195	Ó 211	ă 227	ó 243
4	0100	“ 132	” 148	α 164	´ 180	Ä 196	Ô 212	ä 228	ô 244
5	0101	… 133	• 149	¥ 165	μ 181	Å 197	Ơ 213	å 229	ơ 245
6	0110	† 134	– 150	! 166	¶ 182	Æ 198	Ö 214	æ 230	ö 246
7	0111	‡ 135	— 151	§ 167	· 183	Ç 199	× 215	ç 231	÷ 247
8	1000	^ 136	~ 152	¨ 168	 184	È 200	Ø 216	è 232	ø 248
9	1001	‰ 137	™ 153	© 169	¹ 185	É 201	Ù 217	é 233	ù 249
A	1010	 138	 154	a 170	º 186	Ê 202	Ú 218	ê 234	ú 250
B	1011	< 139	> 155	« 171	» 187	Ë 203	Û 219	ë 235	û 251
C	1100	Œ 140	œ 156	¬ 172	¼ 188	¸ 204	Ü 220	¸ 236	ü 252
D	1101	 141	 157	- 173	½ 189	Í 205	Ư 221	í 237	ư 253
E	1110	 142	 158	® 174	¾ 190	Î 206	~ 222	î 238	đ 254
F	1111	 143	ÿ 159	- 175	; 191	Ï 207	ß 223	ï 239	ÿ 255

Code Page Manual

33. Khmer (Cambodia)

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	ក 128	ខ 144	ហ 160	ព 176	ោ 192	៉ 208	ឲ 224	០ 240
1	0001	ឃ 129	ង 145	ឡ 161	ឱ 177	ែ 193	ំ 209	១ 225	័ 241
2	0010	គ 130	ឆ 146	អ 162	ឳ 178	ៃ 194	ុ 210	២ 226	៑ 242
3	0011	ឃ 131	ន 147	អ 163	ឱ 179	ៃ 195	ុ 211	៣ 227	្ 243
4	0100	ង 132	ប 148	អា 164	KIV 180	ោ 196	។ 212	៤ 228	៓ 244
5	0101	ច 133	ជ 149	ត 165	KIV 181	ោ 197	។ 213	៥ 229	។ 245
6	0110	ឆ 134	ព 150	ឡ 166	ា 182	ំ 198	ុ 214	៦ 230	៕ 246
7	0111	ជ 135	ភ 151	ឧ 167	ិ 183	ុ 199	ៗ 215	៧ 231	៖ 247
8	1000	ឈ 136	ម 152	ឱ 168	ិ 184	ុ 200	។ល។ 216	៨ 232	ៗ 248
9	1001	ញ 137	យ 153	ឡ 169	ិ 185	ុ 201	័ 217	៩ 233	៘ 249
A	1010	ដ 138	រ 154	ឱ 170	ិ 186	ុ 202	័ 218		
B	1011	ប 139	ល 155	ប 171	ុ 187	ុ 203	័ 219		
C	1100	ឧ 140	រ 156	ប 172	ុ 188	ុ 204	័ 220		
D	1101	ឆ 141	គ 157	ព 173	ុ 189	ុ 205	ុ 221		
E	1110	ណ 142	ប 158	ព 174	ៃ 190	ុ 206			
F	1111	ត 143	ស 159	ង 175	ៃ 191	ុ 207			

Code Page Manual

34. 1250 (Czech)

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	€ 128		SP 160	° 176	Ř 192	Đ 208	ř 224	ď 240
1	0001		' 145	ˇ 161	± 177	Á 193	Ň 209	á 225	ň 241
2	0010	. 130	' 146	ˇ 162		Â 194	Ň 210	â 226	ň 242
3	0011		" 147	Ł 163	ł 179	Ǻ 195	Ó 211	ǻ 227	ó 243
4	0100	" 132	" 148	α 164	' 180	Ä 196	Ô 212	ä 228	ô 244
5	0101	... 133	• 149	Α 165	μ 181	Í 197	Ŏ 213	í 229	ő 245
6	0110	† 134	– 150	! 166	¶ 182	Ć 198	Ö 214	ć 230	ö 246
7	0111	‡ 135	— 151	§ 167	· 183	Č 199	× 215	č 231	÷ 247
8	1000			.. 168		Č 200	Ř 216	č 232	ř 248
9	1001	‰ 137	™ 153	© 169	α 185	É 201	Û 217	é 233	ű 249
A	1010	Š 138	š 154	S 170	s 186	E 202	Ú 218	e 234	ú 250
B	1011	< 139	> 155	« 171	» 187	Ě 203	Ů 219	ě 235	ů 251
C	1100	Š 140	š 156	¬ 172	Ł 188	Ě 204	Ü 220	ě 236	ü 252
D	1101	ř 141	ř 157	- 173	" 189	Í 205	Ý 221	í 237	ý 253
E	1110	Ž 142	ž 158	® 174	í 190	Î 206	Ť 222	î 238	t 254
F	1111	Ž 143	ž 159	Ž 175	ž 191	Ǻ 207	ß 223	d' 239	· 255

35. Latin 9

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	€ 128		SP 160	° 176	Á 192	Đ 208	í 224	đ 240
1	0001		' 145	˘ 161	± 177	Á 193	Ń 209	á 225	ń 241
2	0010	· 130	' 146	˘ 162		Â 194	Ň 210	â 226	ň 242
3	0011		" 147	Ł 163	ł 179	Ă 195	Ó 211	ă 227	ó 243
4	0100	¨ 132	" 148	α 164	' 180	Ä 196	Ô 212	ä 228	ô 244
5	0101	... 133	· 149	À 165	µ 181	Í 197	Õ 213	Í 229	õ 245
6	0110	† 134	– 150	! 166	¶ 182	Ć 198	Ö 214	ć 230	ö 246
7	0111	‡ 135	— 151	§ 167	· 183	Ç 199	× 215	ç 231	÷ 247
8	1000			¨ 168		Č 200	Ř 216	č 232	ř 248
9	1001	‰ 137	™ 153	© 169	à 185	É 201	Ů 217	é 233	ů 249
A	1010	Š 138	š 154	Š 170	s 186	Ê 202	Ú 218	ê 234	ú 250
B	1011	< 139	> 155	« 171	» 187	Ě 203	Ů 219	ě 235	ů 251
C	1100	Ś 140	ś 156	¬ 172	Ł 188	Ě 204	Ü 220	ě 236	ü 252
D	1101	Ť 141	ť 157	- 173	" 189	Í 205	Ý 221	í 237	ý 253
E	1110	Ž 142	ž 158	® 174	ĺ 190	Î 206	Ť 222	î 238	ť 254
F	1111	Ž 143	ž 159	Ž 175	ž 191	Ǿ 207	ß 223	d' 239	· 255

Code Page Manual

36. TCVN-3

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000						é		
		128	144	160	176	192	208	224	240
1	0001						e	ỏ	ủ
		129	145	161	177	193	209	225	241
2	0010						ề	õ	ũ
		130	146	162	178	194	210	226	242
3	0011						ễ	ó	ú
		131	147	163	179	195	211	227	243
4	0100						ễ	o	u
		132	148	164	180	196	212	228	244
5	0101				à		ế	ồ	ừ
		133	149	165	181	197	213	229	245
6	0110				ả	ă	ê	ổ	ử
		134	150	166	182	198	214	230	246
7	0111				ã	ă	ì	ỗ	ữ
		135	151	167	183	199	215	231	247
8	1000			ă	á	ả	ỉ	ố	ứ
		136	152	168	184	200	216	232	248
9	1001			â	a	ã		ô	ư
		137	153	169	185	201	217	233	249
A	1010			ê		ã		ờ	ỳ
		138	154	170	186	202	218	234	250
B	1011			ô	ă	â		ở	ỷ
		139	155	171	187	203	219	235	251
C	1100			ơ	ả	è	ĩ	ỡ	ỹ
		140	156	172	188	204	220	236	252
D	1101			ư	ã		í	ớ	ý
		141	157	173	189	205	221	237	253
E	1110			đ	ả	ẻ	i	ơ	v
		142	158	174	190	206	222	238	254
F	1111					ẽ		ù	
		143	159	175	191	207	223	239	255

Code Page Manual

37. TCVN-3 (Capital)

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	128	144	160	176	192	É 208	224	240
1	0001	129	145	Ă 161	177	193	E 209	Ỏ 225	Ủ 241
2	0010	130	146	Â 162	178	194	Ề 210	Ỗ 226	Û 242
3	0011	131	147	163	179	195	Ể 211	Ó 227	Ú 243
4	0100	132	148	164	180	196	Ễ 212	O 228	U 244
5	0101	133	149	165	À 181	197	Ế 213	Ồ 229	Ừ 245
6	0110	134	150	166	Ả 182	Ă 198	Ê 214	Ổ 230	Ứ 246
7	0111	135	151	Đ 167	Ã 183	Ẫ 199	Ì 215	Ỗ 231	Ữ 247
8	1000	136	152	168	Á 184	Ằ 200	Ỉ 216	Ố 232	Ứ 248
9	1001	137	153	169	A 185	Ằ 201	217	Ô 233	Ư 249
A	1010	138	154	Ê 170	186	Ằ 202	218	Ờ 234	Ỡ 250
B	1011	139	155	Ô 171	Ằ 187	Â 203	219	Ở 235	Ỡ 251
C	1100	140	156	Ơ 172	Ằ 188	È 204	Ỉ 220	Ỡ 236	Ỡ 252
D	1101	141	157	Ư 173	Ằ 189	205	Í 221	Ớ 237	Ỡ 253
E	1110	142	158	174	Ằ 190	Ể 206	I 222	Ơ 238	Ỡ 254
F	1111	143	159	175	191	Ễ 207	Ò 223	Ù 239	255

Code Page Manual

38. 865 + 1252 (European Combined)

	HEX	8	9	A	B	C	D	E	F
HEX	BIN	1000	1001	1010	1011	1100	1101	1110	1111
0	0000	Ç 128	É 144	160	° 176	À 192	Ð 208	à 224	ð 240
1	0001	Ü 129	æ 145	ï 161	± 177	Á 193	Ñ 209	á 225	ñ 241
2	0010	é 130	Æ 146	ç 162	² 178	Â 194	Ò 210	â 226	ò 242
3	0011	â 131	ô 147	£ 163	³ 179	Ã 195	Ó 211	ã 227	ó 243
4	0100	ä 132	ö 148	¤ 164	´ 180	Ä 196	Ô 212	ä 228	ô 244
5	0101	à 133	ò 149	¥ 165	µ 181	Å 197	Õ 213	å 229	õ 245
6	0110	å 134	û 150	! 166	¶ 182	Æ 198	Ö 214	æ 230	ö 246
7	0111	ç 135	ù 151	§ 167	· 183	Ç 199	× 215	ç 231	÷ 247
8	1000	ê 136	ÿ 152	¨ 168	184	È 200	Ø 216	è 232	ø 248
9	1001	ë 137	ÿ 153	© 169	¹ 185	É 201	Ù 217	é 233	ù 249
A	1010	è 138	ÿ 154	ª 170	º 186	Ê 202	Ú 218	ê 234	ú 250
B	1011	ï 139	ø 155	« 171	» 187	Ë 203	Û 219	ë 235	û 251
C	1100	î 140	£ 156	¬ 172	¼ 188	Ì 204	Ü 220	ì 236	ü 252
D	1101	ì 141	Ø 157	- 173	½ 189	Í 205	Ý 221	í 237	ý 253
E	1110	Ä 142	Pt 158	® 174	¾ 190	Î 206	Þ 222	î 238	þ 254
F	1111	Å 143	f 159	- 175	; 191	Ï 207	ß 223	ï 239	ÿ 255

39. International character code table

No	Country	ASCII code (Hexadecimal number)													
		23	24	25	26	40	5B	5C	5D	5E	60	7B	7C	7D	7E
0	U.S.A	#	\$	%	&	@	[	\	]	^	`	{		}	~
1	France	#	\$	%	&	à	°	ç	§	^	`	é	ù	è	¨
2	Germany	#	\$	%	&	§	Ä	Ö	Ü	^	`	ä	ö	ü	ß
3	U.K.	£	\$	%	&	@	[	\	]	^	`	{		}	~
4	Denmark I	#	\$	%	&	@	Æ	Ø	Å	^	`	æ	ø	å	~
5	Sweden	#	¤	%	&	É	Ä	Ö	Å	Ü	é	ä	ö	å	ü
6	Italy	#	\$	%	&	@	°	\	é	^	ù	à	ò	è	ì
7	Spain I	Pt	\$	%	&	@	ı	Ñ	¿	^	`	¨	ñ	}	~
8	Japan	#	\$	%	&	@	[	¥	]	^	`	{		}	~
9	Norway	#	¤	%	&	É	Æ	Ø	Å	Ü	é	æ	ø	å	ü
10	Denmark II	#	\$	%	&	É	Æ	Ø	Å	Ü	é	æ	ø	å	ü
11	Spain II	#	\$	%	&	á	ı	Ñ	¿	é	`	ı	ñ	ó	ú
12	Latin America	#	\$	%	&	á	ı	Ñ	¿	é	ü	ı	ñ	ó	ú
13	Korea	#	\$	%	&	@	[	\	]	^		{		}	~

Copyright

© BIXOLON Co., Ltd. All rights reserved.

This user manual and all property of the product are protected under copyright law. It is strictly prohibited to copy, store, and transmit the whole or any part of the manual and any property of the product without the prior written approval of BIXOLON Co., Ltd.

The information contained herein is designed only for use with this BIXOLON product. BIXOLON is not responsible for any direct or indirect damages, arising from or related to use of this information.

- The BIXOLON logo is the registered trademark of BIXOLON Co., Ltd.
- All other brand or product names are trademarks of their respective companies or organizations.

BIXOLON Co., Ltd. maintains ongoing efforts to enhance and upgrade the functions and quality of all our products.

In the following, product specifications and/or user manual content may be changed without prior notice.

Caution

Some semiconductor devices are easily damaged by static electricity. You should turn the printer "OFF", before you connect or remove the cables on the rear side, in order to guard the printer against the static electricity. If the printer is damaged by the static electricity, you should turn the printer "OFF".