





















2023 Lexmark Federal Product Line-up

Color and monochrome multifunction printers TAA compliant part numbers



CAC/PIV Printers and MFPs

				
<p>CS622de</p> <ul style="list-style-type: none"> ▶ Up to 40 ppm ▶ 4.3 inch touch screen <hr/> <p>42CT081 (110V) 42CT091 (220V)</p>	<p>CS730de</p> <ul style="list-style-type: none"> ▶ Up to 42 ppm ▶ 4.3 inch touch screen <hr/> <p>47CT001(110V) 47CT021 (220V)</p>	<p>CS735de</p> <ul style="list-style-type: none"> ▶ Up to 52 ppm ▶ 4.3 inch touch screen <hr/> <p>47CT120 (110V) 47CT121 (220V)</p>	<p>CS820de</p> <ul style="list-style-type: none"> ▶ Up to 60 ppm ▶ 4.3 inch touch screen <hr/> <p>21KT002 (110V) N/A (220V)</p>	<p>CS943de</p> <ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 4.3 inch touch screen <hr/> <p>32DT020 (110V) 32DT030 (220V)</p>
				
<p>CX522ade</p> <ul style="list-style-type: none"> ▶ Up to 35 ppm ▶ 4.3 inch touch screen <hr/> <p>42CT361 (110V) 42CT371 (220V)</p>	<p>CX622ade</p> <ul style="list-style-type: none"> ▶ Up to 40 ppm ▶ 4.3 inch touch screen <hr/> <p>42CT381 (110V) 42CT391 (220V)</p>	<p>CX625ade</p> <ul style="list-style-type: none"> ▶ Up to 40 ppm ▶ 7 inch touch screen <hr/> <p>42CT781 (110V) 42CT791 (220V)</p>	<p>CX625adhe</p> <ul style="list-style-type: none"> ▶ Up to 40 ppm ▶ 7 inch touch screen <hr/> <p>42CT881 (110V) 42CT891 (220V)</p>	<p>CX730de</p> <ul style="list-style-type: none"> ▶ Up to 42 ppm ▶ 7 inch touch screen <hr/> <p>47CT501 (110V) 47CT521 (220V)</p>
				
<p>CX735adse</p> <ul style="list-style-type: none"> ▶ Up to 52 ppm ▶ 10 inch touch screen <hr/> <p>47CT601 (110V) 47CT621 (220V)</p>	<p>CX820de</p> <ul style="list-style-type: none"> ▶ Up to 52 ppm ▶ 7 inch touch screen <hr/> <p>42KT110 (110V) 42KT220 (220V)</p>	<p>CX820dtfe</p> <ul style="list-style-type: none"> ▶ Up to 52 ppm ▶ 7 inch touch screen <hr/> <p>42KT112 (110V) N/A (220V)</p>	<p>CX825de</p> <ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 10 inch touch screen <hr/> <p>42KT140 (110V) 42KT250 (220V)</p>	<p>CX825dte</p> <ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 10 inch touch screen <hr/> <p>42KT141 (110V) 42KT251 (220V)</p>
			<p> Color</p> <p> Solutions-Enabled</p> <p>ppm: Pages per minute</p> <p>PCSF: Print Copy Scan Fax</p> <p>TAA: TAA Compliant</p> <p>CC: Common Criteria Certified</p> <p>NA: Not Available (Part number)</p> <p>a = analog fax d = duplex n = network t = additional tray included x = high capacity feeder included e = embedded solutions framework* f = finisher h = hard disk v = vinyl media s = Intelligent Storage Drive (ISD)</p>	
<p>CX825dtfe</p> <ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 10 inch touch screen <hr/> <p>42KT142 (110V) N/A (220V)</p>	<p>CX860de</p> <ul style="list-style-type: none"> ▶ Up to 60 ppm ▶ 10 inch touch screen <hr/> <p>42KT170 (110V) 42KT280 (220V)</p>	<p>CX860dte</p> <ul style="list-style-type: none"> ▶ Up to 60 ppm ▶ 10 inch touch screen <hr/> <p>42KT171 (110V) N/A (220V)</p>		



2023 Lexmark Federal Product Line-up





Color and monochrome multifunction printers TAA compliant part numbers



CAC/PIV Printers and MFPs

				
<p>CX860dtfe</p>	<p>CX930dse</p>	<p>CX931dse</p>	<p>CX931dtse</p>	<p>CX942adse</p>
<p>▶ Up to 60 ppm ▶ 10 inch touch screen</p>	<p>▶ Up to 25 ppm ▶ 7 inch touch screen</p>	<p>▶ Up to 35 ppm ▶ 7 inch touch screen</p>	<p>▶ Up to 35 ppm ▶ 7 inch touch screen</p>	<p>▶ Up to 45 ppm ▶ 10 inch touch screen</p>
<p>42KT172 (110V) N/A (220V)</p>	<p>32DT022 (110V) 32DT032 (220V)</p>	<p>32DT023 (110V) 32DT033 (220V)</p>	<p>32DT024 (110V) 32DT034 (220V)</p>	<p>32DT025 (110V) 32DT035 (220V)</p>
				
<p>CX943adtse</p>	<p>CX943adxse</p>	<p>CX944adtse</p>	<p>CX944adxse</p>	
<p>▶ Up to 55 ppm ▶ 10 inch touch screen</p>	<p>▶ Up to 55 ppm ▶ 10 inch touch screen</p>	<p>▶ Up to 65 ppm ▶ 10 inch touch screen</p>	<p>▶ Up to 65 ppm ▶ 10 inch touch screen</p>	
<p>32DT026 (110V) 32DT036 (220V)</p>	<p>32DT027 (110V) 32DT037 (220V)</p>	<p>32DT028 (110V) 32DT038 (220V)</p>	<p>32DT029 (110V) 32DT039 (220V)</p>	

-  Color
-  Solutions-Enabled
- ppm: Pages per minute
- PCSF: Print Copy Scan Fax
- TAA: TAA Compliant
- CC: Common Criteria Certified
- NA: Not Available (Part number)




















- α = analog fax
- d = duplex
- n = network
- t = additional tray included
- x = high capacity feeder included
- e = embedded solutions framework*
- f = finisher
- h = hard disk
- v = vinyl media
- s = Intelligent Storage Drive (ISD)

2023 Lexmark Federal Product Line-up

Color and monochrome multifunction printers TAA compliant part numbers



Non-CAC Printers and MFPs
















				
<p>CS521dn</p> <ul style="list-style-type: none"> ▶ Up to 35 ppm ▶ 2.4 inch display <p>42CT060 (110V) 42CT070 (220V)</p>	<p>CS622de</p> <ul style="list-style-type: none"> ▶ Up to 40 ppm ▶ 4.3 inch touch screen <p>42CT080 (110V) 42CT090 (220V)</p>	<p>CS730de</p> <ul style="list-style-type: none"> ▶ Up to 42 ppm ▶ 4.3 inch touch screen <p>47CT000 (110V) 47CT001 (220V)</p>	<p>CS735de</p> <ul style="list-style-type: none"> ▶ Up to 52 ppm ▶ 4.3 inch touch screen <p>47CT100 (110V) 47CT101 (220V)</p>	<p>CS820de</p> <ul style="list-style-type: none"> ▶ Up to 60 ppm ▶ 4.3 inch touch screen <p>21KT000 (110V) 21KT001 (220V)</p>
				
<p>CS820dte</p> <ul style="list-style-type: none"> ▶ Up to 60 ppm ▶ 4.3 inch touch screen <p>21KT004 (110V) 21KT005 (220V)</p>	<p>CS820dtfe</p> <ul style="list-style-type: none"> ▶ Up to 60 ppm ▶ 4.3 inch touch screen <p>21KT006 (110V) 21KT007 (220V)</p>	<p>CS943de</p> <ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 4.3 inch touch screen <p>32DT000 (110V) 32DT010 (220V)</p>	<p>CX522ade</p> <ul style="list-style-type: none"> ▶ Up to 35 ppm ▶ 4.3 inch touch screen <p>42CT360 (110V) 42CT370 (220V)</p>	<p>CX622ade</p> <ul style="list-style-type: none"> ▶ Up to 40 ppm ▶ 4.3 inch touch screen <p>42CT380 (110V) 42CT390 (220V)</p>
				
<p>CX625ade</p> <ul style="list-style-type: none"> ▶ Up to 40 ppm ▶ 7 inch touch screen <p>42CT780 (110V) 42CT790 (220V)</p>	<p>CX625adhe</p> <ul style="list-style-type: none"> ▶ Up to 40 ppm ▶ 7 inch touch screen <p>42CT880 (110V) 42CT890 (220V)</p>	<p>CX730de</p> <ul style="list-style-type: none"> ▶ Up to 42 ppm ▶ 7 inch touch screen <p>47CT500 (110V) 47CT520 (220V)</p>	<p>CX735adse</p> <ul style="list-style-type: none"> ▶ Up to 52 ppm ▶ 10 inch touch screen <p>47CT600 (110V) 47CT620 (220V)</p>	<p>CX820de</p> <ul style="list-style-type: none"> ▶ Up to 52 ppm ▶ 7 inch touch screen <p>42KT010 (110V) 42KT120 (220V)</p>
		<p> Color</p> <p> Solutions-Enabled</p> <p>ppm: Pages per minute</p> <p>PCSF: Print Copy Scan Fax</p> <p>TAA: TAA Compliant</p> <p>CC: Common Criteria Certified</p> <p>NA: Not Available (Part number)</p> <p>a = analog fax</p> <p>d = duplex</p> <p>n = network</p> <p>t = additional tray included</p> <p>x = high capacity feeder included</p> <p>e = embedded solutions framework*</p> <p>f = finisher</p> <p>h = hard disk</p> <p>v = vinyl media</p> <p>s = Intelligent Storage Drive (ISD)</p>		
<p>CX820dtfe</p> <ul style="list-style-type: none"> ▶ Up to 52 ppm ▶ 7 inch touch screen <p>42KT012 (110V) 42KT122 (220V)</p>	<p>CX825de</p> <ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 10 inch touch screen <p>42KT040 (110V) 42KT150 (220V)</p>			

2023 Lexmark Federal Product Line-up

Color and monochrome multifunction printers TAA compliant part numbers



Non-CAC Printers and MFPs

				
<p>CX825dte</p> <ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 10 inch touch screen <hr/> <p>42KT041 (110V) 42KT151 (220V)</p>	<p>CX825dtfe</p> <ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 10 inch touch screen <hr/> <p>42KT042 (110V) 42KT152 (220V)</p>	<p>CX860de</p> <ul style="list-style-type: none"> ▶ Up to 60 ppm ▶ 10 inch touch screen <hr/> <p>42KT070 (110V) 42KT180 (220V)</p>	<p>CX860dte</p> <ul style="list-style-type: none"> ▶ Up to 60 ppm ▶ 10 inch touch screen <hr/> <p>42KT071 (110V) 42KT181 (220V)</p>	<p>CX860dtfe</p> <ul style="list-style-type: none"> ▶ Up to 60 ppm ▶ 10 inch touch screen <hr/> <p>42KT072 (110V) 42KT182 (220V)</p>
				
<p>CX930dse</p> <ul style="list-style-type: none"> ▶ Up to 25 ppm ▶ 7 inch touch screen <hr/> <p>32DT002 (110V) 32DT012 (220V)</p>	<p>CX931dse</p> <ul style="list-style-type: none"> ▶ Up to 35 ppm ▶ 7 inch touch screen <hr/> <p>32DT003 (110V) 32DT013 (220V)</p>	<p>CX931dtse</p> <ul style="list-style-type: none"> ▶ Up to 35 ppm ▶ 7 inch touch screen <hr/> <p>32DT004 (110V) 32DT014 (220V)</p>	<p>CX942adse</p> <ul style="list-style-type: none"> ▶ Up to 45 ppm ▶ 10 inch touch screen <hr/> <p>32DT005 (110V) 32DT015 (220V)</p>	<p>CX943adtse</p> <ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 10 inch touch screen <hr/> <p>32DT006 (110V) 32DT016 (220V)</p>
			<p> Color</p> <p> Solutions-Enabled</p> <p>ppm: Pages per minute</p> <p>PCSF: Print Copy Scan Fax</p> <p>TAA: TAA Compliant</p> <p>CC: Common Criteria Certified</p> <p>NA: Not Available (Part number)</p> <p>a = analog fax</p> <p>d = duplex</p> <p>n = network</p> <p>t = additional tray included</p> <p>x = high capacity feeder included</p> <p>e = embedded solutions framework*</p> <p>f = finisher</p> <p>h = hard disk</p> <p>v = vinyl media</p> <p>s = Intelligent Storage Drive (ISD)</p>	
<p>CX943adxse</p> <ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 10 inch touch screen <hr/> <p>32DT007 (110V) 32DT017 (220V)</p>	<p>CX944adtse</p> <ul style="list-style-type: none"> ▶ Up to 65 ppm ▶ 10 inch touch screen <hr/> <p>32DT008 (110V) 32DT018 (220V)</p>	<p>CX944adxse</p> <ul style="list-style-type: none"> ▶ Up to 65 ppm ▶ 10 inch touch screen <hr/> <p>32DT009 (110V) 32DT019 (220V)</p>		

2023 Lexmark Federal Product Line-up

Color and monochrome multifunction printers TAA compliant part numbers



Mono

CAC/PIV Printers and MFPs

  <p>MS632dwe</p> <ul style="list-style-type: none"> ▶ Up to 50 ppm ▶ 4.3 in touch screen <hr/> <p>38ST505 (110V) N/A (220V)</p>	 <p>MS822de</p> <ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 4.3 inch touch screen <hr/> <p>50GT155 (110V) 50GT165 (220V)</p>	 <p>MS826de</p> <ul style="list-style-type: none"> ▶ Up to 70 ppm ▶ 4.3 inch touch screen <hr/> <p>50GT355 (110V) 50GT365 (220V)</p>	 <p>MX432adwe</p> <ul style="list-style-type: none"> ▶ Up to 42 ppm ▶ 4.3 inch touch screen <hr/> <p>29ST022 (110V) 29ST023 (220V)</p>	  <p>MX532adwe</p> <ul style="list-style-type: none"> ▶ Up to 46 ppm ▶ 4.3 in touch screen ▶ Includes HDD and OCR <hr/> <p>38ST825 (110V) 38ST835 (220V)</p>
  <p>MX632adwe</p> <ul style="list-style-type: none"> ▶ Up to 50 ppm ▶ 7 in touch screen ▶ Includes HDD and OCR <hr/> <p>38ST905 (110V) 38ST915 (220V)</p>	 <p>MX721adhe</p> <ul style="list-style-type: none"> ▶ Up to 65 ppm ▶ 7 inch touch screen <hr/> <p>25BT016 (110V) 25BT021 (220V)</p>	 <p>MX722ade</p> <ul style="list-style-type: none"> ▶ Up to 70 ppm ▶ 7 inch touch screen <hr/> <p>25BT017 (110V) 25BT022 (220V)</p>	 <p>MX822ade</p> <ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 10 inch touch screen <hr/> <p>25BT636 (110V) 25BT654 (220V)</p>	 <p>MX822adx</p> <ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 10 inch touch screen <hr/> <p>25BT637 (110V) N/A (220V)</p>
 <p>MX826ade</p> <ul style="list-style-type: none"> ▶ Up to 70 ppm ▶ 10 inch touch screen <hr/> <p>25BT646 (110V) 25BT664 (220V)</p>	 <p>MX826adtfe</p> <ul style="list-style-type: none"> ▶ Up to 70 ppm ▶ 10 inch touch screen <hr/> <p>25BT649 (110V) 25BT667 (220V)</p>	 <p>MX826adx</p> <ul style="list-style-type: none"> ▶ Up to 70 ppm ▶ 10 inch touch screen <hr/> <p>25BT647 (110V) N/A (220V)</p>	 <p>MX931dse</p> <ul style="list-style-type: none"> ▶ Up to 35 ppm ▶ 7 inch touch screen <hr/> <p>32DT021 (110V) 32DT031 (220V)</p>	

Monochrome

Solutions-Enabled

non Wi-Fi standard

ppm: Pages per minute

PCSF: Print Copy Scan Fax

TAA: TAA Compliant

CC: Common Criteria Certified

CAC/PIV: PKI Authentication

NA: Not Available (Part number)

*MX521de/ade do not include the embedded solutions framework and do not support optional Lexmark or third-party solutions.

a=analog fax

d=duplex

n=network

t=additional tray included

x=high capacity feeder included

e=embedded solutions framework*

f=finisher

h=hard disk

v=vinyl media

s=Intelligent Storage Drive (ISD)

2023 Lexmark Federal Product Line-up

















Color and monochrome multifunction printers TAA compliant part numbers



Mono

Non-CAC Printers and MFPs

 <p>MS431dn</p> <ul style="list-style-type: none"> ▶ Up to 42 ppm ▶ 2-line APA mono LCD display <p>29ST001 (110V) 29ST003 (220V)</p>	 <p>MS531dw</p> <ul style="list-style-type: none"> ▶ Up to 46 ppm ▶ 2.8 in touch screen <p>38ST300 (110V) 38ST310 (220V)</p>	 <p>MS631dw</p> <ul style="list-style-type: none"> ▶ Up to 50 ppm ▶ 2.8 in touch screen <p>38ST400 (110V) 38ST410 (220V)</p>	 <p>MS632dwe</p> <ul style="list-style-type: none"> ▶ Up to 50 ppm ▶ 4.3 in touch screen <p>38ST500 (110V) 38ST510 (220V)</p>	 <p>MS821dn</p> <ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 2.4 inch touch screen <p>50GT100 (110V) 50GT120 (220V)</p>
 <p>MS822de</p> <ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 4.3 inch touch screen <p>50GT110 (110V) 50GT130 (220V)</p>	 <p>MS823dn</p> <ul style="list-style-type: none"> ▶ Up to 65 ppm ▶ 2.4 inch touch screen <p>50GT200 (110V) 50GT220 (220V)</p>	 <p>MS825dn</p> <ul style="list-style-type: none"> ▶ Up to 70 ppm ▶ 2.4 inch touch screen <p>50GT300 (110V) 50GT320 (220V)</p>	 <p>MS826de</p> <ul style="list-style-type: none"> ▶ Up to 70 ppm ▶ 4.3 inch touch screen <p>50GT310 (110V) 50GT330 (220V)</p>	 <p>MX431adn</p> <ul style="list-style-type: none"> ▶ Up to 42 ppm ▶ 2.8 in touch screen <p>29ST010 (110V) 29ST011 (220V)</p>
 <p>MX721adhe</p> <ul style="list-style-type: none"> ▶ Up to 65 ppm ▶ 7 inch touch screen <p>25BT006 (110V) 25BT011 (220V)</p>	 <p>MX722ade</p> <ul style="list-style-type: none"> ▶ Up to 70 ppm ▶ 7 inch touch screen <p>25BT007 (110V) 25BT012 (220V)</p>	 <p>MX822ade</p> <ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 10 inch touch screen <p>25BT600 (110V) 25BT618 (220V)</p>	 <p>MX822adte</p> <ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 10 inch touch screen <p>25BT604 (110V) N/A (220V)</p>	

Monochrome

Solutions-Enabled

non Wi-Fi standard

ppm: Pages per minute
PCSF: Print Copy Scan Fax

TAA: TAA Compliant
CC: Common Criteria Certified

CAC/PIV: PKI Authentication
NA: Not Available (Part number)

*MX521de/ade do not include the embedded solutions framework and do not support optional Lexmark or third-party solutions.

a=analog fax

d=duplex

n=network

t=additional tray included

x=high capacity feeder included

e=embedded solutions framework*

f=finisher

h=hard disk

v=vinyl media

s=Intelligent Storage Drive (ISD)

2023 Lexmark Federal Product Line-up








Color and monochrome multifunction printers TAA compliant part numbers




Mono

Non-CAC Printers and MFPs

				
MX822adxe	MX826ade	MX826adtfe	MX826adx	MX931dse
<ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 10 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 70 ppm ▶ 10 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 70 ppm ▶ 10 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 70 ppm ▶ 10 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 35 ppm ▶ 7 inch touch screen
25BT601 (110V) N/A (220V)	25BT610 (110V) 25BT628 (220V)	25BT613 (110V) 25BT631 (220V)	25BT611 (110V) N/A (220V)	32DT001 (110V) 32DT011 (220V)

Monochrome

 Solutions-Enabled

ppm: Pages per minute

PCSF: Print Copy Scan Fax

TAA: TAA Compliant

CC: Common Criteria Certified

CAC/PIV: PKI Authentication

NA: Not Available (Part number)

*MX521de/ade do not include the embedded solutions framework and do not support optional Lexmark or third-party solutions.

a=analog fax

d=duplex

n=network

t=additional tray included

x=high capacity feeder included

e=embedded solutions framework*

f=finisher

h=hard disk

v=vinyl media

s=Intelligent Storage Drive (ISD)

Secure output and user authentication


- ▶ PKI CAC with Active Directory
- ▶ Active Directory integration
- ▶ Badge- and role-based authentication
- ▶ Print and retrieve anywhere
- ▶ Digitally sign and encrypt scan to email and folder
- ▶ No third-party software/firmware

Hard disk security

- ▶ Hard disk drives (encryption and disk overwrite)
- ▶ Non-volatile memory
- ▶ Government hard disk retention
- ▶ Optional lockable HDD

Device protection

- ▶ Operating system security
- ▶ Secure firmware updates
- ▶ Audit logs to track usage



Tools

- ▶ Device/fleet management
- ▶ Implement firmware and certificate updates remotely
- ▶ Enforce security and policy settings remotely

Network protection

- ▶ Wired or wireless 802.1x
- ▶ Fax separated from network
- ▶ Securing data endpoints
- ▶ Able to join domain with PKI
- ▶ SHA-256

Secure document monitoring

- ▶ Identify potential insider threats to prevent data leakage and spillage
- ▶ Audit/monitor scanned content
- ▶ Audit/monitor print content

Lexmark for government

Lexmark's comprehensive lineup of imaging products covers a full spectrum of budgets, business objectives, performance goals and workloads, from individual users to large workgroups. Lexmark is one vendor that truly has it all, offering government buyers a wide range of choices.

To meet our customers' varied needs, every Lexmark printer and MFP model has a unique combination of print speed, color modes, paper formats, processing capabilities, inputs/outputs and network connection types. But they all share a set of high-level goals

that drive Lexmark product design, a combination of attributes that form the DNA of every Lexmark product. For example, ease of use is woven into every Lexmark product, including mobility support to help your staff get their work completed in the easiest and quickest way possible.

Lexmark's emphasis on performance means not just fast printing and scanning, but long maintenance intervals and ingenious ways to enhance efficiency. And our drive for quality is obvious in the clarity of our imaging technology and proven by million-page testing.

Designed-in flexibility gives every Lexmark product the ability to adapt to your needs as your business and its objectives evolve, while our manageability features let you monitor and control just a handful of devices or a fleet of thousands.

And across the line is Lexmark's long-standing commitment to security, which creates not just a safer but a more productive environment for users of Lexmark products.