

Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	HPE	Logo
Company name *	Hewlett Packard Enterprise	
Contact information *	Environmental Contact Centre (ECC)	Hewlett Packard
e-mail address	sustainability@hpe.com	Enterprise
Internet site *	www.hpe.com/info/environment	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.

Type of product *	Server
Commercial name *	HPE ProLiant DL385 Gen11 Server
Model number *	DL385 Gen11
Issue date *	7-Nov-2022
Intended market *	🛛 Global 🔲 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *	DL385 Gen11	Logo	
Issue date *	7-Nov-2022		Hewlett Packard Enterprise

Product	Requirer	nent met	
Item		Yes	No n.a.
P1	Hazardous substances and preparations		
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes	
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes	
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.		
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\square	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in th chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🖂	
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm ² /wee (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.	k 🗌	
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): www.hpe.com/info/reach	\square	
P2	Batteries		
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	\square	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega reference)	I 🛛	
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes	
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)		
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference)		
P3	Conformity verification & Eco design (ErP)		
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://h41388.www4.hpe.com/regulations/uk/en/regulations.html		
P3.2*	The product complies with the applicable Eco design requirements for energy-related products, (see legal reference).	\boxtimes	
	Required information is; given in item P15 or added to this document, available at (add URL): Erp Lot9 Servers		
P5	Product packaging		
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	\square	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material (used (see legal reference).	s) 🔀	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.		
P6	Treatment information		
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	DL385 Gen11	Logo				
Issue date *		7-Nov-2022			Hewlett Packard Enterprise		
	- Enviro	mental attributes - Market requirements (See General NOTE GN below onmental conscious design	v)		ment met		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No n.a.		
P7	Design	mbly requelled					
P7.1*		mbly, recycling t have to be treated separately are easily separable					
P7.2*		haterials in covers/housing have no surface coating.			+		
P7.3*		arts > 100 g consist of one material or of easily separable materials.			+		
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.					
P7.5			wolloble tee				
-		arts are free from metal inlays or have inlays that can be removed with commonly a					
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).					
P7.7*	Product	Infetime og can be done e.g. with processor, memory, cards or drives					
	10						
P7.8*	10	ig can be done using commonly available tools			<u> </u>		
P7.9		arts are available after end of production for: 5 years					
P7.10		s available after end of production for: 5 years					
		and substance requirements					
P7.11*	Material	cover/housing material type (e.g. plastics, metal, aluminum): type: PC+ABS Material type: Metal Materia	al type:				
P7.12		n materials of external electrical cables are PVC free.			\square		
P7.13	Insulatio	n materials of internal electrical cables are PVC free.			\square		
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) br 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame re chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine g more than 25% post-consumer recycled content.	etardants, ar				
P7.15	Printed c halogen	ircuit boards, PCBs (without components) are low halogen: all \square PCBs > 25 g \boxtimes as defined in IEC 61249-2-21. (See 5 NOTE B2)	are low	\square			
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: <i>FR(40)</i>		\square			
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name:	omponents): , CAS #:				
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR(40)</i>	ents) > 25 g				
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substances/ ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	preparations	s in			
D7 40	<u>Alt. 2:</u> Cł	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4: <i>FR(40)</i>	, 🖂			
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:	i nave been				
	The sour	rce(s) for these classifications is/are found at (add URL(s)): , (See	NOTE B5)				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	DL385 Gen11	Logo	
Issue date *	7-Nov-2022		Hewlett Packard Enterprise

Produc	t environmental att	ributes - Market re	equirements (conti	nued)		Requi		nt me
Item						Yes	No	n.a.
	Material and subs	tance requirements	(continued)					
P7.20*	Postconsumer recy	cled plastic material c	content is used in the p	roduct (See NOTE Be	6) :		\square	
	If YES; at least one	of the two alternative	s below shall be answ	ered;				
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a							
	percentage of or	total plastic by weight	:) is %.					
		recycled material is	g.					
P7.21*			in the product (See N	OTE B7):			\boxtimes	
			s below shall be answ					
	 a) Of total plastic of total plastic 			material content (calc	culated as a percentage			
	or	by weighty is 70						
		the biobased plastic r						
P7.22*			less than 0,1 mg/lamp			\boxtimes		
P7.23*		pecify: Number of lan	nps: and maxim e total mercury content	um mercury content p				
	•	an integral display, the	e total mercury conten	In the integrated disp	olay: mg			
P8 P8.1*	Batteries	mposition: <i>LiMnO2;</i>						
	•							
P9 P9.1		ion (See NOTE B8)		a second a s				
	-		s or energy consumpti	-				
Energy n	node *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard f modes and test metho		ду	\square
EPS No-								
(External	I power supply /							
	olugged in the wall t disconnected from							
the produ								
PTFC *)	W	W	W				
= •	Energy Consumption	vv	vv	vv				\bowtie
. , pical E								
ETEC *		kWh/year	kWh/year	kWh/year				\square
	Energy Consumption	.,	.,	.,				
External Power Supply Efficiency Level (International Efficiency Marking Protocol) *:								\bowtie
Display resolution * : megapixels								\square
Default time to enter energy save mode: minutes								\square
P9.2* Information about the energy save function is provided with the product.					•			\square
P9.3	Energy efficiency cl	ass (monitors only):						\square
								<u> </u>

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	DL385 Gen11	Logo	
Issue date *	7-Nov-2022		Hewlett Packard Enterprise

Product	environmental	attributes - Market requirements (cont	inued)		Require	ment	met
Item						No	n.a.
P10	Emissions						
	Noise emission	n – Declared according to ISO 9296 (See NOT					
P10.1	Mode	Mode description	Statistical upp L _{WA,c} (B)	er limit A-weighted sound pov	wer level,		
	Idle	* One or more steady-state conditions in which the equipment being tested is energized but is not operating.	* 5.6 <i>(B)</i>			[
	Operation	* Condition on which the equipment being tested is performing its intended function(s).	* 5.7 <i>(B)</i>			[
	Other mode						
	Measured accor	rding to: ISO 7779 ECMA-74	by FCMA-74)				
	Electromagnet		oy 2011/(11)				
P10.4		ay meets the requirement for low frequency ele	ctromagnetic field	s of the following voluntary			
P12	Ergonomics fo	r computing products					
P12.1*		ets the ergonomic requirements of ISO 9241-30					\square
P12.2*	The physical inp	out device meets the requirements of ISO 9995	and ISO 9241-41	0.			\boxtimes
P13		documentation					
P13.1*	Product packag	ing material type(s): EPE Cushion w	veight (kg): 3.801 veight (kg): 1.057 veight (kg): 0.117				
P13.2*		primary packaging is free from PVC.			\square		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 30%						
P13.4*	Specify media for user and product documentation (tick box):						
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:						
	Elemental chlorine-free						
	Totally chlorine-				Ц		
	Processed chlor	rine-free					
P14	Voluntary prog	Irams					
P14.1		ets the requirements of the following voluntary s of this product may comply with energy the second se		omputer servers.			
	To find HPE products that are Energy Start certified, please go to the following link. HPE Servers Energy Star Website						
	ENERGY STAR Eco-label: Eco-label:	Criteria version:	Date: <i>Nov 2022</i> Date: Date:	Product category: Server Product category: Product category:			
P15	Additional info	rmation (See NOTE B10)					
	The IT Eco Dec	claration covers the product base model on graphic cards with fans etc, these can change					extra
P9	Energy consur	nption of computer products; description o n configurations can be determined using t npe.com/us/en/integrated-systems/rack	he HPE Power Ac	lvisor at:	-	tion fo	or

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	