HP 920 Ergonomic Wireless Mouse



A more natural fit. A more comfortable workday.

From login to logoff, your every move matters. Your comfort matters too. The HP Ergonomic Vertical Mouse is designed to keep your hand in a more relaxed, natural upright position as you click, drag, and scroll through your day. Whether you're grinding on a project, editing vacation photos, or handling the day-to-day, you'll find even more comfort with the unique, detachable wrist rest.



*Product image may differ from actual product



Comfort that clicks

Keep your shoulder, neck, and forearm more relaxed throughout the day. Designed to reduce muscle activity by 12%¹, the HP Ergonomic Vertical Mouse with detachable wrist rest is certified by Human Factors and US Ergonomics. Its unique, upright form factor makes every movement effortless.



Stay on track

Be productive anywhere with a mouse that tracks on practically any surface². Whether you're logged in at your desk, coffee table, couch, or kitchen island, you'll stay on the ball and in control thanks to this device's sensitive, multi-surface sensor that doesn't miss a click. A battery life of up to sixteen weeks³ means a day without a charger isn't a day without a mouse, and five programmable buttons ensure you'll never miss a beat.



Switch devices with a click

From desktop to laptop to tablet and back, this ergonomic mouse will stay connected to up to three devices at a time using the HP Unifying Dongle or Bluetooth® 5.3. Multi-OS support means a smooth transition even between Windows®, Apple and Chrome devices. The easy switch button means you stay connected and in control of every



Designed around you. Built for the planet.

Do it all while doing good. No need to compromise performance or your love for the planet. The HP Ergonomic Vertical Mouse is built with solid, recycled materials, including 65% post-consumer recycled plastics⁴, and comes in plastic-free packaging. So you can feel good about your purchase.

HP 920 Ergonomic Wireless Mouse

HP Unifying Dongle

Connect to your devices with the small HP Unifying USB Dongle.

Removable Wrist Rest

Magnetically attachable wrist support for all-day comfort.

Customizable Buttons

Five customizable buttons through HP Accessory Center.⁵

Dongle Storage

Right there when you need it. When using Bluetooth® or on the go, your HP Unifying Dongle neatly tucks away inside the mouse.

Engineered for

HP 920 Ergonomic Wireless Mouse







Convention Con	December 1	CUANA
Correction type 2.4 Gibt a unides correction. National PL Windows range DUS 10 mm op memes by 10 2.23 lt in giorn and of Ballary description Retrappable Line Ballary Secription Retrappable Line Ballary Secription Segment ballary fail to the great propriented by 50% in less than 2 hars Service Mechanism Supprish ballary fail theiry exprended by 50% in less than 2 hars Service Mechanism 100 to 500 db Service mechanism 6 Programable buttons 5 1 Advanced sort of When Advanced and 100 db 6 Record of When Advanced and 100 db 7 Medicate Signal and 100 db 800 db Medicate Signal and 100 db 800 db 800 db Medicate S	Product number	6H1A4AA
Windows Amore Use to limit no consistent bits 32.01 it in spea areas* and anotypich to the control of allows affect or invasive charged (bit to 4 moreshs*). Battery Activation Use to allows affect or invasive charged (bit to 4 moreshs*). Battery Activation Seponts better for the charged (bit to 4 moreshs*). Battery Activation Use to allow a state of some agreementably 90% in less than 2 hours. Sensor resolution Use to allow a state of some agreementably 90% in less than 2 hours. Sensor resolution 1,200 dis Battery Control of Management and a state of the control of the cont		
Settery (Secrety) Settery (Sec	Connection type	2.4 GHz wireless connection; Bluetooth® 5.3
Settery life Up to 3 hours faither 1 minuse changing by to 6 in norther 1 minuse changing by to 6 in norther 1 minuse changing by to 6 in norther 1 minuse changing by the 6 in norther 1 minuse by the 6 in norther 1 minuse changing by the 6 in norther 1 minuse changing by the 6 in norther 1 minuse changing by the 6 in norther 1 minuse by the	Wireless range	Up to 10 m in open area; Up to 32.81 ft in open area ²
Setter verboring them Supports battery feet change approximately 90% in less than 2 hours Stensor recordation Author setter backing Semon recordation 1 htt 4000 dg Setters recordation 2 hours Butters 6 Regulated buttons 5 ? Advanced soor legist Setting, Channel LED Security AES 128 bits encryston Monact soor legist AEX record Center Softward Separated specified systems Viridation 11, Windows 10, Chrome 60%; mut05 10.13 or later System Requirements, Mirrour 150 Records of center Softward System Requirements, Mirrour 150 Repose particility systems Windows 11, Windows 10, Chrome 60%; mut05 10.13 or later System Requirements, Mirrour 150 Repose particility systems Windows 10, Chrome 60%; mut05 10.13 or later System Requirements, Mirrour 150 Repose particility systems System Requirements, Mirrour 150 Repose particility systems System Requirements, Mirrour 150 Repose particility systems System Requirements, Mirrour 150 Repose particility systems 150 Repose particility systems System Requirements, Mirrour 15	Battery description	Rechargeable Li-ion
Serior Intrintiology Multi surface tracking Serior resolution Up to 4000 dip Serior resolution 100 dip Serior resolution 6 Programmal value 6 Programmal value 51 Advanced storoll wheel Normal Indicator light Balley, Channel LED Security ACS 128 lists encryption Product of or Black Required story and the programmal value Microbard light Supported Operating systems Windows 11, Windows 10, Chiname 05th, macCS 1013 or later Supported Operating systems Windows 11, Windows 10, Chiname 05th, macCS 1013 or later Supported Operating systems Windows 11, Windows 10, Chiname 05th, macCS 1013 or later Supported Operating systems Windows 11, Windows 10, Chiname 05th, macCS 1013 or later Supported Operating systems Windows 11, Windows 10, Chiname 05th, macCS 1013 or later Supported Operating systems Windows 11, Windows 10, Chiname 05th, macCS 1013 or later Supported Operating systems Windows 11, Windows 10, Chiname 05th, macCS 1013 or later Supported Operating systems Chiname 100 or later 100 or late	Battery life	Up to 3 hours (after 1 minute charging); Up to 4 months ¹
Series mesulation Up 14 400 (pi) Series monifoldable 1200 (pi) Matters 6 Polymaniable buttons 5 ** Advanced scroll wheel Instrumed Advanced scroll wheel Active Advanced scroll wheel Instrumed Security Active Colonial LED Security Active Colonial LED Security Black Recognition Software Instrumed Product colon Black Recognition Software In Processory Center Software Supported Software In Processory Center Software Windows 11 (Live Clone) Button Infl Warrancy In Standard Group of United Software (LIVE MINE) Soft	Battery recharge time	Supports battery fast charge: approximately 90% in less than 2 hours
Sensor naminal value 1200 dip Buttors 6 Programalie buttors 5 - 1 Allonacid scroll wheel Normal Indicator light Battery, Charmel LED Security AES 128 bits encryption Product of or Black Management software HP Accessory Center Software ³ Supported operating systems Minkboxs 11; Windows 10; Onerine OS**, max OS 10.13 or later System Requirements, Minimum USB Type A part, Risusositif* Warranty 18** standard One-year Intell warranty 4* Centifications and complances	Sensor technology	Multi surface tracking
Buttors 6 Programatic buttors 5 Advanced scrot wheel Normal Advanced scrot wheel 8 latery Charrel LED Foundation light 8 latery Charrel LED Foundation light 8 latery Charrel LED Foundation 8 latery Charrel LED Foundation 8 latery Charrel LED Security 4 latery Charrel LED Water Station 9 latery Charrel LED System Requirements, Minimum USS Type-A part; Research* Warranty 149 standard the year limited warranty* Certifications and compliances 161 c. E. FILMING TRUNC CARPS NY, CLOUS, SARW, TURK, LEAC, TEC, LOSA, BOB, KC, VC, UL, AWATEL, THERE, SURTEL, CONATEL, COTRA, NEGLECIA CODE, FCC LED RECEIVED Warranty 161 c. E. FILMING TRUNC CARPS NY, CLOUS, SARW, TURK, LEAC, TEC, LOSA, BOB, KC, VC, UL, AWATEL, THERE, SURTEL, CONATEL, CORR, NEGLECIA CODE, FCC LED RECEIVED Warranty 162 c. E. FILMING TRUNC CARPS NY, CLOUS, ARABITATION CONTROL CARPS NY, CLOUS, ARA	Sensor resolution	Up to 4000 dpi
Programable buttons signal patients signal service buttons signal patients signal service buttons signal patients software si	Sensor nominal value	1200 dpi
Abanced sroll wheel Normal Indicator light Battery, Channel EED Security AES 18 bits encryption Product rolor Battery Channel EED Security AES 18 bits encryption Product rolor Battery Channel EED Seported operating systems Product rolor Product rol	Buttons	6
Indicator light Security AES 128 bits encryption Product coor Black Paragement software Pil Paccessory Center Software System Requirement, Miniman USB Type-A port; Bluetooth* Windows 11; Bluetooth* Windows	Programable buttons	53
Security AES 128 bits encryption Product color Black Management software HP Accessory Center Software Supported operating systems Windows 11, Windows 10, Chrome O5**, macOS 10.13 or later Supported operating systems Windows 11, Windows 10, Chrome O5**, macOS 10.13 or later Supported operating systems Windows 11, Windows 10, Chrome O5**, macOS 10.13 or later Windows 11, Windows 10, Chrome O5**, macOS 10.13 or later USB Type-A port; Bluedoof** Bype-A port; Bluedoof** Bype-C charging cold gets bype-A port; Bluedoof** Bype-C charging cold gets bype-C charging cold gets start guide Bype-C charging cold gets start guide Bype-C charging cold gets bype-Bype-A port; Bluedoof** Bype-C charging cold gets bype-Bype-A port; Bluedoof** Bype-C charging cold gets bype-Bype-Bype-Bype-Bype-Bype-Bype-Bype-B	Advanced scroll wheel	Normal
Product color Black Management software HP Accessory Center Software ¹ Supported operating systems Windows 11; Windows 10; Chrome OS**, macOS 10.13 or later System Requirements, Minimum Usb Stype-A port; Bluetooth** Warranty HP Standard One-year Intrinated warranty 4 Certifications and compliances GBIC; FIFTMONE RON, WPC; SDRPP; NTC; IMDA; Sodic; SSRN; NCC; SRRC; SRRN; TRA; EAC; TRC; ICASA; BQB; XCC; VCC; U.; ANATEL; TERC; SUBFEL; CONATEL; CITRA; NR Cart; ICIDR; ICEMC (ECT/DDE; FCC IDR; FCC EMC; CERC; SDR, NCC; SRRC; SRRN; TRA; EAC; TRC; ICASA; BQB; XCC; VCC; U.; ANATEL; TERC; SUBFEL; CONATEL; CITRA; NR Cart; ICIDR; ICEMC (ECT/DDE; FCC IDR; FCC EMC; CERC; SDR, NGC; SRRC; SRRN; TRA; EAC; TRC; ICASA; BQB; XCC; VCC; U.; ANATEL; TERC; SUBFEL; CONATEL; CITRA; NR Cart; ICIDR; ICEMC (ECT/DDE; FCC IDR; FCC EMC; CERC; SDR, NGC; SRRC; SRRN; TRA; EAC; TRC; ICASA; BQB; XCC; VCC; U.; ANATEL; TERC; SUBFEL; CONATEL; CITRA; NR Cart; ICIDR; ICEMC (ECT/DDE; FCC IDR; FCC EMC; CERC; SDR; SDR; SDR; SDR; SDR; SDR; SDR; SDR	Indicator light	Battery; Channel LED
Management software HP Accessory Center Software Windows 11; Windows 10; Chrome OS**, macOS 10.13 or later System Requirements, Minimum USB Type-A port; Bluetooth* Warranty HP standard One-year limited warranty 4 Certifications and compliances Circlifications and compliances RED: UTI-CS Belianus-HE; Lifetrest; ECAS/EDM, NCC; SBRC; SRIM, TRA; EAC, TRC; ICASA; BQB, KCC; VCC; LII; ANATEL; Telec; SUBTEL; CONATEL; CITRA; NR Cam; ICI DR; FCC EMC; ECE/DDE; FCC ID R; FCC EMC; ECE/DDE; FCC EMC; ECE/DD	Security	AES 128 bits encryption
Supported operating systems Windows 11; Windows 10; Chrome 05°°; maxOS 10.13 or later System Requirements, Minimum USB Type-A port; Bluetooth® Warranty HP standard One-year limited warranty A Certifications and compliances CB; C; C; FTNON; FCNW, WC; CSDPP, NT; CMDA; SoC, BSML NCC; SRRC; SRIM; TRA; EAC; TRC; ICASA; BQB; KCC; VCD; U.; ANATEL; Tele; SUBTEL; CONATEL; OTRA; NR Can; ICI DRF; ICEMC; CEC/DDE; FCC IDI RF; FCC EMC; EBCD, TUPC; Cg. Selerus-RF; Urtest; ECAS/EQN; NBRC What's in the box Will releas mouse USB dongle USB d	Product color	Black
System Requirements, Minimum USB Type-A port; Eluetooth** Warranty HP standard One-year limited warranty 4 Certifications and compliances CER; CETTAVION; R KOR, VERC; SDEPS; NTC; IMDAS, SdaG; BSMI; NCC; SRRC; SRIM; TRA; EAC; TRC; ICASA; BQB; KCC; VCC; UL; ANATE; Teier; SUBTEL; CONATEL; GTRA; NR Car; KC ID RF; ICE MCC; CEC/DDE; FCC ID RF; FCC EMC; CE MCB; SB dorsigle USB Byse-C** Charging cable USB Byse-C** Chargi	Management software	HP Accessory Center Software ³
Warranty HP standard One-year limited warranty 4 Certifications and compliances CB, KC, HT/NOM, RCM, WPC, SDPP), NTC, IMDA; Sdock, BSMI, NCC, SRRC, SRIM, TRA; EAC, TRC, ICASA, BQB; KCC, VCC; UL; ANATEL; Telec; SUBTEL; CONATEL, CTRA; NR Carr, IC ID RF; IC EMC, CEC/DOE; FCC ID RF; FCC EMC, CE What's in the box What's in the box Warranty card USB dongle USB bype-d* charging cable Quick start guide Warranty card Country of origin Made in China Dimensions (Wx X X x H) 6,7 x 3.94 x 3.03 in Weight 0.28 lb Package dimensions (Wx X D x H) 7.28 x 4.53 x 4.61 in; Master carton quantity 18 Asser carton quantity 18 Asser carton quantity 4 Pallet (layers) 1 Carton per layer 4 Pallet (layers) 1 Carton per pallet 16 Products per layer 72 Products per layer 72 Products per pallet 72 Products per pallet 72 Pallet weight 728.41 lb;	Supported operating systems	Windows 11; Windows 10; Chrome OS™, macOS 10.13 or later
Certifications and compliances Certifications (W. A. Certifications and compliances) Certifications (W. Certifications and compliances) Certifications and compliances Certifications and certificatio	System Requirements, Minimum	USB Type-A port; Bluetooth®
RED. TUV- 65, Belarus-RF; Ukrtest; ECAS/EQM; NBRC What's in the box	Warranty	HP standard One-year limited warranty ⁴
Whats in the box USB dongle Outlook Start guide Warranty card Country of origin Made in China Dimensions (W x D x H) 6.7 x3.94 x3.03 in Weight 0.28 lb Package dimensions (W x D x H) 7.28 x 4.53 x 4.61 in; Master carton quantity 18 Master carton weight 42.33 lb; Carton per layer 4 Pallet (layers) 1 Carton per pallet 16 Products per layer 72 Products per pallet 288 Pallet weight 72.84 lb;	Certifications and compliances	
Dimensions (Wx Dx H) 67 x 3.94 x 3.03 in Weight 0.28 lb Package dimensions (Wx Dx H) 7.28 x 4.53 x 4.61 in; Master carton quantity 18 Master carton weight 42.33 lb; Carton per layer 4 Pallet (layers) 1 Carton per pallet 16 Products per layer 72 Products per pallet 288 Pallet weight 72.841 lb;	What's in the box	USB dongle USB Type-C® charging cable Quick start guide
Weight 0.28 lb Package dimensions (W x D x H) 7.28 x 4.53 x 4.61 in; Master carton quantity 18 Master carton weight 42.33 lb; Carton per layer 4 Pallet (layers) 1 Carton per pallet 16 Products per Jayer 72 Products per Jayer 288 Pallet weight 72.841 lb;	Country of origin	Made in China
Package dimensions (W x D x H) 7.28 x 4.53 x 4.61 in; Master carton quantity 18 Master carton weight 42.33 lb; Carton per layer 4 Pallet (layers) 1 Carton per pallet 16 Products per layer 72 Products per pallet 288 Pallet weight 72.841 lb;	Dimensions (W x D x H)	6.7 x 3.94 x 3.03 in
Master carton quantity 18 Master carton weight 42.33 lb; Carton per layer 4 Pallet (layers) 1 Carton per pallet 16 Products per layer 72 Products per pallet 288 Pallet weight 728.41 lb;	Weight	0.28 lb
Master carton weight 42.33 lb; Carton per layer 4 Pallet (layers) 1 Carton per pallet 16 Products per layer 72 Products per pallet 288 Pallet weight 728.41 lb;	Package dimensions (W x D x H)	7.28 x 4.53 x 4.61 in;
Carton per layer 4 Pallet (layers) 1 Carton per pallet 16 Products per layer 72 Products per pallet 288 Pallet weight 728.41 lb;	Master carton quantity	18
Pallet (layers) 1 Carton per pallet 16 Products per layer 72 Products per pallet 288 Pallet weight 728.41 lb;	Master carton weight	42.33 lb;
Carton per pallet 16 Products per layer 72 Products per pallet 288 Pallet weight 72.8.41 lb;	Carton per layer	4
Products per layer 72 Products per pallet 288 Pallet weight 728.41 lb;	Pallet (layers)	1
Products per pallet 288 Pallet weight 728.41 lb:	Carton per pallet	16
Pallet weight 728.41 lb;	Products per layer	72
	Products per pallet	288
Sustainable impact specifications 65% post-consumer recycled plastic; Packaging is recyclable; 100% paper-based packaging ⁵	Pallet weight	728.41 lb;
	Sustainable impact specifications	65% post-consumer recycled plastic; Packaging is recyclable; 100% paper-based packaging ⁵

HP 920 Ergonomic Wireless Mouse

Messaging Footnotes

- ¹ Reduced muscle activity based on HP internal testing compared to HP 430/435 Multi-device Mouse.
- ² Glass surface may affect functionality.
- 3 Battery life based on a 5-day week, 8 hours per day (active 4.3%, idle 4.1%, sleep 6.9%, deep sleep 84.7%); and 16 hours of sleep (100% deep sleep). The maximum capacity of the battery will naturally decrease with time and usage.

 4 Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 EPEAT® standard.

 5 Requires HP Accessory Center (HPAC) Software. HPAC available for free download in Microsoft Store or Apple Store.

Technical Specifications Footnotes

- ¹ Battery life based on a 5-day week, 8 hours per day (active 12.5%, idle 9%, sleep 78.5%) The maximum capacity of the battery will naturally decrease with time and usage. ² Wireless range may vary base on user environmental and computer conditions. ³ Requires HP Accessory Center (HPAC) Software. HPAC available for free download in Microsoft Store or Apple Store.

- HP includes a one-year (two-year) limited warranty with online support available 24 x 7. Consult the HP Customer Support Center for details, or go to www.hp.com/go/orderdocuments. Internet access required and not included.

 5 100% outer box/corrugate cushion packaging made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100% recycled wood fiber and organic material. Any plastic cushions are made from >90% recycled plastic. Excludes plastic bags and plastic foam sheeting.

